

Interactive, Collaborative and Multi-user Augmented Reality Applications in Primary and Secondary Education

A Systematic Review

Stefano Masneri^{1,2} · Ana Domínguez¹ · Iñigo Tamayo¹ · Mikel Zorrilla¹ ·
Mikel Larrañaga² · Ana Arruarte²

Received: date / Accepted: date

Abstract Augmented Reality is a technology that enhances human perception with additional, artificially generated sensory inputs to create a new experience enriching human vision by combining natural with digital offers. Augmented Reality development dates back to the early nineties but only in the last decade, thanks to improvements to hardware and software, it has been quickly incorporated in several fields, including education. This study presents a systematic review of the literature on the use of augmented reality applications in primary and secondary schools, with a specific focus on collaborative, multi-user and interactive applications. The aim of the study is to investigate the characteristics of such applications, the processes that led to their adoptions, and their effectiveness in enhancing the learning experience. This study synthesises a set of 92 publications from 2015 to 2020 and performs a qualitative analysis of their content. The review describes the current state of the art on research in Augmented Reality for education and provides future research lines, as well as trends for the future of such applications

for educational settings, analysing the relevance of the multi-user interaction challenge within the Augmented Reality ecosystem.

Keywords Augmented Reality · Education · Literature Review · Interactive Technologies · Multi-user applications · Collaborative

1 Introduction

Digital transformation is profoundly impacting and disrupting every facet of society, and education is no exception. In the last two decades, several technologies and techniques have impacted the education industry, being the most notorious the irruption of Massive Open Online Courses (MOOC), the widespread adoption of Interactive Whiteboards (IWB) and, more in general, the success of Technology-Enhanced Learning (TEL).

Despite being first introduced in 1992 as a training tool for Air Force pilots (Caudell and Mizell, 1992), it took many years before Augmented Reality (AR) was applied in schools as a tool to facilitate learning. Nowadays, thanks to the widespread adoption of devices that support AR applications, as well as the availability of software libraries like ARKit¹ or ARCore² which greatly simplify and speed-up the development process, AR has become a technology which is more and more used in educational settings.

Given its surge in popularity, AR has become an active research topic and several systematic studies have been performed to analyse how this technology has been used in educational contexts. Some studies presented an analysis of the advantages and drawbacks of AR

S. Masneri
E-mail: smasneri@vicomtech.org
A. Domínguez
E-mail: adominguez@vicomtech.org
I. Tamayo
E-mail: itamayo@vicomtech.org
M. Zorrilla
E-mail: mzorrrilla@vicomtech.org
M. Larrañaga
E-mail: m.larranaga@ehu.eus
A. Arruarte
E-mail: a.arruarte@ehu.eus

¹Vicomtech Foundation, Basque Research and Technology Alliance (BRTA), San Sebastián, Spain.

²Computer Languages and Systems, University of the Basque Country (UPV/EHU), San Sebastián, Spain.

¹ developers.google.com/ar/

² developer.apple.com/documentation/arkit/

in generic educational settings (Akçayır and Akçayır, 2017; Radu, 2014; Diegmann et al., 2015) or provided insights on the status of the technology as well as suggestions for future research (Cheng and Tsai, 2013; Arici et al., 2019; Bacca et al., 2014; Pellas et al., 2019). Other reviews focused on specific subjects, like Science, Technology, Engineering and Maths (STEM) (Ibáñez and Delgado-Kloos, 2018; Nielsen et al., 2016); on specific topics like AR-based serious games (Li et al., 2017; Bartolomé et al., 2011; Laine, 2018) or the evaluation of the usage of AR in schools (da Silva et al., 2019; Chen et al., 2017). Garzón et al. (2019) performed a meta-review of 61 studies to measure the impact of AR applications in learning effectiveness, showing that at the moment they only have a medium effect on it. Table 1 summarises the content of some of the most comprehensive Systematic Literature Reviews (SLRs) about AR in educational settings.

Since the publication of the seminal paper on collaborative AR by Billingham and Kato (2002), which first discussed how AR could be used to enhance online and offline collaboration, much progress has been done on providing collaborative tools to AR applications. To the best of our knowledge, though, there has been no SLR about the usage of AR applications as tools to improve collaboration between students as well as between students and teachers, or the possibilities provided by multi-user interfaces as an enabler for improved and accelerated learning.

Cooperative learning, defined as the instructional use of small groups to promote students working together to maximise their own and each other's learning (Johnson, 1991), has long been used as an educational approach to improve the students' learning and performance (Johnson and Johnson, 2008; Kuh et al., 2011). At the same time, how students engage with technology is often driven by how much they can interact with the different tools. Unfortunately, AR per se is neither an interactive media nor inherently a multi-user tool: it is up to researchers and developers to provide such functionalities in an AR-based educational application. With this work, we aim to evaluate which publications described AR applications that provided interactivity and multi-user functionalities and how they affected the students' engagement and their academic performance.

The main contribution of this paper is to provide a SLR of the AR applications deployed in primary and secondary schools, with a particular focus on the collaborative, multi-user and interactive characteristics of such applications. We decided to consider only the articles published after 2015, since in that year the number of publications related to the application of AR in education has seen a huge increase (as it is shown in Fig. 1).

The Research Questionss (RQs) that we addressed with this study are:

- RQ1: What collaborative, multi-user, interactive AR applications have been used in an educational environment in primary or secondary schools?
- RQ2: What was the motivation for using AR as an educational tool?
- RQ3: How effective are AR applications at improving the students knowledge of a subect? How is this evaluated?

Besides answering these research questions, we will also discuss the different technologies used by such applications, for example, the hardware required (Head Mounted Display (HMD), tablet or smartphone), the way the system tracks information from the real world (marker-based, markerless, location-based), whether the application augments other senses beyond vision, and which design strategies (if any) have been used to make the applications accessible.




Fig. 1 Numbers of papers published per year with topic "augmented reality" and "education" as of 1 October 2020.

The rest of the paper is structured as follows. Section 2 describes the methodological design of the study, including an explanation of the work done to plan, conduct and report the review. Section 3 presents the findings of the systematic review and the answers to the research questions. Section 4 discusses the results obtained and suggests possible research lines as well as trends for the future of AR in education. Finally, Section 5 summarises the conclusions of the paper.

2 Methodology

For this review, we followed the guidelines proposed by Kitchenham et al. (2009) and framed the search using the PICOC criteria (Petticrew and Roberts, 2008):

- **Population:** Applications, Developers

Table 1 Summary of SLRs about usage of AR in education.

Study	Year	Purpose	Studies reviewed	Findings
Systematic review and meta analysis of augmented reality in educational settings (Garzón et al., 2019)	2019	Identify the status and tendencies in the usage of AR in education	61	AR has a medium effect on learning effectiveness; lack of studies considering accessibility features in AR apps
Augmenting the learning experience in primary and secondary school education: a systematic review of recent trends in augmented reality game-based learning (Pellas et al., 2019)	2019	Explore the combination of AR with game-based learning (ARGBL)	21	Motivation and enrichment are pillars of ARGBL; ARGBL compares favourably to traditional learning
Augmented reality for STEM learning: A systematic review (Ibáñez and Delgado-Kloos, 2018)	2018	Perform qualitative analysis of the characteristics of AR apps for STEM learning	28	Most apps offer exploration or simulation activities, but usually without providing assistance in carrying out learning activities; similar design features across all studies
Advantages and challenges associated with augmented reality for education: A systematic review of the literature (Akçayır and Akçayır, 2017)	2017	Identify advantages of AR in education and identify current gaps in AR research	68	Conflicting results regarding cognitive overload of AR; low usability is the main challenge of AR apps for education

- **Intervention:** Collaborative, multi-user and interactive AR applications
- **Comparison:** Students' results in classes using AR applications with classes that do not
- **Outcome:** Effectiveness in increasing understanding of a topic
- **Context:** Education, primary or secondary schools

Once the research questions have been defined, the literature review is split into three steps: planning, conducting and reporting. We used the online tool Parsifal³ to conduct the first two steps of the review while the third one was performed using Google Forms and collecting the results in a spreadsheet. The results of the data collection, as well as the code used to generate the figures in this document, is available on Github⁴.

2.1 Studies selection

The aim of this phase is to select the papers which are relevant for the systematic review, define the inclusion and exclusion criteria, and to provide the categories for the analysis. We have selected four digital libraries as source: IEEEExplore, Scopus, Springer and ISI Web of Science. We used the search terms *Augmented Reality, Education* \vee *Learning, Collaborative* \vee *Interactive* \vee

Multi-user, Application \vee *Evaluation*. In this work, we did not consider papers who appeared online after the first of October 2020. The search returned 1605 results, of which 234 were marked as duplicates. We read the abstract of the remaining 1371 articles and, applying the inclusion and exclusion criteria specified below, we were left with 229 articles. We finally proceeded reading the selected articles and excluded 137 further articles, thus selecting 92 articles for the literature review. Table 2 summarises the selection process, specifying the search string used for each digital library as well as the number of papers returned, marked as duplicated and selected for the systematic review.

As inclusion criteria, we required the studies to be published in 2015 or afterwards and that they describe an AR app which has actually been implemented. The exclusion criteria are the following:

- The application described is not interactive, multi-user or collaborative
- The paper does not describe an AR application
- The paper describes an unrelated application (e.g. for museums or clinical training)
- The target audience is outside the specified age range (5 - 18 years old students)
- The paper is not peer reviewed
- The paper is not written in English

³ parsif.al

⁴ github.com/Stocastico/AR_SLR_Paper

Fig. 2 shows a flowchart depicting the systematic review process. The 229 papers were reviewed by three researchers. To compute the interrater agreement, two researchers read a set of 50 abstracts randomly selected out of all the studies (excluding duplicates) and 10 papers (among the 92 selected paper). The interrater agreement, as defined in (Cohen, 1960) was 0.88 for the abstracts and 0.73 for the papers.




Fig. 2 Prisma flowchart of the search protocol.

3 Results

In this section we present the results of the three RQs introduced in Section 1, focusing on the adoption of collaborative and multiuser tools, the advantages and disadvantages of using AR solutions in the classroom and the evaluation of the interventions. We will also briefly analyse and summarise the main characteristics of the AR applications described in the studies selected.

3.1 Overview of reviewed studies

Of 92 studies reviewed, about 70% of them (65 articles), was published in 2018 or afterwards. The vast majority (65%) of the AR apps analysed covers STEM subjects, while about 20% of the studies cover Humanities and Foreign language subjects. The remaining articles cover specific subtopics such as sustainability, creativity and

social interactions or do not specify the subject. Fig. 3 summarises the subjects covered by the AR apps analysed in this SLR.




Fig. 3 Subjects covered in the studies analysed.

Regarding which AR type is used in the classroom, marker-based solutions (either image or QR-code based) are the most used, as almost two thirds of the studies described apps using exclusively markers as the source of the augmentations. Some studies describe applications using multiple types of AR, usually a combination of markers and object detection based methods. Other types of AR such as markerless or location based are seldom implemented, as they were used only in 9 and 2 articles, respectively. Fig. 4 summarises the types of AR used by the articles analysed in this SLR.




Fig. 4 Different types of AR used in the studies analysed.

With reference to the hardware required to experience the AR apps and the software used to develop them we notice a similar pattern. Most of the studies describe apps which have been developed for smartphones or tablets using the Unity⁵ framework, often in conjunction with the Vuforia⁶ Standard Development Kit (SDK). Some studies, usually the oldest ones, describe systems using projectors or PCs with depth sensor cameras such as Microsoft Kinect⁷. Only six arti-

⁵ unity.com/

⁶ developer.vuforia.com/

⁷ developer.microsoft.com/en-us/windows/kinect/

Table 2 Query strings and number of papers returned.


Digital Library	Query string	Papers	Duplicates	Selected
IEEEExplore	("All Metadata": "Augmented reality" AND ("Education" OR "Learning") AND ("Collaborative" OR "Interactive" OR "multi-user" OR "multi-user") AND ("Application" OR "Evaluation")) Filters Applied: 2015 - 2020	116	47	32
Scopus	TITLE-ABS-KEY ("Augmented reality" AND ("Education" OR "Learning") AND ("Interactive" OR "multi-user" OR "multiuser") AND ("Application" OR "Evaluation")) AND (LIMIT-TO (PUBYEAR , 2020) OR LIMIT-TO (PUBYEAR , 2019) OR LIMIT-TO (PUBYEAR , 2018) OR LIMIT-TO (PUBYEAR , 2017) OR LIMIT-TO (PUBYEAR , 2016) OR LIMIT-TO (PUBYEAR , 2015))	476	65	92
Springer	(collaborative OR interactive OR multiuser OR multi-user) AND "augmented reality" AND (education OR learning) AND (primary OR secondary) AND (application OR evaluation) within Chapter - Conference Paper 2015 - 2020	803	67	58
Web of Science	"Augmented reality" AND ("Education" OR "Learning") AND ("Collaborative" OR "Interactive" OR "multi-user" OR "multiuser") AND ("Application" OR "Evaluation")	210	55	47

cles describe apps which require HMDs or smart glasses (Wei et al., 2018; Oh et al., 2016, 2017; Kum-Biocca et al., 2019; Khan et al., 2018; Matsutomo et al., 2017). This might be due to the higher cost of such devices and their limited adoption compared to smartphones or tablets.

Using web technologies for the creation of AR application is still the exception rather than the norm: despite the availability of javascript library like Three.js⁸ and frameworks such as A-Frame⁹, only the works of Abriata (2020) and Protopsaltis et al. (2016) provide augmented content that can be consumed through the browser. Somehow surprisingly, very few studies rely on the libraries produced by Google and Apple (AR-Core and ARKit), which were developed to provide advanced AR functionalities for smartphone and tablets. Usage of specialised Computer Vision (CV) libraries or Deep Learning (DL) framework is also very low, which probably means that researchers prefer using the functionalities provided by Unity. Statistics about software usage may be skewed, though, as about one third of the studies did not provide information about it.

Fig. 5 and 6 summarise the hardware required and the software used by the apps analysed in this SLR. The total in this case does not sum up to 92 since the same application could support more than one device and likewise it may have been developed using several software libraries.

Unfortunately, researchers very rarely publish their code alongside their peer reviewed publication. Of all

**Fig. 5** Device types supported by the AR applications.

the studies we analysed, only four (Mylonas et al., 2019; Laviolle et al., 2018; Manrique-Juan et al., 2017; Abriata, 2020) publicly released the source code of their application. In some cases the researchers published the application for free on Google Play or the App Store. Although in principle this allows other researchers to test the application, without releasing the source code this is impractical, as very rarely the application can be used without some form of adaptation (for example, translation of the content, inclusion of new multimedia elements or adjustments to the school curricula).

3.2 Interactive and collaborative capabilities of AR applications

This subsection addresses the first research question. We analysed interactive, multiuser and collaborative capabilities of the AR apps described in the selected studies. We categorised the studies into five different

⁸ threejs.org

⁹ a-frame.io




Fig. 6 Software used to develop AR applications.

clusters, based on how the applications provide interactive functionalities. The categories were chosen by analysing the common traits of each study, as well as considering the characteristics of interactive applications in the context of education (assessment, feedback to the teacher, quizzes) and of user interface elements that enable the interaction. The five interactivity level we defined are the following:

- *Basic interactivity*: the student can interact with the app through User Interface (UI) elements such as menus and buttons directly in the augmented space.
- *Object interaction*: the student can interact directly with the augmented content, without having to use UI elements.
- *Quiz*: the application provides quizzes (or allows the teachers to add new ones) to test the students' understanding of a topic directly within the app, or includes gamification concepts.
- *Behaviour tracking*: the application keeps track of the student behaviour. Both the active interactions (questions answered, buttons clicked) as well as passive usage of the app (time spent on each activity, for example) are logged and made available to the teacher so that it can modify the lecture accordingly.
- *Augmented interaction*: where the augmented content shown to the student depends on the relative positions of different markers or devices.

In addition to these, we also consider *multiuser* AR experiences, where multiple students are viewing the same augmented content and any change to it, for example caused by the interactions of one of the students, is visible to all the other students as well. Finally, we are also interested in *collaborative* AR applications, that is multiuser applications where the students share a common goal and work together (or compete against each other) to reach it.

We are particularly interested in these applications because interactive learning environments have shown to have a positive impact on the students' education

(Johnson et al., 2000). At the same time, collaborative learning offers the students several benefits at the social, psychological, academic and assessment level (Laal and Ghodsi, 2012). In Table 3, we classify the 92 articles we reviewed into the categories described above. Some of the studies can appear on multiple rows in the table, meaning that they may offer multiple interaction types as well as provide multiuser or interaction functionalities.

For what concerns the interactive capabilities of an AR applications, there are a few studies describing innovative ideas. In (Khan et al., 2018), the authors implemented a mixed reality system based on HoloLens¹⁰ smart glasses and several stretch and Inertial Measurement Unit (IMU) sensors, where the users can control and move augmented objects using their arms or an ad-hoc controller. The multi-user application is used to teach the students physics concepts like force fields or velocity vector, without requiring to set up a laboratory. Other studies use multiple markers to increase interactivity. The work of Wang et al. (2018) uses AR to teach the double-slit experiment (a physics experiment demonstrating the characteristic of light being both a wave and a particle). In the application each marker is related to one part of the experimental apparatus. By modifying the distance of each marker from the next one, the augmented animation generated by the app changes its behaviour, visually showing the dual nature of light. A similar idea is implemented by Boonbrahm et al. (2015). In the app, which was created to facilitate learning English as a foreign language, each marker by itself only shows a letter in 3D. When multiple markers are combined to create an English word (from a predefined set), the app will show a 3D model of the corresponding word. In (Gardeli and Vosinakis, 2018), the students learn the basics of computer science by visually implementing algorithms. Each marker, besides showing augmented content, represents an instruction in ALGO, a specially developed programming language, and sequences of different markers generate different behaviour of the augmented content.

Only a few studies experiment with other senses beyond sight. The work of Kenoui and Mehdi (2020) uses the IBM Watson SDK¹¹ to allow the user to interact by asking questions in English, while the answer is shown both as text above the augmented content and as computer-generated audio. Mikulowski and Brzostek-Pawłowska (2020) designed a system for visually impaired students that detects mathematical formulas and generates both an audio description as well as a Braille representation on the Braille display.

¹⁰ www.microsoft.com/en-us/hololens

¹¹ www.ibm.com/cloud/watson-speech-to-text

Table 3 Classification of articles according to interactivity and collaboration capabilities.

Interaction type	Articles
Basic interactivity	(Lai et al., 2015; Tang et al., 2015; Ang and Lim, 2019; Sorrentino et al., 2015; Arcos et al., 2016; Zhao et al., 2018; Chao et al., 2018; Costa et al., 2019; Protopsaltis et al., 2016; Luna et al., 2018; Ramos and Comendador, 2019; El Kouzi et al., 2019; Huang et al., 2016; Wang, 2017; Pombo and Marques, 2017, 2018; Chen et al., 2016; Liou et al., 2017; Hsu, 2017; Mylonas et al., 2019; Khan et al., 2018; Hrishikesh and Nair, 2016; Sarkar et al., 2018; Chang and Hwang, 2018; Chen and Wang, 2015; Huang et al., 2019; Lin et al., 2019; Cao and Hou, 2018; Pombo and Marques, 2019; Wei et al., 2019; Cerqueira et al., 2018; Klautke et al., 2018; Chang et al., 2019; Hsieh and Chen, 2019; Yilmaz and Goktas, 2017; Lee et al., 2018; Chen et al., 2019; Liu et al., 2020; Pérez-Muñoz et al., 2020; Yin et al., 2020; Mikulowski and Brzostek-Pawłowska, 2020; Korosidou and Bratitsis, 2019; Estudante and Dietrich, 2020)
Object interaction	(Arcos et al., 2016; Costa et al., 2019; Iqbal et al., 2019) (Cao and Liu, 2019; Kum-Biocca et al., 2019; Cen et al., 2019; Ferrer et al., 2017; Oh et al., 2016; Tscholl and Lindgren, 2016; Laine and Suk, 2016; Rusiñol et al., 2018; Kurniawan et al., 2018; Boonbrahm et al., 2016; Ibáñez et al., 2020; Manrique-Juan et al., 2017; Chen, 2018; Mahmoudi et al., 2018; Antoniou et al., 2017; Hsu et al., 2018; Thamrongrat and Law, 2019; Lee et al., 2019; Amrit et al., 2015; Ortiz et al., 2018; Wei et al., 2018; Rammos and Bratitsis, 2019; Li et al., 2018; Giasirani and Sofos, 2017; Takahashi et al., 2018; Lytridis et al., 2018; Matsutomo et al., 2017; Kenoui and Mehdi, 2020; López-Faican and Jaen, 2020; Carlos-Chullo et al., 2020)
Quiz or gamification	(Lai et al., 2015; Costa et al., 2019; Protopsaltis et al., 2016; Ramos and Comendador, 2019; Laviolle et al., 2018; Limsukhawatt et al., 2016; Lin et al., 2016; Chang and Hwang, 2018; Daineko et al., 2018; Pombo and Marques, 2019; Lee et al., 2019; Ortiz et al., 2018; Wei et al., 2018; Li et al., 2018; Xefteris and Palaigeorgiou, 2019; Oh et al., 2017; Dave et al., 2020)
Behaviour tracking	(Protopsaltis et al., 2016) (Chen et al., 2016; Mylonas et al., 2019; Chang and Hwang, 2018; Cao and Hou, 2018; Hsu et al., 2018)
Augmented interaction	(Chao et al., 2018; Cen et al., 2019; Cai et al., 2017; Ferrer et al., 2017; Wang et al., 2018; Laviolle et al., 2018; Nasongkhla et al., 2019; Gardeli and Vosinakis, 2018; Xefteris et al., 2018; Boonbrahm et al., 2015; Yilmaz and Goktas, 2017; Kalpakis et al., 2018; Lam et al., 2020; Abriata, 2020; Dave et al., 2020)
Multiuser	(Kum-Biocca et al., 2019; Cai et al., 2017; Oh et al., 2016; Laviolle et al., 2018; Boonbrahm et al., 2016; Gardeli and Vosinakis, 2018; Triantafyllidou et al., 2017; Xefteris et al., 2018; Palaigeorgiou et al., 2018; Lee et al., 2019; Ortiz et al., 2018; Xefteris and Palaigeorgiou, 2019; Takahashi et al., 2018; Lee et al., 2018; Oh et al., 2017; Dave et al., 2020; López-Faican and Jaen, 2020)
Collaborative	(Cai et al., 2017; Oh et al., 2016; Tscholl and Lindgren, 2016; Laviolle et al., 2018; Boonbrahm et al., 2016; Manrique-Juan et al., 2017; Gardeli and Vosinakis, 2018; Lee et al., 2019; Ortiz et al., 2018; Xefteris and Palaigeorgiou, 2019; Takahashi et al., 2018; Oh et al., 2017; López-Faican and Jaen, 2020)

In the context of multi-user applications, different studies employed different strategies to foster collaboration. Boonbrahm et al. (2016) describe an application where the users aim to solve a jigsaw puzzle. Since students cannot move two pieces in a row but are forced to alternate their moves, the puzzle can only be solved with a joint collaboration. In the work of Ortiz et al. (2018), the app is an ARGBL where the user learns

about different regions of Colombia while competing for resources. In this case, competition with others stimulate the students to learn about the subject. Another form of collaboration is described by Oh et al. (2016). The authors created a smart-glasses-based AR application where the user can study properties of light like reflection and refraction. Each user acts as a light source and see what happens when light hits a wall or passes

through different materials. At the same time, two or more users can generate multiple light rays and see how they interact with each other. Using a projector system, users without smart glasses are able to share the same experience, although not actively as users wearing them.

3.3 Motivation for using AR as an educational tool

This subsection addresses the second research question. While the studies reviewed do not usually motivate the choice of the particular application presented in the articles, they present however several advantages provided by AR in the classroom. The main advantage provided by AR is that it can integrate seamlessly with the real world, especially for markerless application that can interact with objects or printed material already available in the classroom. This encourages the students' engagement and minimises the time required to learn how to use the technology, allowing the students to spend more time learning the subject (Thamrongrat and Law, 2019).

Another advantage provided by AR is that this technology does not require remodeling the existing curriculum, but it can be used as a tool to stimulate interest or to supplement existing pedagogical materials by simply adding more contextual experiences. Pombo and Marques (2018) mention that using an AR app improves the engagement and interest of the students visiting an urban park by providing information that would otherwise be available only on textbooks.

Especially for STEM subjects, AR is also a powerful tool for visualisation and animation, as it offers several advantages for displaying $3D$ or $3D+t$ information (i.e., tridimensional data changing over time) in comparison to books, blackboards or videos. The work of Cao and Liu (2019) describes an application for learning $3D$ geometry where the user can interact with $3D$ objects with her hands. The fingers are tracked with a Leap Motion Controller¹² while a set of markers is used to generate the augmented content.

In the context of collaborative and multiuser applications, AR similarly helps to provide new opportunities for students to learn how to communicate and collaborate with one another, as well as to inspire empathy and to teach the importance of teamwork (Hill and Miller, 2013).

Some of the reviewed studies used AR applications as radically new tools that could improve skills and grades of kids with mental or developmental disabilities: Luna et al. (2018) describe an application that helps

students with Attention-deficit/hyperactivity disorder (ADHD) improve their English literacy skills. Similarly, the work of Chen et al. (2019) uses AR together with concepts maps to teach kids with Autistic Spectrum Disorder (ASD) different types of social cues that will help them when meeting people. Takahashi et al. (2018) designed a large scale AR and projection system, modifying the gymnasium of the school, to create a learning game for children with ASD, which intends to keep their attention focused on the content provided.

More in general, AR also compares favorably with respect to Virtual Reality (VR) not only because it allows users to perform tasks faster (Krichenbauer et al., 2018), but also because its requirements (namely a stable internet connection and one or more mobile devices), can be provided at a lower cost and the system does not need as much time to set up. Costs is often seen as one of the most important factors limiting the access of newer technologies, so in this sense AR is often seen as a better tool in comparison with VR or expensive hardware such as laptops and projectors.

3.4 Effectiveness of collaborative AR applications

This subsection addresses the third research question. Of the 92 studies selected for this SLR, only 77 of them provided information about the number of students who tested the AR application. The number of students participating ranged from 2 to 290. Around 60% of the studies were carried out with less than 40 participants, and another 30% were carried out with a number of participants between 41 and 80 students. Only 7 studies employed 100 or more students for the evaluation. Fig. 7 shows the histogram representing the distribution of users who tested the AR application across the studies selected for review.

The analysis of the studies shows three main ways for evaluating how effective a AR application can be in helping students improve their understanding of a subject:

- performing pre and post tests,
- comparing with a control group,
- asking teacher to fill surveys after the experiment.

While the first two options try to objectively measure the impact of using AR, by analysing the students' grades, the third option relies on the personal judgement of the teacher, and can in principle be subject to biases. In Table 4, we classify the 92 articles we reviewed into the categories described above. Some of the studies can appear on multiple rows in the table, meaning that they evaluate students' result in more than one way. The table does not include studies where no evaluation

¹² www.ultraeap.com/product/leap-motion-controller/




Fig. 7 Histogram of the participant in user tests across different studies (grey) and its smooth density estimate (black).

was performed, or where surveys only asked about the app usability and ease of use.

It is worth mentioning the work described in (Chang and Hwang, 2018), as the researchers developed a system which, apart from the AR application, includes a Database Management System (DBMS), a teacher interface and an e-learning platform. The evaluation of the system includes a statistical analysis of the performance of the students and their learning achievements, as well as an analysis of the ease of use of the system for teachers and students. The application described in (Thamrongrat and Law, 2019) uses AR to teach children about 3D geometry. Pre and post tests were used along with quizzes to evaluate the system. The results showed that students who used the AR applications consistently had better grades than the control group, but such results were not statistically significant. Analysing the results for different tasks, though, the data showed that the group who used AR performed worse on the easiest task, while performing much better (with statistically significant results) than the control group. From this, the authors conclude that AR can be a valuable tool in learning difficult geometric concepts. The same study also conducted tests about the user experience, and the results showed that the AR application could engage its users in the learning activities, with good usability, high attractiveness and very high level of worthiness and interest. The app described in (Cen et al., 2019) is used to teach Chemistry to 45 high school students and shows different behaviour depending on the distance of the device from the markers. The authors performed a quantitative evaluation of the system, analysing grades and the distribution of mistakes in the different quizzes. They conclude that there is a statistically significant improvement in the performances of the students, and that the greater the difficulty level of the question, the bigger the performance improvement over the control group. The authors conclude that their Augmented Immersive Reality (AIR) system is most likely responsible for the bulk of

learning improvements and knowledge retention gains demonstrated in their case study, since that is the critical component differentiating their system from other applications available on the market.

It is worth noting that, of the 59 studies presenting a quantitative evaluation of the results, none of them concludes that using AR in the classroom has a negative impact on the students' results and engagement in the classroom. Even though in many cases the improvement over traditional teaching methods is limited, only the work of Carlos-Chullo et al. (2020) does not detect any positive impact. This consensus on the effectiveness of AR applications is unexpected: besides the commonplace explication (AR is indeed a successful medium with positive impact on students' results) two other possible explanations are the novelty effect (Pisapia et al., 1993), which explains the performance improvements introduced by a new technology such as AR in response to an increased interest of the user, and the positive publication bias (Begg, 1994), which makes it harder for researchers to publish studies with negative results.

4 Discussion

This study shows that the research community is very active in investigating how AR applications can improve education and facilitate students' understanding of difficult concepts. Even though collaboration and participation by the students is often seen as a key for improving knowledge retention, we still see a lack of support for cooperation mechanisms in AR applications for education: of the 92 studies analysed, only 17 described multi-user application and only 13 employ some sort of collaboration between users. ARGBL is also quite uncommon, as only 11 articles describe applications implementing gamification concepts.

By reviewing the existing literature we have also identified several issues that are preventing widespread adoption of collaborative AR in the classroom:

- Lack of authoring tools: with the exception of the works of Lytridis et al. (2018) and Whitlock et al. (2020) there is no authoring tool that simplifies the creation of AR experiences. This means that every AR application has to be developed from scratch, requiring longer development times and multiplying the amount of work required to the developers.
- Lack of standardisation for the description of AR experiences: of all the papers we analysed, none of them mentioned using a standard for the description of how AR is used in the application. This is mainly due to a lack of specific standards, as the

Table 4 Classification of studies according to the method used to evaluate effectiveness of AR in the classroom.

Evaluation type	Articles
Pre and post tests	(Lai et al., 2015; Chao et al., 2018; Cao and Liu, 2019; El Kouzi et al., 2019; Cen et al., 2019; Huang et al., 2016; Chang and Hwang, 2018; Limsukhawat et al., 2016; Liou et al., 2017; Laine and Suk, 2016; Lin et al., 2016; Ibáñez et al., 2020; Chen, 2018; Nasongkhla et al., 2019; Huang et al., 2019; Lin et al., 2019; Xeferis et al., 2018; Pombo and Marques, 2019; Thamrongrat and Law, 2019; Ortiz et al., 2018; Li et al., 2018; Chang et al., 2019; Xeferis and Palaigeorgiou, 2019; Lee et al., 2018; Oh et al., 2017; Chen et al., 2019; Liu et al., 2020; Carlos-Chullo et al., 2020; Korosidou and Bratitsis, 2019)
Control group	(Arcos et al., 2016; Cen et al., 2019; Huang et al., 2016; Chang and Hwang, 2018; Cai et al., 2017; Hsu, 2017; Hrishikesh and Nair, 2016; Sarkar et al., 2018; Thamrongrat and Law, 2019; Ortiz et al., 2018; Hsieh and Chen, 2019; Yilmaz and Goktas, 2017; Giasirani and Sofos, 2017; Takahashi et al., 2018; Carlos-Chullo et al., 2020)
Teacher survey	(Costa et al., 2019; Luna et al., 2018; Ramos and Comendador, 2019; El Kouzi et al., 2019; Cen et al., 2019; Chang and Hwang, 2018; Wang, 2017; Ferrer et al., 2017; Pombo and Marques, 2017, 2018; Chen et al., 2016; Oh et al., 2016; Tscholl and Lindgren, 2016; Wang et al., 2018; Mylonas et al., 2019; Manrique-Juan et al., 2017; Chen and Wang, 2015; Chen, 2018; Huang et al., 2019; Mahmoudi et al., 2018; Gardeli and Vosinakis, 2018; Triantafyllidou et al., 2017; Xeferis et al., 2018; Hsu et al., 2018; Palaigeorgiou et al., 2018; Pombo and Marques, 2019; Ortiz et al., 2018; Li et al., 2018; Hsieh and Chen, 2019; Kalpakis et al., 2018; Oh et al., 2017; Chen et al., 2019)

IEEE ARLEM standard (Wild et al., 2020) for AR-based learning experiences was released in February 2020, while the ETSI Augmented Reality Framework¹³ for the interoperability of AR components has not been published yet. We believe that adoption of these standards will drive and simplify the development of AR applications for education, as well as foster interoperability.

- Availability of 3D content for education: a few repositories where users can freely download 3D objects already exist, but there is a lack of 3D content specialised for education purposes. Although there are efforts to solve this issue (Masneri et al., 2020), this severely hinders the possibility to quickly create new AR apps for primary and secondary schools: very often the apps never leave the prototype stage and they are not turned into a full-fledged product or further used in the classroom.
- Code publication: another issue with most of the studies we reviewed is that only a small fraction of the authors published the code of the AR application. This means that other researchers cannot build upon the results of other: even for the more interesting and cited articles there will not be a follow up work, except for that from the original authors.

We noticed that studies claiming to have a stronger positive impact in educational achievements are the ones where the AR application is part of bigger learning environments. We believe that providing automatic logging functionalities, for example through xAPI (Kevan and Ryan, 2016), a teacher dashboard where the educator can track the progress or the grades of each student and a set of tools for improving communication capabilities could come a long way in integrating better AR applications in standard schools curricula. Using xAPI could simplify the application of learning analytics techniques for the analysis and improvement of students' learning. This is especially the case for distance learning, where the students are not in the same physical space as the teacher or other students but are following their classes remotely.

On the technical side, researchers are slowly adopting the latest advancement in technology, but the majority of the studies analysed are still focusing on more limited AR functionalities, for example marker-based system. Implementation of AR applications that make use of Edge Artificial Intelligence (EAI) or based on web technologies such as WebXR¹⁴ is currently limited because only the most recent devices have hardware capable of supporting them. Nonetheless, we believe these

¹³ www.etsi.org/committee/1420-arf

¹⁴ www.w3.org/TR/webxr/

are key technologies that enable more immersive experiences and facilitate collaboration.

Most of the studies we reviewed, with the exception of the works described in (Chen, 2018; Kenoui and Mehdi, 2020; Mikułowski and Brzostek-Pawłowska, 2020), focus on vision-based augmentations. Although it is clear that students rely predominantly on sight to collect and process information, providing other types of augmentations such as haptic or audio is worth investigating, since they could make the user experience more immersive and they could improve accessibility of AR applications for students with sight impairment.

None of the studies explored the possibility of using multiuser AR application for distance learning. The apps described by Oh et al. (2017) and López-Faican and Jaen (2020) use PUN¹⁵, a network library that allows communication across different devices, but the applications require that the user share the same physical space. Especially after the prolonged lockdown due to the Covid-19 pandemia, newer technologies should provide AR apps with capabilities for the students to share the same experience even though they are not in the same room. This would be useful for teachers, who could make remote lessons more engaging, and for students, who would have the chance to work together with other schoolmates even when they are at home.

Regarding the effectiveness of AR applications in the classroom, the majority of the studies present an evaluation of the AR solution described. There are great differences among the questions for teachers and students in the user surveys, but in general users find AR a successful education tool both useful and engaging. The most common critiques identified refer to the user friendliness of the application and the errors in identifying the markers. More specifically, the users complained about the difficulty of navigating through the UI, due to its lack of consistency, and about the difficulty of identifying and tracking the markers in poor lighting condition or when the camera is not close enough.

5 Conclusion

In this paper we presented a systematic review of the literature relative to applications of immersive, collaborative and multi-user AR in education. We analysed 92 studies and evaluated their technical characteristics and their advantages compared to traditional teaching tools as well as the impact they had on knowledge retention. We believe that the findings described in sections 3 and 4 can be useful for researchers in driving the design of the next generation of AR applications.

With the first Research Question (RQ1) we wanted to identify which studies described interactive, multi-user and collaborative AR experiences, and we compared the main features of the AR applications described. Every paper presented AR-based interactions, but only a few applications provided multi-user and collaborative capabilities. Our analysis showed that Unity and Vuforia, the de-facto standard tools for creation of AR applications, do not provide researchers and developers the tools to easily include collaboration mechanisms to AR applications.

The second Research Question (RQ2) aimed to understand the motivation behind the usage of AR as an educational tool. In this case we analysed both the motivations presented by the researchers and the results of surveys conducted on students. Even though only few papers provided information in this sense, it appears that the main motivation for using AR in schools is to facilitate understanding of abstract concepts and to increase students' engagement.

Finally, the objective of the third Research Question (RQ3) was to measure, as objectively as possible, the impact of using AR in the classroom. The studies analysed used pre/post tests or comparison with control groups to assess the usefulness of AR and, in general, they showed that making use of AR applications provides a small but statistically significant improvement to compared to the scores obtained by the test group. Only the work of Lin et al. (2016) presents an analysis of the retention of the topics learned through AR on a time span of more than two months. As most of the students who participated in the tests did not previously use AR applications, there is a concrete risk that the novelty effect introduced a recency bias, by increasing user engagement and knowledge acquisition, indirectly leading to better test scores.

5.1 Limitations of this study

This review was limited in that it examined articles from four databases: IEEEExplore, ISI Web of Science, Scopus, and Springer, from 2015 to 2020. The articles in these databases are considered to have a high impact on the field; however, the latest technical reports and business demonstrations of AR in education were excluded from this review, which may limit the representation of the state of the art. Although the number of papers included in this review was limited, the selection process was completed using a systematic process in order to avoid bias.

Acknowledgements The research in Vicomtech has been supported by European Union's Horizon 2020 research and

¹⁵ www.photonengine.com/pun

innovation programme under grant agreement No 856533, project ARETE (Augmented Reality Interactive Educational System). The research in the UPV/EHU has been partially supported by the ADIAN grant IT980-16 from the Basque government.

Conflict of interest

The authors declare that they have no conflict of interest.

References

- Abriata LA (2020) Building blocks for commodity augmented reality-based molecular visualization and modeling in web browsers. *PeerJ Computer Science* 6:e260
- Akçayır M, Akçayır G (2017) Advantages and challenges associated with augmented reality for education: A systematic review of the literature. *Educational Research Review* 20:1–11
- Amrit M, Bansal H, Yammiyavar P (2015) Studies in application of augmented reality in e-learning courses. In: *ICoRD'15—Research into Design Across Boundaries Volume 2*, Springer, pp 375–384
- Ang IJX, Lim KH (2019) Enhancing stem education using augmented reality and machine learning. In: 2019 7th International Conference on Smart Computing & Communications (ICSCC), IEEE, pp 1–5
- Antoniou PE, Mpaka M, Dratsiou I, Aggeioplasti K, Tsitouridou M, Bamidis PD (2017) Scoping the window to the universe; design considerations and expert evaluation of an augmented reality mobile application for astronomy education. In: *Interactive Mobile Communication, Technologies and Learning*, Springer, pp 409–420
- Arcos C, Fuertes W, Villacís C, Zambrano M, Noboa T, Tacuri A, Aules H, Toulkeridis T (2016) Playful and interactive environment-based augmented reality to stimulate learning of children. In: 2016 18th Mediterranean Electrotechnical Conference (MELECON), IEEE, pp 1–6
- Arici F, Yildirim P, Caliklar Ş, Yilmaz RM (2019) Research trends in the use of augmented reality in science education: Content and bibliometric mapping analysis. *Computers & Education* 142:103647
- Bacca J, Baldiris S, Fabregat R, Graf S, Kinshuk (2014) Augmented reality trends in education: A systematic review of research and applications. *J Educ Technol Soc* 17:133–149
- Bartolomé NA, Zorrilla AM, Zapirain BG (2011) Can game-based therapies be trusted? is game-based education effective? a systematic review of the serious games for health and education. In: 2011 16th International Conference on Computer Games (CGAMES), IEEE, pp 275–282
- Begg CB (1994) Publication bias. *The handbook of research synthesis* 25:299–409
- Billinghurst M, Kato H (2002) Collaborative augmented reality. *Communications of the ACM* 45(7):64–70
- Boonbrahm P, Kaewrat C, Boonbrahm S (2016) Interactive augmented reality: A new approach for collaborative learning. In: *International Conference on Learning and Collaboration Technologies*, Springer, pp 115–124
- Boonbrahm S, Kaewrat C, Boonbrahm P (2015) Using augmented reality technology in assisting english learning for primary school students. In: *International Conference on Learning and Collaboration Technologies*, Springer, pp 24–32
- Cai S, Chiang FK, Sun Y, Lin C, Lee JJ (2017) Applications of augmented reality-based natural interactive learning in magnetic field instruction. *Interactive Learning Environments* 25(6):778–791
- Cao R, Hou W (2018) Research on the interaction design of ar picture books via usability test. In: *International Conference on Human Centered Computing*, Springer, pp 524–534
- Cao R, Liu Y (2019) Hand controlar: An augmented reality application for learning 3d geometry. In: 2019 IEEE International Symposium on Mixed and Augmented Reality Adjunct (ISMAR-Adjunct), IEEE, pp 144–149
- Carlos-Chullo JD, Vilca-Quispe M, Castro-Gutierrez E (2020) Voluminis: An augmented reality mobile system in geometry affording competence to evaluating math comprehension. In: *International Conference on Remote Engineering and Virtual Instrumentation*, Springer, pp 288–299
- Caudell TP, Mizell DW (1992) Augmented reality: an application of heads-up display technology to manual manufacturing processes. In: *Proceedings of the Twenty-Fifth Hawaii International Conference on System Sciences*, vol ii, pp 659–669 vol.2
- Cen L, Ruta D, Al Qassem LMMS, Ng J (2019) Augmented immersive reality (air) for improved learning performance: A quantitative evaluation. *IEEE Transactions on Learning Technologies*
- Cerqueira J, Sylla C, Moura JM, Ferreira L (2018) Learning basic mathematical functions with augmented reality. In: *Interactivity, Game Creation, Design, Learning, and Innovation*, Springer, pp 508–513
- Chang KE, Zhang J, Huang YS, Liu TC, Sung YT (2019) Applying augmented reality in physical education on motor skills learning. *Interactive Learning*

- Environments pp 1–13
- Chang SC, Hwang GJ (2018) Impacts of an augmented reality-based flipped learning guiding approach on students' scientific project performance and perceptions. *Computers & Education* 125:226–239
- Chao WH, Yang CY, Chang RC (2018) A study of the interactive mathematics mobile application development. In: 2018 1st IEEE International Conference on Knowledge Innovation and Invention (ICKII), IEEE, pp 248–249
- Chen CH, Chou YY, Huang CY (2016) An augmented-reality-based concept map to support mobile learning for science. *The Asia-Pacific Education Researcher* 25(4):567–578
- Chen CH, Huang CY, Chou YY (2019) Effects of augmented reality-based multidimensional concept maps on students' learning achievement, motivation and acceptance. *Universal Access in the Information Society* 18(2):257–268
- Chen Cp, Wang CH (2015) Construction of a synchronized multi-display augmented reality simulation module for learning tidal effects. In: 2015 2nd International Conference on Information Science and Security (ICISS), IEEE, pp 1–4
- Chen IC (2018) The application of augmented reality in english phonics learning performance of esl young learners. In: 2018 1st International Cognitive Cities Conference (IC3), IEEE, pp 255–259
- Chen P, Liu X, Cheng W, Huang R (2017) A review of using augmented reality in education from 2011 to 2016. In: *Innovations in smart learning*, Springer, pp 13–18
- Cheng KH, Tsai CC (2013) Affordances of augmented reality in science learning: Suggestions for future research. *Journal of science education and technology* 22(4):449–462
- Cohen J (1960) A coefficient of agreement for nominal scales. *Educational and psychological measurement* 20(1):37–46
- Costa M, Manso A, Patrício J, Carvalho A, Alegria B, Zinatulins V (2019) An augmented reality platform targeted to promote learning about planetary systems. In: 2019 International Symposium on Computers in Education (SIIE), IEEE, pp 1–5
- Daineko Y, Ipalakova M, Tsoy D, Shaipiten A, Bolatov Z, Chinibayeva T (2018) Development of practical tasks in physics with elements of augmented reality for secondary educational institutions. In: *International Conference on Augmented Reality, Virtual Reality and Computer Graphics*, Springer, pp 404–412
- Dave A, Kang M, Hwang J, Lorenzo M, Oh P (2020) Towards smart classroom: Affordable and simple approach to dynamic projection mapping for education. In: 2020 10th Annual Computing and Communication Workshop and Conference (CCWC), IEEE, pp 0942–0947
- Diegmann P, Schmidt-Kraepelin M, Eynden S, Basten D (2015) Benefits of augmented reality in educational environments-a systematic literature review. *Benefits* 3(6):1542–1556
- El Kouzi M, Mao A, Zambrano D (2019) An educational augmented reality application for elementary school students focusing on the human skeletal system. In: 2019 IEEE Conference on Virtual Reality and 3D User Interfaces (VR), IEEE, pp 1594–1599
- Estudante A, Dietrich N (2020) Using augmented reality to stimulate students and diffuse escape game activities to larger audiences. *Journal of Chemical Education* 97(5):1368–1374
- Ferrer V, Perdomo A, Ali HR, Fies C, Quarles J (2017) Virtual humans for temperature visualization in a tangible augmented reality educational game. In: 2017 IEEE Virtual Reality Workshop on K-12 Embodied Learning through Virtual & Augmented Reality (KELVAR), IEEE, pp 1–6
- Gardeli A, Vosinakis S (2018) The effect of tangible augmented reality interfaces on teaching computational thinking: A preliminary study. In: *International Conference on Interactive Collaborative Learning*, Springer, pp 673–684
- Garzón J, Pavón J, Baldiris S (2019) Systematic review and meta-analysis of augmented reality in educational settings. *Virtual Reality* 23(4):447–459
- Giasiranis S, Sofos L (2017) Flow experience and educational effectiveness of teaching informatics using ar. *Journal of Educational Technology & Society* 20(4):78–88
- Hill J, Miller KB (2013) Classroom instruction that works with English language learners. ASCD
- Hrishikesh N, Nair JJ (2016) Interactive learning system for the hearing impaired and the vocally challenged. In: 2016 International Conference on Advances in Computing, Communications and Informatics (ICACCI), IEEE, pp 1079–1083
- Hsieh MC, Chen SH (2019) Intelligence augmented reality tutoring system for mathematics teaching and learning. *Journal of Internet Technology* 20(5):1673–1681
- Hsu TC (2017) Learning english with augmented reality: Do learning styles matter? *Computers & Education* 106:137–149
- Hsu TY, Liang H, Chiou CK, Tseng JC (2018) Cobochild: a blended mobile game-based learning service for children in museum contexts. *Data Technologies and Applications*

- Huang TC, Chen CC, Chou YW (2016) Animating eco-education: To see, feel, and discover in an augmented reality-based experiential learning environment. *Computers & Education* 96:72–82
- Huang TC, Chen MY, Hsu WP (2019) Do learning styles matter? motivating learners in an augmented geopark. *Journal of Educational Technology & Society* 22(1):70–81
- Ibáñez MB, Delgado-Kloos C (2018) Augmented reality for stem learning: A systematic review. *Computers & Education* 123:109–123
- Ibáñez MB, Portillo AU, Cabada RZ, Barrón ML (2020) Impact of augmented reality technology on academic achievement and motivation of students from public and private mexican schools. a case study in a middle-school geometry course. *Computers & Education* 145:103734
- Iqbal MZ, Mangina E, Campbell AG (2019) Exploring the use of augmented reality in a kinesthetic learning application integrated with an intelligent virtual embodied agent. In: 2019 IEEE International Symposium on Mixed and Augmented Reality Adjunct (ISMAR-Adjunct), IEEE, pp 12–16
- Johnson D (1991) Cooperation in the classroom. *Psychocritiques* 36(12):1106–1107
- Johnson RT, Johnson DW (2008) Active learning: Cooperation in the classroom. *The annual report of educational psychology in Japan* 47:29–30
- Johnson WL, Rickel JW, Lester JC, et al. (2000) Animated pedagogical agents: Face-to-face interaction in interactive learning environments. *International Journal of Artificial intelligence in education* 11(1):47–78
- Kalpakis S, Palaigeorgiou G, Kasvikis K (2018) Promoting historical thinking in schools through low fidelity, low-cost, easily reproduceable, tangible and embodied interactions. *International Journal of Emerging Technologies in Learning (iJET)* 13(12):67–82
- Kenoui M, Mehdi MA (2020) Teach-me dna: an interactive course using voice output in an augmented reality system. In: 020 1st International Conference on Communications, Control Systems and Signal Processing (CCSSP), IEEE, pp 260–265
- Kevan JM, Ryan PR (2016) Experience api: Flexible, decentralized and activity-centric data collection. *Technology, knowledge and learning* 21(1):143–149
- Khan M, Trujano F, Maes P (2018) Mathland: Constructionist mathematical learning in the real world using immersive mixed reality. In: *International Conference on Immersive Learning*, Springer, pp 133–147
- Kitchenham B, Brereton OP, Budgen D, Turner M, Bailey J, Linkman S (2009) Systematic literature reviews in software engineering—a systematic literature review. *Information and software technology* 51(1):7–15
- Klautke H, Bell J, Freer D, Cheng C, Cain W (2018) Bridging the gulfs: Modifying an educational augmented reality app to account for target users’ age differences. In: *International Conference of Design, User Experience, and Usability*, Springer, pp 185–195
- Korosidou E, Bratitsis T (2019) Gamifying early foreign language learning. In: *Interactive Mobile Communication, Technologies and Learning*, Springer, pp 726–737
- Krichenbauer M, Yamamoto G, Taketom T, Sandor C, Kato H (2018) Augmented reality versus virtual reality for 3d object manipulation. *IEEE Transactions on Visualization and Computer Graphics* 24(2):1038–1048
- Kuh GD, Kinzie J, Buckley JA, Bridges BK, Hayek JC (2011) Piecing together the student success puzzle: Research, propositions, and recommendations: ASHE higher education report, vol 116. John Wiley & Sons
- Kum-Biocca HH, Kim H, Biocca F, Cho Y (2019) Arvis: Augmented reality interactive visualization environment for exploring dynamic scientific data. In: *International Conference on Human-Computer Interaction*, Springer, pp 374–380
- Kurniawan MH, Witjaksono G, et al. (2018) Human anatomy learning systems using augmented reality on mobile application. *Procedia Computer Science* 135:80–88
- Laal M, Ghodsi SM (2012) Benefits of collaborative learning. *Procedia-social and behavioral sciences* 31:486–490
- Lai AS, Wong CY, Lo OC (2015) Applying augmented reality technology to book publication business. In: 2015 IEEE 12th international conference on e-business engineering, IEEE, pp 281–286
- Laine TH (2018) Mobile educational augmented reality games: a systematic literature review and two case studies. *Computers* 7(1):19
- Laine TH, Suk HJ (2016) Designing mobile augmented reality exergames. *Games and culture* 11(5):548–580
- Lam MC, Tee HK, Nizam SSM, Hashim NC, Suwadi NA, Tan SY, Abd Majid NA, Arshad H, Liew SY (2020) Interactive augmented reality with natural action for chemistry experiment learning. *TEM Journal* 9(1):351
- Laviole J, Thevin L, Albouys-Perrois J, Brock A (2018) Nectar: Multi-user spatial augmented reality for everyone: Three live demonstrations of educative applications. In: *Proceedings of the Virtual Reality International Conference-Laval Virtual*, pp 1–6

- Lee IJ, Chen CH, Wang CP, Chung CH (2018) Augmented reality plus concept map technique to teach children with asd to use social cues when meeting and greeting. *The Asia-Pacific Education Researcher* 27(3):227–243
- Lee LK, Chau CP, Tsoi KN, Yang NL, Wu NI (2019) A mobile game for learning english vocabulary with augmented reality block builder. In: *International Conference on Technology in Education*, Springer, pp 116–128
- Li J, Van der Spek ED, Feijs L, Wang F, Hu J (2017) Augmented reality games for learning: A literature review. In: *International Conference on Distributed, Ambient, and Pervasive Interactions*, Springer, pp 612–626
- Li J, Van der Spek E, Hu J, Feijs L (2018) See me roar: On the over-positive, cross-cultural response on an ar game for math learning. In: *Joint International Conference on Serious Games*, Springer, pp 54–65
- Limsukhawat S, Kaewyoun S, Wongwatkit C, Wongta J (2016) A development of augmented reality-supported mobile game application based on jolly phonics approach to enhancing english phonics learning performance of esl learners. In: *The 24th International Conference on Computers in Education*, pp 483–488
- Lin CY, Yu WJ, Chen WJ, Huang CW, Lin CC (2016) The effect of literacy learning via mobile augmented reality for the students with adhd and reading disabilities. In: *International conference on universal access in human-computer interaction*, Springer, pp 103–111
- Lin XF, Wu Q, Shen W, Zhu Q, Wang J (2019) Primary school students' science inquiry learning and behavior patterns while exploring augmented reality science learning. In: *International Conference on Technology in Education*, Springer, pp 79–90
- Liou HH, Yang SJ, Chen SY, Tarn W (2017) The influences of the 2d image-based augmented reality and virtual reality on student learning. *Journal of Educational Technology & Society* 20(3):110–121
- Liu C, Wu S, Wu S, Cai S (2020) An ar-based case study of using textual and collaborative scaffolding for students with different self-efficacy to learn lever principles. In: *2020 6th International Conference of the Immersive Learning Research Network (iLRN)*, IEEE, pp 9–15
- López-Faican L, Jaen J (2020) Emofindar: Evaluation of a mobile multiplayer augmented reality game for primary school children. *Computers & Education* 149:103814
- Luna J, Treacy R, Hasegawa T, Campbell A, Mangina E (2018) Words worth learning-augmented literacy content for adhd students. In: *2018 IEEE Games, Entertainment, Media Conference (GEM)*, IEEE, pp 1–9
- Lytridis C, Tsinakos A, Kazanidis I (2018) Artutor—an augmented reality platform for interactive distance learning. *Education Sciences* 8(1):6
- Mahmoudi MT, Zeraati FZ, Yassini P (2018) A color sensing ar-based interactive learning system for kids. In: *2018 12th Iranian and 6th International Conference on e-Learning and e-Teaching (ICeLeT)*, IEEE, pp 013–020
- Manrique-Juan C, Grostieta-Dominguez ZVE, Rojas-Ruiz R, Alencastre-Miranda M, Muñoz-Gómez L, Silva-Muñoz C (2017) A portable augmented-reality anatomy learning system using a depth camera in real time. *The American Biology Teacher* 79:176 – 183
- Masneri S, Domínguez A, Wild F, Pronk J, Heintz M, Tiede J, Nistor A, Chiazese G, Mangina E (2020) Work-in-progress—ARETE—an interactive educational system using augmented reality. In: *2020 6th International Conference of the Immersive Learning Research Network (iLRN)*, IEEE, pp 283–286
- Matsutomo S, Manabe T, Cingoski V, Noguchi S (2017) A computer aided education system based on augmented reality by immersion to 3-d magnetic field. *IEEE transactions on magnetics* 53(6):1–4
- Mikulowski D, Brzostek-Pawlowska J (2020) Multi-sensual augmented reality in interactive accessible math tutoring system for flipped classroom. In: *International Conference on Intelligent Tutoring Systems*, Springer, pp 1–10
- Mylonas G, Amaxilatis D, Pocero L, Markelis I, Hofstaetter J, Koulouris P (2019) An educational iot lab kit and tools for energy awareness in european schools. *International Journal of Child-Computer Interaction* 20:43–53
- Nasongkhla J, Chanjaradwichai S, Chiasiriphan T (2019) Implementing multiple ar markers in learning science content with junior high school students in thailand. *International Journal of Emerging Technologies in Learning (iJET)* 14(07):48–60
- Nielsen BL, Brandt H, Swensen H (2016) Augmented reality in science education—affordances for student learning
- Oh S, Park K, Kwon S, So HJ (2016) Designing a multi-user interactive simulation using ar glasses. In: *Proceedings of the TEI'16: Tenth International Conference on Tangible, Embedded, and Embodied Interaction*, pp 539–544
- Oh S, So HJ, Gaydos M (2017) Hybrid augmented reality for participatory learning: The hidden efficacy of multi-user game-based simulation. *IEEE Transactions*

- tions on Learning Technologies 11(1):115–127
- Ortiz A, Vitery C, González C, Tobar-Muñoz H (2018) Evaluation of an augmented reality multiplayer learning game. In: Joint International Conference on Serious Games, Springer, pp 91–100
- Palaigeorgiou G, Karakostas A, Skenteridou K (2018) Touching and traveling on 3d augmented tangible maps for learning geography. *Interactive Technology and Smart Education*
- Pellas N, Fotaris P, Kazanidis I, Wells D (2019) Augmenting the learning experience in primary and secondary school education: A systematic review of recent trends in augmented reality game-based learning. *Virtual Reality* 23(4):329–346
- Pérez-Muñoz A, Castro-Idrovo D, Robles-Bykbaev Y, Robles-Bykbaev V, Pesántez-Avilés F (2020) An interactive application based on augmented reality and rules-based reasoning to support educational activities of high school students. In: 2020 IEEE World Conference on Engineering Education (EDUNINE), IEEE, pp 1–5
- Petticrew M, Roberts H (2008) Systematic reviews in the social sciences: A practical guide. John Wiley & Sons
- Pisapia J, Schlesinger J, Parks A (1993) Learning Technologies in the Classroom: Review of the Literature. ERIC
- Pombo L, Marques MM (2017) Marker-based augmented reality application for mobile learning in an urban park: Steps to make it real under the edupark project. In: 2017 International Symposium on Computers in Education (SIIE), IEEE, pp 1–5
- Pombo L, Marques MM (2018) The edupark mobile augmented reality game: Learning value and usability. *MOBILE LEARNING* 2018 p 23
- Pombo L, Marques MM (2019) Learning with the augmented reality edupark game-like app: its usability and educational value for primary education. In: Intelligent Computing-Proceedings of the Computing Conference, Springer, pp 113–125
- Protopsaltis A, Mentzelopoulos M, Ferguson J, Kaloyan K (2016) Quiz cube: an ar mobile learning application. In: 2016 11th International Workshop on Semantic and Social Media Adaptation and Personalization (SMAP), IEEE, pp 151–155
- Radu I (2014) Augmented reality in education: a meta-review and cross-media analysis. *Personal and Ubiquitous Computing* 18(6):1533–1543
- Ramos D, Bratitsis T (2019) Alternative teaching of history subject in primary school: The case of the 3d hit playful activity. In: International Conference on Games and Learning Alliance, Springer, pp 457–467
- Ramos MJH, Comendador BEV (2019) Artitser: A mobile augmented reality in classroom interactive learning tool on biological science for junior high school students. In: Proceedings of the 2019 5th International Conference on Education and Training Technologies, pp 135–139
- Rusiñol M, Chazalon J, Diaz-Chito K (2018) Augmented songbook: an augmented reality educational application for raising music awareness. *Multimedia Tools and Applications* 77(11):13773–13798
- Sarkar P, Pillai JS, Gupta A (2018) Scholar: a collaborative learning experience for rural schools using augmented reality application. In: 2018 IEEE Tenth International Conference on Technology for Education (T4E), IEEE, pp 8–15
- da Silva MM, Teixeira JMX, Cavalcante PS, Teichrieb V (2019) Perspectives on how to evaluate augmented reality technology tools for education: a systematic review. *Journal of the Brazilian Computer Society* 25(1):3
- Sorrentino F, Spano LD, Scateni R (2015) Speaky notes learn languages with augmented reality. In: 2015 International Conference on Interactive Mobile Communication Technologies and Learning (IMCL), IEEE, pp 146–150
- Takahashi I, Oki M, Bourreau B, Kitahara I, Suzuki K (2018) An empathic design approach to an augmented gymnasium in a special needs school setting. *International Journal of Design* 12(3)
- Tang JK, Duong TYA, Ng YW, Luk HK (2015) Learning to create 3d models via an augmented reality smartphone interface. In: 2015 IEEE International Conference on Teaching, Assessment, and Learning for Engineering (TALE), IEEE, pp 236–241
- Thamrongrat P, Law ELC (2019) Design and evaluation of an augmented reality app for learning geometric shapes in 3d. In: IFIP Conference on Human-Computer Interaction, Springer, pp 364–385
- Triantafyllidou I, Chatzitsakiroglou AM, Georgiadou S, Palaigeorgiou G (2017) Fingertrips on tangible augmented 3d maps for learning history. In: *Interactive Mobile Communication, Technologies and Learning*, Springer, pp 465–476
- Tscholl M, Lindgren R (2016) Designing for learning conversations: How parents support children's science learning within an immersive simulation. *Science Education* 100(5):877–902
- Wang T, Zhang H, Xue X, Cai S (2018) Augmented reality-based interactive simulation application in double-slit experiment. In: *Online Engineering & Internet of Things*, Springer, pp 701–707
- Wang YH (2017) Exploring the effectiveness of integrating augmented reality-based materials to support

- writing activities. *Computers & Education* 113:162–176
- Wei X, Guo D, Weng D (2018) Improving authentic learning by ar-based simulator. In: *Chinese Conference on Image and Graphics Technologies*, Springer, pp 124–134
- Wei X, Yang G, Weng D (2019) The influence of mobile augmented reality-based sandbox games on chinese characters learning. In: *Chinese Conference on Image and Graphics Technologies*, Springer, pp 436–446
- Whitlock M, Mitchell J, Pfeufer N, Arnot B, Craig R, Wilson B, Chung B, Szafir DA (2020) Mrcat: In situ prototyping of interactive ar environments. In: *International Conference on Human-Computer Interaction*, Springer, pp 235–255
- Wild F, Perey C, Brandt D (2020) IEEE standard for augmented reality learning experience model (AR-LEM). Standard, IEEE Standards Association
- Xeferis S, Palaigeorgiou G (2019) Mixing educational robotics, tangibles and mixed reality environments for the interdisciplinary learning of geography and history. *Int J Eng Pedagog* 9(2):82–98
- Xeferis S, Palaigeorgiou G, Tsorbari A (2018) A learning environment for geography and history using mixed reality, tangible interfaces and educational robotics. In: *International Conference on Interactive Collaborative Learning*, Springer, pp 106–117
- Yilmaz RM, Goktas Y (2017) Using augmented reality technology in storytelling activities: examining elementary students' narrative skill and creativity. *Virtual Reality* 21(2):75–89
- Yin X, Hou S, Hu H (2020) Research on interactive design of social interaction training app for children with autistic spectrum disorder (asd) based on multi-modal interaction. In: *E3S Web of Conferences*, E3S Web of Conferences, vol 179, p 02044
- Zhao G, Zhang Q, Chu J, Li Y, Liu S, Lin L (2018) Augmented reality application for plant learning. In: *2018 IEEE 9th International Conference on Software Engineering and Service Science (ICSESS)*, IEEE, pp 1108–1111