



DEDAN KIMATHI UNIVERSITY OF TECHNOLOGY

UNIVERSITY EXAMINATION 2021/2022 ACADEMIC YEAR

**SECOND YEAR SECOND SEMESTER EXAMINATION FOR THE DEGREE
OF
BACHELOR OF SCIENCE IN ELECTRICAL AND ELECTRONIC ENGINEERING
&
BACHELOR OF SCIENCE IN TELECOMMUNICATION AND INFORMATION
ENGINEERING
&
BACHELOR OF EDUCATION IN ELECTRICAL AND ELECTRONIC TECHNOLOGY**

EEE2205\ETI 2205: ELECTROMAGNETICS I

DATE: 13TH APRIL 2022

TIME: 11AM-1PM

Instructions:

This examination paper contains **five** questions. Attempts **question one** and any other **two** question. Question **ONE** is **Compulsory** and carries **30 Marks**. All the other questions carry **20 Marks** each. **Neatness, good handwriting, clarity and precise explanations must be observed.**

Given data:

For free space assume the following data

$$\text{Permittivity} : \epsilon_0 = \frac{1}{36\pi} 10^{-9} \text{ Farad/m}$$

$$\text{Permeability} : \mu_0 = 4\pi \times 10^{-7} \text{ Henry/m}$$

$$\text{Speed of electromagnetic wave} : v_0 = 3 \times 10^8 \text{ m/sec}$$

$$\text{Electronic Charge} : q = 1.6 \times 10^{-19} \text{ C}$$

$$\text{Planck's constant} : h = 6.626 \times 10^{-34} \text{ J-s}$$

QUESTION ONE

- a) i) State Coloumb's Law as it applies to Electrostatic.
ii) Define electric field strength and electric potential at a general point in free space due to a point charge at origin. **(5marks).**
- b) Two charges each of 1pC are located 1m apart. At a point midway between and 50 cm above the line joining these two charges, find
i) Electric field and
ii) Electric potential. **(6marks).**
- c) Given the vector field $\mathbf{A}=i(yz)+j(zx)+k(xy)$, Show that \mathbf{A} is
i) solenoidal and also
ii) irrotational
iii) Find the unit vector in the direction of \mathbf{A} at the point (1,1,1). **(7Marks).**
- d) Using Maxwell's Divergence equation involving charge density and flux density, in point form, obtain the following:
i) Poisson's equation and
ii) Laplace equation. **(5marks)**
- e) Calculate the work done in moving a 4C of electric charge in an electric field $E=ix+j2y$ V/m from a point (3,0,0) to another point (0,3,0). **(7marks)**

QUESTION TWO

- a) Obtain an expression for ' \mathbf{E} ' in free space due to an infinite line charge of uniform linear charge density. **(6marks)**
- b) i)Derive a formula for capacitance per unit length of a co-axial cable.
ii) A co-axial cable with ratio of diameters of 2 is 10 Km long. If the breakdown strength of the dielectric used is 25MV/m and the working voltage is 200KV, determine the energy stored in the cable. Assume $\epsilon_r = 1$. **(9marks)**
- c) Two parallel conducting planes are situated at $y=0$ and $y=0.02m$. Flux density D between the plates is $253nC/sq. m$ in y direction. Using one dimensional Laplac's equation, determine the conductor voltages if $V=0$ at $Y=0.01m$. **(5marks)**

QUESTION THREE

- a) Derive boundary conditions for electrostatic fields E and D at the interface between two different charge free dielectric media. **(8marks)**
- b) Given that $D_1 = 4a_x + 3a_y + 6a_z$ in a medium with $\epsilon_{r1}=3$. X=0 is the boundary and the other medium has $\epsilon_{r2}=5$. Find D_2 . **(6marks)**
- c) Using differential quantity, obtain the expression for the following:
 - i) Curved surface area of a cylinder and
 - ii) Volume of a sphere **(6marks)**

QUESTION FOUR

- a) i) Three different charges are moved from infinity to some final different positions in a region which was initially charge free. Obtain an expression for energy stored in this electronic system.
ii) Generalize your result in (i) above for ‘n’ charges. **(8marks)**
- b) Three charges of values 1nC, 3nC and 6nC are at the corners of an equilateral triangle of side 40 cm in free space. Determine the work required to move these charges towards the centroid of the triangle forming a new equilateral triangle of side 0.1 m. **(7marks)**
- c) Potential function in free space is given as $V=3x+4y$ volts. Find
 - i) Energy density and
 - ii) Energy stored in a sphere of radius 50cm. **(5marks)**

QUESTION FIVE

- a) i) Define an electric dipole.
ii) Derive an expression for the potential at a point in the far field region of an electric dipole using spherical co-ordinates.
iii) Using (ii) above obtain an expression for E in space.
iv) Sketch equipotential lines of the dipole in X=0 plane if dipole axis coincides with z-axis. **(11marks)**
- b) Write short notes on the following:

- i) Theory of images
 - ii) Polarisation in dielectrics and
 - iii) Band theory to distinguish between three types of solid materials used in electromagnetic applications.
- (9marks)