Friend request button

Severity **Priority Behavior** Type Not set O Medium Positive **Functional** Layer Is Flaky Milestone **Automation** Not set No Not automated

Status Actual

Pre-conditions

- The user can download the app.
 The user has registration and is granted permission.

Step	1
Action	Open the app on a mobile device
Input data	Discord
Expected result	The app loads successfully
Step	2
Action	Tap on the notification button at the bottom of the screen
Input data	
Expected result	The user is redirected to the notifications
Step	3
Action	Tap on the first button at the top right of the screen (waving man)
Input data	
Expected result	All the friend requests are visualized.

Find study groups button

Severity **Priority Behavior** Type Not set O Medium Positive **Functional** Layer Is Flaky Milestone **Automation** Not set No Not automated **Status**

Pre-conditions

- 1. The user can download the app.
- 2. The user has registration and is granted permission.

Step	1
Action	Open the app on a mobile device
Input data	Discord
Expected result	The app loads successfully
Step	2
Action	Tap on the last button at the left-sided menu on the screen.
Input data	
Expected result	The user is redirected to search for a study groups
Step	3
Action	Add all the information needed to search for a study group
Input data	
Expected result	All the information is accepted by the fields.
Step	4
Action	Tap on the button search
Input data	
Expected result	The app loads study groups successfully.

Check the voice channel's functions

Severity	Priority	Behavior	Туре
Not set	O Medium	Not set	Functional
Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated
Status			
Actual			

Pre-conditions

- The user can download the app.
 The user has registration and is granted permission.

Step	1
Action	Open the app on a mobile device
Input data	Discord
Expected result	The app loads successfully.
Step	2
Action	Tap on the icon for personal server
Input data	
Expected result	The user is redirected to the personal server
Step	3
Action	Tap on the voice channel "general"
Input data	
Expected result	The user is redirected to join the voice channel
Step	4
Action	Tap on the join voice to join the voice channel
Input data	
Expected result	The user has joined in the voice channel
Step	5

Action	Tap on invite friends
Input data	
Expected result	A menu appears on the screen
Step	6
Action	Tap to share a link with a friend
Input data	
Expected result	The link is sent successfully.
_	
Step	7
Action	Talk with your friend to check the sound
Input data	
Expected result	The voice communications should be clear and seamless

Create registration with phone number and password

Severity	Priority	Behavior	Туре
Not set	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated
Status			
Actual			

Pre-conditions

- The user can load the application.
 The user has registered and been granted permissions.

Step	1
Action	Download the application on your device.
Input data	Discord
Expected result	The application downloaded successfully.
Step	2
Action	Open the app on your mobile device.
Input data	
Expected result	The app has loaded successfully
Step	3
Action	Tap on the button register at the bottom of the screen.
Input data	
Expected result	The user is redirected to the registration details.
Step	4
Action	Input a valid phone number
Input data	0883*****
Expected result	The number is accepted by the field.
Step	5

Action	The number is accepted by the field.
Input data	
Expected result	The user is redirected to further registration details.
Class	
Step	6
Action	Input the received confirmation code
Input data	02****
Expected result	The code is accepted by the field.
Step	7
Action	Tap on the button "verify".
Input data	
Expected result	The user is redirected to input more details.
Step	8
Action	Type all the needed information regarding your profile.
Input data	
Expected result	The information is accepted by the field.
Chan	
Step	9 ————————————————————————————————————
Action	Tap on the button "next"
Input data	
Expected result	The user is redirected to the next step
Step	10
Action	Type the correct username.
Input data	tisho_1414141
Expected result	Type the correct username.
Step	11
Action	Type the correct password.
Input data	7*****
Expected result	The password is accepted by the field.

Step	12
Action	Input the correct date of birth.
Input data	
Expected result	Input the correct date of birth.
Step	13
Action	Tap on the little button on the screen "read and accept privacy policyetc".
Input data	
Expected result	The button create an account is activated and can be clicked.
Step	14
Action	Tap on the blue button create an account
Input data	
Expected result	The user is redirected to choose a profile picture.
Step	15
Action	Tap on the button next.
Input data	
Expected result	The user is redirected to fill in further information in the profile.
	The user is realisected to the in rate of morning to the promet

Registration functionality with email address

Priority Severity **Behavior** Type Not set ↑ High Positive **Functional** Layer Is Flaky Milestone **Automation** Not set Not automated No **Status**

Actual

Pre-conditions

- 1. The application is started
- 2. The user is not logged in to the application
- 3. The user has no registration in the application

Steps to reproduce

5

Step

Step	1
Action	Open the app on your mobile device
Input data	Discord
Expected res	ultThe app loads successfully.
Step	2
Action	Tap on the sign-up button.
Input data	
Expected res	ultThe user is redirected to the registration form.
Step	3
Action	Tap on the button email on the top right of the screen.
Input data	
Expected res	ult The field for required information changes to email.
Step	4
Action	Input the correct email address.
Input data	stoyanob123@gmail.com
Expected res	ultThe email address is visualised and accepted by the field.

Action Tap on the button "next" Input data Expected resultThe user is redirected to further information for registration. Step 6 Action Type your name Input data Tihomir Stoyanov Expected resultThe name is accepted and visualized by the field. 7 Step Action Tap on the button next to the screen Input data Expected resultThe user is redirected to the next steps for registration. Step 8 Action Input the correct username Input data tihomirstoyanov Expected resultThe username is accepted by the field Step 9 Action Enter the correct password Input data stoyanov1! Expected resultThe password is accepted and visualized as "*" by the field. Step 10 Action Tap on the button next Input data Expected resultThe user is redirected to the next step. 11 Step Action Enter the correct date of birth Input data

Expected resultThe information is accepted by the field.

12 Step Action Tap on the checkbox for accepting terms of service and privacy policy Input data Expected resultThe button "create account" is activated. 13 Step Action Tap on the button create an account Input data Expected resultThe user is redirected to the choose profile picture section. Step 14 Action Choose a profile picture. Input data Expected resultThe button next at the bottom of the screen is activated Step 15 Action Tap on the button next. Input data Expected result The user is redirected to the next step. Step 16 Action Tap on the profile icon at the bottom of the page to verify that the user is logged in to the correct profile. Input data

Expected resultThe user is logged into the correct profile.

Create registration with invalid email address

уре
unctional
utomation
lot automated
u

Pre-conditions

- The app is started
 The user is not logged in to the app
 The user has no registration in the app

Step	1
Action	Open the app on your mobile device
Input data	
Expected result	The app has loaded successfully.
Step	2
Action	Tap on the sign-up button
Input data	
Expected result	The user is redirected to the registration form.
Step	3
Step Action	Tap on the button email on the top right of the screen.
Action	
Action Input data	Tap on the button email on the top right of the screen.
Action Input data Expected result	Tap on the button email on the top right of the screen. The field for required information changes to email.
Action Input data Expected result Step	Tap on the button email on the top right of the screen. The field for required information changes to email.
Action Input data Expected result Step Action	Tap on the button email on the top right of the screen. The field for required information changes to email. 4 Input the invalid email address.

Create registration with invalid phone number

Severity **Priority Behavior** Type Not set ↑ High Negative **Functional** Layer Is Flaky Milestone **Automation** Not set No Not automated **Status** Actual

Pre-conditions

- 1. The app is started
- 2. The user is not logged in to the app
- 3. The user has no registration in the app

Step	1
Action	Open the app on your mobile device
Input data	
Expected result	The app has loaded successfully.
Stop	2
Step	2
Action	Tap on the sign-up button
Input data	
Expected result	The user is redirected to the registration form.
Step	3
Action	Enter the invalid phone number
Input data	1111111111
Expected result	An error message appears on the screen for invalid phone number.

Create registration with invalid name

Severity	Priority	Behavior	Туре
Not set	↑ High	Negative	Functional
Layer	ls Flaky	Milestone	Automation
Not set	No	-	Not automated
Status			
Actual			

Pre-conditions

- The user can load the application.
 The user has registration and granted permissions.

Step	1
Action	Download the application to your mobile device.
Input data	Discord
Expected result	The application is downloaded successfully.
Step	2
Action	Open the app on your mobile device.
Input data	
Expected result	The app has loaded successfully.
Step	3
Action	Tap on the button register at the bottom of the screen.
Input data	
Expected result	The user is redirected to the registration details.
Step	4
Action	Input a valid phone number
Input data	089*****
Expected result	The number is accepted by the field.
Step	5

Action	Tap on the button next.
Input data	
Expected result	The user is redirected to further registration details.
Step	6
Action	Input the received confirmation code
Input data	02*****
Expected result	The code is accepted by the field.
Step	7
Action	Tap on the button "verify".
Input data	
Expected result	The user is redirected to input more details.
Step	8
Action	Type an invalid name
Input data	T1homir
Expected result	The information is accepted by the field.
Step	9
Action	Tap on the button "next"
Input data	
Expected result	An error message appears on the screen

Create registration with invalid email

Severity **Priority Behavior** Type Not set ↑ High Negative **Functional** Milestone Layer Is Flaky **Automation** Not set No Not automated **Status**

Pre-conditions

- 1. The app is started
- 2. The user is not logged in to the app3. The user has no registration in the app

Step	1
Action	Open the app on your mobile device
Input data	
Expected result	The app has loaded successfully.
Step	2
Action	Tap on the sign-up button
Input data	
Expected result	The user is redirected to the registration form.
Step	3
Action	Enter the invalid email address
Input data	tisho12@
Expected result	An error message appears on the screen for an invalid email address.

Login with correct phone number and password

Severity **Priority Behavior** Type Not set ↑ High Positive **Functional** Layer Is Flaky Milestone **Automation** Not set No Not automated **Status**

Pre-conditions

- 1. The user can download the app.
- 2. The user has registration and granted permission.

Step	1
Action	Open the app on a mobile device.
Input data	Discord
Expected res	ultThe app has loaded successfully.
Step	2
Action	Tap on the button login and the bottom of the screen.
Input data	
Expected res	ultThe user has loaded successfully.
Step	3
Action	Type the correct phone number and password.
Input data	
Expected res	ult The phone number and password are accepted by the field.
Step	4
Action	Tap on the login button
Input data	
Expected res	ultThe user has loaded successfully.
Step	5

Action Tap on the profile icon at the right bottom of the screen to verify that the user is logged in to the correct profile.

Input data

Expected resultThe user is logged in the correct profile.

Login with incorrect password

Severity	Priority	Behavior	Туре
Not set	O Medium	Negative	Functional
Layer	ls Flaky	Milestone	Automation
Not set	No	-	Not automated
Status			

Pre-conditions

- The user can load the application
 The user has registration and granted permissions

Step	1
Action	Open the app on your mobile device.
Input data	Discord
Expected result	The app has loaded.
Step	2
Action	Tap on the login button.
Input data	
Expected result	The user is redirected to the login page.
Step	3
Action	Enter the correct phone number
Input data	
Expected result	The phone number is visualized and accepted by the field.
Step	4
Action	Enter the incorrect password.
Input data	1232476
Expected result	The password is visualized as "*".
Step	5

Action	Tap on the button login on the screen.
Input data	
Expected result	An error message "login or password invalid" appears.

Login with incorrect phone number

Severity	Priority	Behavior	Туре
O Normal	O Medium	Negative	Functional
Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated
Status			

Pre-conditions

- The user can load the application.
 The user has registration and is granted permission.

Step	1
Action	Open the app on your mobile device
Input data	Discord
Expected result	The app has loaded successfully.
Step	2
Action	Tap on the login button at the bottom of the screen.
Input data	
Expected result	The user is redirected to the login page.
Step	3
Action	Enter the incorrect phone number
Input data	
Expected result	The phone number is visualized and accepted by the field.
Step	4
Action	Enter the correct password.
Input data	
Expected result	The password is accepted and visualized as "*"
Step	5

Action	Tap on the login button
Input data	
Expected result	Error message "login or password is invalid" appears on the screen.

Login with incorrect email address

Severity	Priority	Behavior	Туре
— Not set	O Medium	Negative	Functional
Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated
Status			

Pre-conditions

- The user can load the application.
 The user has registration and is granted permission.

Step	1
Action	Open the app on your mobile device
Input data	Discord
Expected result	The app has loaded successfully.
Step	2
Action	Tap on the login button at the bottom of the screen.
Input data	
Expected result	The user is redirected to the login page.
Step	3
Action	Enter the incorrect email address
Input data	
Expected result	The email address is visualized and accepted by the field.
Step	4
Action	Enter the correct password.
Input data	
Expected result	The password is accepted and visualized as "*"
Step	5

Action	Tap on the login button
Input data	
Expected result	Error message "login or password is invalid" appears on the screen.

Login with correct email address and password

Severity **Priority Behavior** Type - Not set ↑ High Positive **Functional** Layer Is Flaky Milestone **Automation** Not set No Not automated **Status**

Pre-conditions

1. The user can download the app.

5

Step

2. The user has registration and is granted permission.

Step	1
Action	Open the app on a mobile device.
Input data	Discord
Expected res	ultThe app has loaded successfully.
Step	2
Action	Tap on the button login and the bottom of the screen.
Input data	
Expected res	ultThe page has loaded successfully
Step	3
Action	Type the correct email address.
Input data	
Expected resultThe email is accepted by the field.	
Step	4
Action	Type the correct password
Input data	
Expected resultThe password is accepted by the field.	

Action	Tap on the login button
Input data	
Expected r	esultThe page has loaded successfully.
Step	6
Action	Tap on the profile icon at the right bottom of the screen to verify that the user is logged in to the correct profile.
Input data	
Expected r	esultThe user is logged in the correct profile.

Login with empty fields

Severity **Priority Behavior** Type Not set O Medium Negative **Functional** Milestone Layer Is Flaky **Automation** Not set No Not automated **Status**

Pre-conditions

- The user can load the app.
 The user has registration and granted permissions.

Step	1
Action	Open the app on your mobile device
Input data	Discord
Expected result	The app loads successfully.
Step	2
Action	Tap on the button login on the screen
Input data	
Expected result	The user is redirected to the login format.
Step	3
Step Action	3 Leave the fields for phone number and password empty.
Action	
Action Input data	Leave the fields for phone number and password empty.
Action Input data Expected result	Leave the fields for phone number and password empty. The fields remain empty.
Action Input data Expected result Step	Leave the fields for phone number and password empty. The fields remain empty.

Login with phone number and forgotten password

Severity **Priority Behavior** Type Not set ↑ High Positive **Functional** Layer Is Flaky Milestone **Automation** Not set No Not automated **Status** Actual

Pre-conditions

- 1. The user can download the app.
- 2. The user has registration and is granted permission.

Step	1
Action	Open the app on a mobile device.
Input data	Discord
Expected result	The app has loaded successfully.
Step	2
Action	Tap on the button login and the bottom of the screen.
Input data	
Expected result	The page has loaded successfully.
Step	3
Action	Type the correct phone number.
Input data	
Expected result	The phone number is accepted by the field.
Step	4
Action	Tap on the button "forgot your password?" at the bottom of the screen.
Input data	

Login with missing phone number and correct password

Severity **Priority Behavior** Type Not set O Medium Negative **Functional** Layer Is Flaky Milestone **Automation** Not set No Not automated **Status** Actual

Pre-conditions

- 1. The user can load the application.
- 2. The user has registration and granted permissions.

Step	1
Action	Open the app on your mobile device
Input data	Discord
Expected result	The app has loaded successfully.
Step	2
Action	Tap on the login button at the bottom of the screen.
Input data	
Expected result	The user is redirected to the login page.
Step	3
Action	Leave the field for phone number empty
Input data	
Expected result	The field remains empty.
Step	4
Action	Enter the correct password.
Input data	
Expected result	The password is accepted and visualized as "*"
Step	5

Action	Tap on the login button
Input data	
Expected result	Error message "login or password is invalid" appears on the screen.

Login with correct phone number and missing password

Severity	Priority	Behavior	Туре
- Not set	O Medium	Negative	Functional
Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated
Status			
Actual			

Pre-conditions

- The user can load the application.
 The user has registration and granted permissions.

Step	1
Action	Open the app on your mobile device
Input data	Discord
Expected result	The app has loaded successfully.
Step	2
Action	Tap on the login button at the bottom of the screen.
Input data	
Expected result	The user is redirected to the login page.
Step	3
Action	Type the correct phone number in the field
Input data	
Expected result	The phone number is accepted and visualized by the field
Step	4
Action	Leave the field for password empty.
Input data	
Expected result	The field remains empty.
Step	5

Action	Click on the login button
Input data	
Expected result	Error message "login or password is invalid" appears on the screen.

Login with missing email address and correct password

Severity **Priority Behavior** Type Not set O Medium Negative **Functional** Layer Is Flaky Milestone **Automation** Not set No Not automated **Status** Actual

Pre-conditions

- 1. The user can load the application.
- 2. The user has registration and granted permissions.

Step	1
Action	Open the app on your mobile device
Input data	Discord
Expected result	The app has loaded successfully.
Step	2
Action	Tap on the login button at the bottom of the screen.
Input data	
Expected result	The user is redirected to the login page.
Step	3
Action	Tap on the button email address on the top of the screen
Input data	
Expected result	The login page for email and password loads successfully.
Step	4
Action	Leave the field for email address empty.
Input data	
Expected result	The field remains empty.
Step	5

Action	Enter the correct password.
Input data	
Expected result	The password is accepted and visualized as "*"
Step	6
Action	Tap on the login button
Input data	
Expected result	Error message "login or password is invalid" appears on the screen.

Normal user log out

SeverityPriorityBehaviorType- Not setO MediumPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

The user is logged into the application.

Step	1
Action	Tap on the profile icon at the right bottom of the screen.
Input data	
Expected result	The user is redirected to the profile section.
Step	2
Action	Scroll down to the logout button which is before the developer settings section.
Input data	
Expected result	The button is found.
Step	3
Action	Tap on the logout button.
Input data	
Expected result	The user is redirected to the login page.

Normal user log out

SeverityPriorityBehaviorType- Not setO MediumPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status

Actual

Pre-conditions

The user is logged into the application.

Step	1
Action	Tap on the profile icon at the right bottom of the screen.
Input data	
Expected result	The user is redirected to the profile section.
Step	2
Action	Scroll down to the logout button which is before the developer settings section.
Input data	
Expected result	The button is found.
Step	3
Action	Tap on the logout button.
Input data	
Expected result	The user is redirected to the login page.
Step	4
Action	Tap button back to verify that the user will be logged out.
Input data	
Expected result	The user is redirected to the login page.

Create own server

Severity	Priority	Behavior	Туре
— Not set	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated
Status			

Pre-conditions

- The user can download the app.
 The user has registration and granted permissions.

Step	1
Action	Open the app
Input data	Discord
Expected result	The app loads successfully.
Step	2
Action	Log in with the correct credentials
Input data	
Expected result	The user is logged into the application.
Step	3
Action	Tap on the "+" button at the left side of the screen
Input data	
Expected result	The user is redirected to create server page.
Step	4
Action	Tap on the button "Create my own"
Input data	
Expected result	The user is redirected to the next step
Step	5

Action	Tap on the button "For me and my friends"
Input data	
Expected result	The user is redirected to the next step
Step	6
Action	Enter server name
Input data	TS's server
Expected result	The name is accepted and visualized by the field
Step	7
Action	Tap on the button create server
Input data	
Expected result	The user's server is created.

Create gaming server

Severity **Priority Behavior** Type Not set ↑ High Positive **Functional** Is Flaky Layer Milestone **Automation** Not set No Not automated

Actual

Status

Pre-conditions

- The user can download the app.
 The user has registration and granted permissions.

Step	1
Action	Open the app
Input data	Discord
Expected result	The app loads successfully.
Step	2
Action	Log in with the correct credentials
Input data	
Expected result	The user is logged into the application.
Step	3
Action	Tap on the "+" button at the left side of the screen
Input data	
Expected result	The user is redirected to create server page.
Step	4
Action	Tap on the button "Gaming".
Input data	
Expected result	The user is redirected to the next step
Step	5

Action	Tap on the button "For me and my friends"
Input data	
Expected result	The user is redirected to the next step
Step	6
Action	Enter server name
Input data	TSG's server
Expected result	The name is accepted and visualized by the field
Step	7
Action	Tap on the button create server
Input data	
Expected result	The users's server is created.

Create School club server

Severity	Priority	Behavior	Туре
Not set	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated
Status			

Pre-conditions

- The user can download the app.
 The user has registration and granted permissions.

Step	1
Action	Open the app
Input data	Discord
Expected result	The app loads successfully.
Step	2
Action	Log in with the correct credentials
Input data	
Expected result	The user is logged into the application.
Step	3
Action	Tap on the "+" button at the left side of the screen
Input data	
Expected result	The user is redirected to create server page.
Step	4
Action	Tap on the button "School club"
Input data	
Expected result	The user is redirected to the next step
Step	5

Action	Tap on the button "For me and my friends"
Input data	
Expected result	The user is redirected to the next step
Step	6
Action	Enter server name
Input data	TSG's server
Expected result	The name is accepted and visualized by the field
Step	7
Action	Tap on the button create server
Input data	
Expected result	The user's server is created.

Create Study group server

Severity **Priority Behavior** Type Not set ↑ High Positive **Functional** Layer Is Flaky Milestone **Automation** Not set No Not automated **Status**

Pre-conditions

- The user can download the app.
 The user has registration and granted permissions.

Step	1
Action	Open the appDiscord
Input data	Discord
Expected result	The app loads successfully.
Step	2
Action	Log in with the correct credentials
Input data	
Expected result	The user is logged into the application.
Step	3
Action	Tap on the "+" button at the left side of the screen
Input data	
Expected result	The user is redirected to create server page.
Step	4
Action	Tap on the button "Study group"
Input data	
Expected result	The user is redirected to the next step
Step	5

Action	Tap on the button "For me and my friends"
Input data	
Expected result	The user is redirected to the next step
Step	6
Action	Enter server name
Input data	TSG's server
Expected result	The name is accepted and visualized by the field
Step	7
Action	Tap on the button create server
Input data	
Expected result	The user's server is created.

Create friends server

Severity **Priority Behavior** Type Not set ↑ High Positive **Functional** Layer Is Flaky Milestone **Automation** Not set No Not automated

Status Actual

Pre-conditions

- The user can download the app.
 The user has registration and granted permissions.

Step	1
Action	Open the app
Input data	Discord
Expected result	The app loads successfully.
Cl	
Step	2
Action	Log in with the correct credentials
Input data	
Expected result	The user is logged into the application.
Step	3
Action	Tap on the "+" button at the left side of the screen
Input data	
Expected result	The user is redirected to create server page.
Step	4
Action	Tap on the button "Friends"
Input data	
Expected result	The user is redirected to the next step
Step	5

Action	Tap on the button "For me and my friends"
Input data	
Expected result	The user is redirected to the next step
Step	6
Action	Enter server name
Input data	TSG's server
Expected result	The name is accepted and visualized by the field
Step	7
Action	Tap on the button create server
Input data	
Expected result	The users's server is created.

Create Artists & Creators server

Severity	Priority	Behavior	Туре
Not set	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated
Status			
Actual			

Pre-conditions

- The user can download the app.
 The user has registration and granted permissions.

Step	1
Action	Open the app
Input data	Discord
Expected result	The app loads successfully.
Step	2
Action	Log in with the correct credentials
Input data	
Expected result	The user is logged into the application.
Step	3
Action	Tap on the "+" button at the left side of the screen
Input data	
Expected result	The user is redirected to create server page.
Step	4
Action	Tap on the button "Artists & Creators"
Input data	
Expected result	The user is redirected to the next step
Step	5

Action	Tap on the button "For me and my friends"
Input data	
Expected result	The user is redirected to the next step
Step	6
Action	Enter server name
Input data	TSG's server
Expected result	The name is accepted and visualized by the field
Step	7
Action	Tap on the button create server
Input data	
Expected result	The users's server is created.

Create Local community server

Severity	Priority	Behavior	Туре
— Not set	↑ High	Positive	Functional
Layer	ls Flaky	Milestone	Automation
Not set	No	-	Not automated
Status			
Actual			

Pre-conditions

- The user can download the app.
 The user has registration and granted permissions.

Step	1
Action	Open the app
Input data	Discord
Expected result	The app loads successfully.
Step	2
Action	Log in with the correct credentials
Input data	
Expected result	The user is logged into the application.
Step	3
Action	Tap on the "+" button at the left side of the screen
Input data	
Expected result	The user is redirected to create server page.
Step	4
Action	Tap on the button "Local community"
Input data	
Expected result	The user is redirected to the next step
Step	5

Action	Tap on the button "For me and my friends"		
Input data			
Expected result	The user is redirected to the next step		
Step	6		
Action	Enter server name		
Input data	TSG's server		
Expected result	The name is accepted and visualized by the field		
Step	7		
Action	Tap on the button create server		
Input data			
Expected result	The user's server is created.		

Pinned message in personal server

Severity **Priority Behavior** Type - Not set O Medium Positive **Functional** Layer Is Flaky Milestone **Automation** Not set No Not automated

Status Actual

Pre-conditions

- The user can download the app.
 The user has registration and granted permissions.

Step	1
Action	Open the app on a mobile device.
Input data	Discord
Expected result	The app has loaded successfully.
Ston	2
Step	
Action	Tap on the icon for your server
Input data	
Expected result	The user is redirected to the server page.
Step	3
Action	Tap on the group general
Input data	
Expected result	The general chat loads.
Ston	4
Step	4
Action	Write a message in the chat
Input data	Hello guys!
Expected result	The message is sent in the chat
Step	5

Action	Tap and hold on to the sent message.		
Input data			
Expected result	A menu appears at the bottom of the screen.		
Step	6		
Action	Scroll down to "pin message"		
Input data			
Expected result	The option is visualized.		
Step	7		
Action	Tap on the "pin message"		
Input data			
Expected result	The message is pinned in the chat.		

Write a message in the general chat

Severity	Priority	Behavior	Туре
Not set	↓ Low	Positive	Functional
Layer	Is Flaky	Milestone	Automation

Status Actual

Pre-conditions

- The user can download the app.
 The user has registration and granted permissions.

a.	
Step	1
Action	Open the app on a mobile device
Input data	Discord
Expected result	The app loads successfully.
Step	2
Action	Tap on the icon for the personal server
Input data	
Expected result	The user is redirected to the server page
Step	3
Action	Tap on the "general" button
Input data	
Expected result	The user is redirected to the page
Step	4
Action	Write a message in the field for message
Input data	How are you?
Expected result	The message is visualized by the field.
Step	5

Action	Tap on the arrow at the right of the screen		
Input data			
Expected result	The message is sent.		

Write a message in the personal chat

Severity **Priority Behavior** Type - Not set **↓** Low Positive **Functional** Milestone Layer Is Flaky **Automation** Not set No Not automated **Status**

Actual

Pre-conditions

- The user can download the app.
 The user has registration and is granted permission.

Step	1
Action	Open the app on a mobile device
Input data	Discord
Expected result	The app loads successfully.
Step	2
Action	Tap on the searching field
Input data	
Expected result	The keyboard appears on the screen
Step	3
Action	Write the name of the person to who you want to send a message
Input data	
Expected result	The persons profile appears on the screen
Step	4
Action	Tap on the person's profile
Input data	
Expected result	The user is redirected to the chat with the person

Action	Write a message in the field for message
Input data	
Expected result	The message is visualized
Step	6
Action	Tap on the arrow button on the right of the screen
Input data	
Expected result	The message is sent

Invite a friend to join the personal server

Severity	Priority	Behavior	Туре
Not set	O Medium	Positive	Functional
Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated
Status			

Pre-conditions

- 1. The user can download the app.
- 2. The user has registration and is granted permission.

Step	1
Action	Open the app on a mobile device
Input data	Discord
Expected result	The app loads successfully
Step	2
Action	Tap on the personal server account
Input data	
Expected result	The user is redirected to the personal server
Step	3
Action	Tap on the three dots at the top of the screen
Input data	
Expected result	A menu appears on the screen
Step	4
Action	Tap on the button invite
Input data	
Expected result	The user is redirected to another menu
Step	5

Action	Tap on share button
Input data	
Expected result	The user is redirected to the next step
Step	6
Action	Tap on the person to who you want to send the link
Input data	
Expected result	The link is sent to the person

Pinned message to a chat

Severity **Priority Behavior** Type Not set O Medium Positive **Functional** Layer Is Flaky Milestone **Automation** Not set No Not automated **Status**

Pre-conditions

- The user can download the app.
 The user has registered and granted permissions.

Step	1
Action	Open the app on a mobile device.
Input data	Discord
Expected result	The app has loaded successfully
Step	2
Action	Tap on the person to whom you want to send the message
Input data	
Expected result	The user is redirected to the personal chat
Step	3
Action	Write a message in the chat
Input data	
Expected result	The message is sent in the chat
Step	4
Action	Tap and hold on to the sent message.
Input data	
Expected result	A menu appears at the bottom of the screen.
Step	5

Action	Scroll down to "pin message"
Input data	
Expected result	The option is visualized.
Step	6
Action	Tap on the "pin message"
Input data	
Expected result	The message is pinned in the chat.

Upload a picture on the personal server info

Severity **Priority Behavior** Type Not set **↓** Low Positive **Functional** Layer Is Flaky Milestone **Automation** Not set No Not automated **Status**

Pre-conditions

- 1. The user can download the app.
- 2. The user has registration and granted permissions

Step	1
Action	Open the app on a mobile device
Input data	
Expected result	The app has loaded successfully
Step	2
Action	Tap on the personal server
Input data	
Expected result	The user is redirected to the server chat
Step	3
Action	Tap on the set-up progress at the top of the screen
Input data	
Expected result	A menu appears on the screen with the set-up functions.
Step	4
Action	Tap on upload a server icon
Input data	
Expected result	The user is redirected to the photos on the mobile device
Step	5

Action	Tap on a picture
Input data	
Expected result	The picture is visualized.
Step	6
Action	Tap on the button choose at the bottom right of the screen
Input data	
Expected result	The photo is uploaded.

Add a text channel in the personal server

SeverityPriorityBehaviorType− Not set↑ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status

Actual

Pre-conditions

- 1. The user can download the app.
- 2. The user has registration and is granted permission.

Step	1
Action	Open the app on a mobile device
Input data	Discord
Expected result	The app loads successfully.
Step	2
Action	Tap on the personal server
Input data	
Expected result	The user is redirected to the server's general group
-	
Step	3
Action	Tap at the "+" next to the text channels
Input data	
Expected result	The user is redirected to the next step
Step	4
Action	Enter a channel name
Input data	
Expected result	The name is visualized and accepted by the field
Ston	5
Step	3

Action	Tap on the button next at the top right of the screen
Input data	
Expected result	The user is redirected to the next step
Step	6
Action	Tap on skip at the top right of the screen to skip the option" add members or roles"
Input data	
Expected result	The text channel is created.

Create an event in the personal server

Severity **Priority Behavior** Type Not set O Medium Positive **Functional** Layer Is Flaky Milestone **Automation** Not set No Not automated **Status**

Pre-conditions

- 1. The user can download the app.
- 2. The user has registration and is granted permission.

Step	1
Action	Open the app on a mobile device
Input data	
Expected result	The app loads successfully.
Step	2
Action	Click on the button for the personal server
Input data	
Expected result	The user is redirected to the server's page
Step	3
Action	Tap on the three dots at the top right of the screen
Input data	
Expected result	A menu appears at the bottom of the screen
Step	4
Action	Tap on "create an event"
Input data	
Expected result	The user is redirected to the next step.
Step	5

Action	Tap on the option voice channel
Input data	
Expected result	The option is marked as chosen
Step	6
Action	Tap on the button next at the bottom of the screen
Input data	
Expected result	The person is redirected to the next step
Step	7
Action	Enter an event topic
Input data	
Expected result	The topic is visualized and accepted by the field
Step	8
Action	Choose a start date for the event
Input data	
Expected result	The information is accepted by the field
Step	9
Action	Choose a start time for the event
Input data	
Expected result	The information is accepted by the field
6.	
Step	10
Action	Add a description for the event
Input data	
Expected result	The description is visualized and accepted by the field
Step	11
Action	Tap on the button next
Input data	
Expected result	The user is redirected to the last step

Step	12
Action	Tap on create event
Input data	
Expected result	The event is created.

Add a voice channel in the personal server

Severity **Priority Behavior** Type Not set ↑ High Positive **Functional** Is Flaky Layer Milestone **Automation** Not set No Not automated **Status**

Pre-conditions

Actual

- 1. The user can download the app.
- 2. The user has registration and granted permissions.

Step	1
Action	Open the app on a mobile device
Input data	Discord
Expected result	The app loads successfully.
Step	2
Action	Tap on the personal server
Input data	
Expected result	The user is redirected to the server's general group
Step	3
Action	Tap at the "+" next to the voice channels
Input data	
Expected result	The user is redirected to the next step
Step	4
Action	Enter a channel name
Input data	
Expected result	The name is visualized and accepted by the field
Step	5

Action	Tap on the button next at the top right of the screen
Input data	
Expected result	The user is redirected to the next step
Step	6
Action	Tap on skip at the top right of the screen to skip the option" add members or roles"
Input data	
Expected result	The voice channel is created.

Notification button

Severity **Priority Behavior** Type O Medium Not set Positive **Functional** Layer Is Flaky Milestone **Automation** Not set No Not automated

Status Actual

Pre-conditions

- The user can download the app.
 The user has registration and is granted permission.

Step	1
Action	Open the app on a mobile device
Input data	Discord
Expected result	The app loads successfully.
Ston	2
Step	2
Action	Tap on the bell button at the bottom of the screen
Input data	
Expected result	The user is redirected to the notifications

Search tool

Severity	Priority	Behavior	Туре
— Not set	O Medium	Positive	Functional
Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated
Status			

Pre-conditions

- The user can download the app.
 The user has registration and granted permissions.

en the app on a mobile device
cord
app loads successfully.
on the searching tool at the middle bottom of the screen
user is redirected to searching friends
er a friend name
search tool loads successfully.

Send a message in a text channel on the server and examine the notifications.

Severity	Priority	Behavior	Туре
— Not set	O Medium	Positive	Functional
Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status Actual

Pre-conditions

- The user can download the app.
 The user has registration and granted permissions.

Step	1
Action	Open the app on a mobile device
Input data	Discord
Expected result	The app loads successfully
Step	2
Action	Tap on the icon for the personal server
Input data	TSs
Expected result	The user is redirected to the TSs server
Step	3
Action	Tap on the general group for text messages
Input data	
Expected result	The user is redirected to the text channel
Step	4
Action	Write a message
Input data	How are you today?
Expected result	The message is visualized and accepted by the field
Step	5

Action	Send the message to the channel
Input data	
Expected result	The text is sent.
Step	6
Action	Close the app
Input data	
Expected result	The app has closed successfully.
Step	7
Action	Wait for 10 minutes to verify that the message is visible even when you closed the app
Input data	
Expected result	The user waits 10 minutes
Step	8
Action	Open the app on a mobile device
Input data	
Expected result	The app loads successfully
Step	9
Action	Tap on the text channel in the personal server
Input data	
Expected result	The message remains visible even after exiting and re-entering the application.

Valid link send in the text channel

SeverityPriorityBehaviorType- Not setO MediumPositiveFunctionalLayerIs FlakyMilestoneAutomationNot setNo-Not automated

Status Actual

Pre-conditions

- 1. The user can download the app.
- 2. The user has registration and is granted permission.

Step	1
Action	Open the app on a mobile device
Input data	Discord
Expected result	The app loads successfully.
Ston	2
Step	
Action	Tap on the personal server's icon
Input data	
Expected result	The user is redirected to the server's page
Step	3
Action	Tap on the text channel
Action Input data	Tap on the text channel
	Tap on the text channel The user is redirected to the text channel
Input data	
Input data	
Input data Expected result	The user is redirected to the text channel
Input data Expected result Step	The user is redirected to the text channel
Input data Expected result Step Action	The user is redirected to the text channel
Input data Expected result Step Action Input data	The user is redirected to the text channel 4 Send a link in the text channel
Input data Expected result Step Action Input data	The user is redirected to the text channel 4 Send a link in the text channel

Action	Open the link to verify that it is working
Input data	
Expected result	The link loads successfully.

Send an image in the text channel

Severity	Priority	Behavior	Туре
Not set	O Medium	Positive	Functional
Layer	Is Flaky	Milestone	Automation

Status

Actual

Pre-conditions

- The user can download the app.
 The user has registration and granted permissions.

Step	1
Action	Open the app on a mobile device
Input data	Discord
Expected result	The app loads successfully
Step	2
Action	Tap on the text message channel
Input data	
Expected result	The user is redirected to the text channel
Step	3
Action	Send an image to the text channel
Input data	
Expected result	The image is sent and visualized.

Emoji and Reaction

Severity **Priority Behavior** Type **O** Medium Not set Positive **Functional** Layer Is Flaky Milestone **Automation** Not set No Not automated **Status**

Pre-conditions

- The user can download the app.
 The user has registration and granted permissions.

Step	1
Action	Open the app on a mobile device
Input data	Discord
Expected result	The app loads successfully
Step	2
Action	Tap on the text channel in the personal server
Input data	
Expected result	The user is redirected to the text channel in the personal server
Step	3
Action	Write a message with a lot of emojis
Input data	
Expected result	The message is visualized
Step	4
Action	Send the message in the text channel
Input data	
Expected result	The message is sent.
Step	5

Action	Tap and hold on the message to react to it
Input data	
Expected result	The emojis for reaction appears on the screen
Step	6
Action	Tap on some emoji to react to the message
Input data	
Expected result	The reaction is successfully done

Video sharing button

Severity **Priority Behavior** Type O Medium Not set Positive **Functional** Layer Is Flaky Milestone **Automation** Not set No Not automated

Status Actual

Pre-conditions

- The user can download the app.
 The user has registration and granted permissions.

Step	1
Action	Open the app on a mobile device
Input data	Discord
Expected result	The app loads successfully
Step	2
Action	Tap on the voice channel in the personal server.
Input data	
Expected result	The voice channel loads
Step	3
Action	Tap on the button join voice
Input data	
Expected result	The user is in the voice channel
Step	4
Action	Tap on the button for sharing the screen
Input data	
Expected result	The user is redirected to the next step for sharing his screen

Action	Tap on share the whole screen button
Input data	
Expected result	The screen is shared

Friend Request

Severity	Priority	Behavior	Туре
Not set	O Medium	Positive	Functional
Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated
Status			

Pre-conditions

- The user is logged into the app.
 The user has granted permissions.

Step	1
Action	Open the app on a mobile device
Input data	Discord
Expected result	The app loads successfully
Step	2
Action	Tap on the second button at the bottom of the screen
Input data	
Expected result	The user is redirected to the next step
Step	3
Step Action	Write the name of a friend
Action	
Action Input data	Write the name of a friend
Action Input data	Write the name of a friend
Action Input data Expected result	Write the name of a friend The name is visualized
Action Input data Expected result Step	Write the name of a friend The name is visualized
Action Input data Expected result Step Action	Write the name of a friend The name is visualized

Set status

Severity	Priority	Behavior	Туре
Not set	O Medium	Positive	Functional
Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated
Status			
Actual			

Pre-conditions

- The user is logged into the app.
 The user has granted permissions.

Step	1
Action	Open the app on a mobile device
Input data	Discord
Expected result	The app loads successfully
Step	2
Action	Tap on the profile icon at the bottom of the screen
Input data	
Expected result	The user is redirected to the profile section
Step	3
Step	Tap on set status at the top of the screen
Action	
Action Input data Expected result	Tap on set status at the top of the screen The user is redirected to a menu for the status changes
Action Input data	Tap on set status at the top of the screen
Action Input data Expected result	Tap on set status at the top of the screen The user is redirected to a menu for the status changes
Action Input data Expected result Step	Tap on set status at the top of the screen The user is redirected to a menu for the status changes
Action Input data Expected result Step Action	Tap on set status at the top of the screen The user is redirected to a menu for the status changes

Set status to idle

Severity	Priority	Behavior	Туре
Not set	O Medium	Positive	Functional
Layer	ls Flaky	Milestone	Automation
Not set	No	-	Not automated
Status			
Actual			

Pre-conditions

- The user is logged into the app.
 The user has granted permissions.

Step	1
Action	Open the app on a mobile device
Input data	Discord
Expected result	The app loads successfully
Step	2
Action	Tap on the profile icon at the bottom of the screen
Input data	
Expected result	The user is redirected to the profile section
Step	3
Action	Tap on set status at the top of the screen
Input data	
Expected result	The user is redirected to a menu for the status changes
Step	4
Action	Set the status to idle
Input data	

Set status to do not disturb

Severity	Priority	Behavior	Туре
Not set	O Medium	Positive	Functional
Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated
Status			
Actual			

Pre-conditions

- The user is logged into the app.
 The user has granted permissions.

Step	1
Action	Open the app on a mobile device
Input data	Discord
Expected result	The app loads successfully
Step	2
Action	Tap on the profile icon at the bottom of the screen
Input data	
Expected result	The user is redirected to the profile section
Step	3
Action	Tap on set status at the top of the screen
Action Input data	Tap on set status at the top of the screen
	Tap on set status at the top of the screen The user is redirected to a menu for the status changes
Input data	
Input data Expected result	The user is redirected to a menu for the status changes
Input data Expected result Step	The user is redirected to a menu for the status changes

Set a custom status

Severity	Priority	Behavior	Туре
Not set	O Medium	Positive	Functional
Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated
Status			

Pre-conditions

- The user is logged into the app.
 The user has granted permissions.

Step	1
Action	Open the app on a mobile device
Input data	Discord
Expected result	The app loads successfully
Step	2
Action	Tap on the profile icon at the bottom of the screen
Input data	
Expected result	The user is redirected to the profile section
Step	3
Action	Tap on set status at the top of the screen
Input data	
Expected result	The user is redirected to a menu for the status changes
Step	4
Action	Tap on the set a custom status
Input data	
Expected result	The user is redirected to adding more info for the custom status
Step	5

Action	Tap on clear tomorrow
Input data	
Expected result	The option is chosen
Step	6
Action	Tap on the button save at the top right of the screen
Input data	
Expected result	The status is saved successfully

Background change

Severity **Priority Behavior** Type Not set O Medium Positive **Functional** Layer Is Flaky Milestone **Automation** Not set No Not automated **Status**

Pre-conditions

- The user is logged into the app.
 The user has granted permissions.

Step	1
Action	Open the app on a mobile device
Input data	Discord
Expected result	The app loads successfully
Step	2
Action	Tap on the profile icon at the right bottom of the screen
Input data	
Expected result	The profile section loads successfully
Step	3
Action	Scroll down to the button appearence
Input data	
Expected result	The button is visualized
Step	4
Action	Tap on the button appearence
Input data	
Expected result	The user is redirected to the background changes
Step	5

Action	Choose a teme (light or dark)
Input data	
Expected result	The background is changed.