Hordenine cv Solist - Report

Mauro Maver

2/3/2021

- Fig 1 Adsorption isotherms plot
- Fig 2 Time Course 24h
- Fig 3 Time Course 8 days
- Fig 4 Time Course in Nutrients Deficiency
- Fig 5 Targeted metabolomic of Time Course in Nutrients Deficiency
- Fig 6 Untargeted metabolomic (Fold Change Biosynthesis) of Time Course in Nutrients Deficiency
- Table 1 Root Exudates

Adsorbimento

Langmuir

```
##
## Formula: Y ~ Q * b * X/(1 + b * X)
##
## Parameters:
## Estimate Std. Error t value Pr(>|t|)
## Q 9.5242351 7.6177461 1.25 0.232
## b 0.0008688 0.0007896 1.10 0.290
##
## Residual standard error: 0.0696 on 14 degrees of freedom
##
## Algorithm "port", convergence message: relative convergence (4)
```

Sigmoidal Langmuir

```
##
## Formula: Y ~ Q * b * X/(1 + b * X + s/X)
##
## Parameters:
## Estimate Std. Error t value Pr(>|t|)
## Q 10.5441460 9.7792422 1.078 0.301
## b 0.0007712 0.0008029 0.960 0.354
## s -0.5348174 0.6217583 -0.860 0.405
##
## Residual standard error: 0.0714 on 13 degrees of freedom
##
## Algorithm "port", convergence message: relative convergence (4)
```

Freundlich

```
##
## Formula: Y ~ K * (X)^(1/n)
##
## Parameters:
## Estimate Std. Error t value Pr(>|t|)
## K 0.01325  0.00372  3.561  0.00313 **
## n 1.13633  0.07250  15.673  2.84e-10 ***
## ---
## Signif. codes: 0 '***' 0.001 '**' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.06443 on 14 degrees of freedom
##
## Algorithm "port", convergence message: relative convergence (4)
```

Sips

```
##
## Formula: Y \sim (Ks * (X)^Bs)/(1 + as * (X)^Bs)
##
## Parameters:
     Estimate Std. Error t value Pr(>|t|)
##
## Ks 0.03638 0.01236 2.943 0.01143 *
               0.13301
                         3.819 0.00213 **
## Bs 0.50791
## as -0.04341 0.04012 -1.082 0.29891
## ---
## Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.05355 on 13 degrees of freedom
##
## Algorithm "port", convergence message: relative convergence (4)
```

Redlich

```
##
## Formula: Y ~ Kr * X/(1 + ar * (X)^g)
##
## Parameters:
## Estimate Std. Error t value Pr(>|t|)
## Kr 0.004104 0.006192 0.663 0.51908
## g -0.129146 0.377059 -0.343 0.73744
## ar -0.828002 0.179205 -4.620 0.00048 ***
## ---
## Signif. codes: 0 '***' 0.001 '**' 0.05 '.' 0.1 ' ' 1
##
## Residual standard error: 0.0657 on 13 degrees of freedom
##
## Algorithm "port", convergence message: relative convergence (4)
```

Fig 1 - Adsorption isotherms plot

Non-linearized isotherm adsorption models - Hordenine in Quarryfield soil




Fig 2 - Time Course 24h






Fig 3 - Time Course 8 days






Fig 4 - Time Course in Nutrients Deficiency

Time course Nutrient deficiencies




Fig 5 - Targeted metabolomic of Time Course in Nutrients Deficiency

Time course Targeted Metabolomic (Ultimo campionamento TC) N-Methyltyramine tyramine 6e+07




Fig 6 - Untargeted metabolomic (Fold Change Biosynthesis) of Time Course in Nutrients Deficiency




Table 1 - Root Exudates

Days Tyramine (nmol g⁻¹) N-methyltyramine (nmol g⁻¹) Hordenine (nmol g⁻¹)

0	11.4 (± 0.64)	83.85 (± 8.57)	102.55 (± 10.22)
3	0.11 (± 0.01)	1.38 (± 0.09)	1.23 (± 0.22)