



Balance

Silkscreen — Classic Style

An homage to classic grills with a modern touch. Balance is composed of sandblasted finish glass showcasing elegant intersecting clear glass lines, offering both privacy and visibility. Though tailored for modern-farmhouse style homes, this model effortlessly transforms classic exteriors, infusing them with a fresh, updated look.



Privacy Level

3/5

Lots of privacy with some clear areas.

Textures

1. Sandblasted finish glass
2. Clear lines

Balance — Silkscreen — Classic Style

Materials and composition

Double glazing with energy-efficient glass (Low-E), argon gas and intercept® warm edge spacer. This composition reduces condensation, heat transfer by convection, and improves energy efficiency.

Pairing

Looks great when paired with sandblasted finish glass sidelites and transoms.

ENERGY STAR®

This doorglass can be part of an ENERGY STAR® approved entry door system depending on the options selected. Check with your retailer to see if your selection of Novatech products (door, window frame, doorglass) are ENERGY STAR® qualified.

Warranty

10-year limited warranty.

Frames



Contemporary Profile
Contemporary
Contemporary Hybrid
Resin



Classic Profile
NovaPVC
NovaPVC Stainable
NovaPVC Hybrid

Transoms

Transoms available in custom sizes.



Rectangular

Standard Sizes



22" x 64"



7" x 64"
Sidelite



22" x 48"



8" x 48"
Sidelite



22" x 36"



8" x 36"
Sidelite



22" x 17"



22" x 14 1/8"

E Can meet the requirements of the ENERGY STAR® program

07-413-XXX-XXX Add this prefix to the codes below.

Glazing	Frame	22" x 64"	7" x 64" Sidelite	22" x 48"	8" x 48" Sidelite	22" x 36"	8" x 36" Sidelite	22" x 17"	22" x 14 1/8"
1" double glazed, 1x low-E	Contemporary	060-005	005-005 ²	057-005	017-005 E	050-005 E	010-005 E	259-005 E	260-005 E
1" double glazed, 1x low-E	Contemporary Hybrid	060-007	005-007 ²	057-007	017-007 ²	050-007 E ¹	010-007 E	259-007 E	260-007 E
1" double glazed, 1x low-E	Resin	060-013	005-013 ²	057-013	—	050-013 E	010-013 E	259-013 E	—
1" double glazed, 1x low-E	NovaPVC	060-001	005-001 ²	057-001	017-001 E	050-001 E	010-001 E	259-001 E	260-001 E
1" double glazed, 1x low-E	NovaPVC Stainable	060-003	005-003 ²	057-003	017-003 E	050-003 E	010-003 E	259-003 E	260-003 E
1" double glazed, 1x low-E	NovaPVC Hybrid	060-009	005-009 ²	057-009	017-009 ²	050-009 E ¹	010-009 E	259-009 E	260-009 E

¹ Can meet the requirements of the ENERGY STAR® program only in N300, N600 ou N700 doors.

² 7" x 64" and 8" x 48" sizes can meet ENERGY STAR® requirements when inserted in a door.

Balance — Silkscreen — Classic Style

E

Can meet the requirements of the ENERGY STAR® program

07-413-XXX-XXX Add this prefix to the codes below.

Glazing	Frame	22" × 64"	7" × 64" Sidelite	22" × 48"	8" × 48" Sidelite	22" × 36"	8" × 36" Sidelite	22" × 17"	22" × 14 7⁄16"
1" triple glazed, 1x low-E	Contemporary	—	—	057-019 E	—	—	—	—	—
1" triple glazed, 1x low-E	Contemporary Hybrid	—	—	057-021 E	—	—	—	—	—
1" triple glazed, 1x low-E	Resin	—	—	057-027 E	—	—	—	—	—
1" triple glazed, 1x low-E	NovaPVC	—	—	057-015 E	—	—	—	—	—
1" triple glazed, 1x low-E	NovaPVC Stainable	—	—	057-017 E	—	—	—	—	—
1" triple glazed, 1x low-E	NovaPVC Hybrid	—	—	057-023 E	—	—	—	—	—
1" triple glazed, 2x low-E	Contemporary	060-019 E	—	—	—	—	—	—	—
1" triple glazed, 2x low-E	Contemporary Hybrid	060-021 E	—	—	—	—	—	—	—
1" triple glazed, 2x low-E	Resin	060-027 E	—	—	—	—	—	—	—
1" triple glazed, 2x low-E	NovaPVC	060-015 E	—	—	—	—	—	—	—
1" triple glazed, 2x low-E	NovaPVC Stainable	060-017 E	—	—	—	—	—	—	—
1" triple glazed, 2x low-E	NovaPVC Hybrid	060-023 E	—	—	—	—	—	—	—

High Performance Door

NHP

07-413-XXX-XXX Add this prefix to the codes below.

Glazing	Frame	22" × 64"	7" × 64" Door	22" × 48"	22" × 36"	22" × 17"	22" × 14 7⁄16"
1.5" triple glazed, 1x low-E	Contemporary	On Request 					
1.5" triple glazed, 1x low-E	Contemporary Hybrid						
1.5" triple glazed, 1x low-E	NovaPVC						
1.5" triple glazed, 1x low-E	NovaPVC Hybrid						