




↑ Uno steel door | Solstice 22"×64" doorglass with Solstice direct set XL sidelite ■ Gentek, Black 525

NEW SIZES

Solstice

Tinted glass — Contemporary style

Solstice is the ultimate doorglass for a contemporary entry. By day, its reflective surface ensures privacy, while at night, it becomes more transparent. The black-tinted glass creates a striking contrast on light doors and seamlessly disappears on dark ones, offering a sleek, minimalist aesthetic.

Privacy level 2/5 Some privacy	Textures 1. Black-tinted glass
Price index \$	

Solstice — Tinted glass — Contemporary style

Materials and composition

Double glazing with energy-efficient glass (Low-E), argon gas and black Technoform® warm edge spacer. This composition reduces condensation, heat transfer by convection, and improves energy efficiency.

Pairing

Looks great when paired with a clear glass transom.

Custom doorglass

This model is available in custom sizes.

ENERGY STAR®

This doorglass can be part of an ENERGY STAR approved entry door system depending on the options selected. Check with your retailer to see if your selection of Novatech products (door, window frame, glass insert) are ENERGY STAR qualified.

Warranty

10-year limited warranty.

Frames



Contemporary profile

Contemporary
Contemporary hybrid
Contemporary hybrid B/W
Resin
Resin B/W



Classic profile

NovaPVC
NovaPVC hybrid
NovaPVC hybrid B/W
NovaPVC stainable

Standard sizes



22" × 80"



8" × 80"



22" × 64"



7" × 64" sidelite



7" × 64" door



20" × 64"



22" × 48"



8" × 48"

E Can meet the requirements of the ENERGY STAR® program

08-079-XXX-XXX Add this prefix to the codes below

Glazing	Frame	22" × 80"	8" × 80" Sidelite	22" × 64"	20" × 64"	7" × 64" Sidelite	7" × 64" Door	22" × 48"	8" × 48" Sidelite
1" double glazed, 1x Low-E	Contemporary	064-128	020-091 ²	060-437	038-367	005-417 ²	005-417 E	057-397	017-225 E
1" double glazed, 1x Low-E	Contemporary hybrid white	064-129	020-092 ²	060-438	038-368	005-418 ²	005-418 E	057-398	017-226 ²
1" double glazed, 1x Low-E	Contemporary hybrid black/white	064-130	020-093 ²	060-471	038-369	005-422 ²	005-422 E	057-399	017-227 ²
1" double glazed, 1x Low-E	Resin	—	—	060-440	—	005-420 ²	005-420 E	—	—
1" double glazed, 1x Low-E	Resin black/white	—	—	060-464	—	005-448 ²	005-448 E	—	—
1" double glazed, 1x Low-E	NovaPVC	064-126	020-089 ²	060-435	038-365	005-415 ²	005-415 E	057-395	017-223 E
1" double glazed, 1x Low-E	NovaPVC stainable	064-127	020-090 ²	060-436	038-366	005-416 ²	005-416 E	057-396	017-224 E
1" double glazed, 1x Low-E	NovaPVC hybrid white	064-131	020-094 ²	060-439	038-370	005-419 ²	005-419 E	057-400	017-228 ²
1" double glazed, 1x Low-E	NovaPVC hybrid black/white	064-132	020-095 ²	—	038-371	—	—	057-401	017-229 ²
1.56" triple glazed, 2x Low-E NHP	Contemporary hybrid white	On request E	On request E	On request E	On request E	005-447 E	005-447 E	On request E	On request E

NHP High Performance Door

¹ Can meet the requirements of the ENERGY STAR® program only in N300, N600 or N700 doors.

² 7" × 64", 8" × 48" and 8" × 80" sizes can meet ENERGY STAR® requirements when inserted in a door.

Solstice — Tinted glass — Contemporary style



22" × 36" 8" × 36" sidelite 22" × 17" 22" × 14 7/16" 22" × 12" 22" × 9"

E Can meet the requirements of the ENERGY STAR® program

08-079-XXX-XXX Add this prefix to the codes below

Glazing	Frame	22" × 36"	8" × 36" sidelite	22" × 17"	22" × 14 7/16"	22" × 12"	22" × 9"
1" double glazed, 1x Low-E	Contemporary	050-463 E	010-303 E	259-363 E	260-197 E	053-230 E	210-324 E
1" double glazed, 1x Low-E	Contemporary hybrid white	050-464 E ¹	010-304 E	259-364 E	260-198 E	053-231 E	210-325 E
1" double glazed, 1x Low-E	Contemporary hybrid black/white	050-465 E ¹	010-305 E	259-365 E	260-199 E	053-232 E	210-326 E
1" double glazed, 1x Low-E	NovaPVC	050-461 E	010-301 E	259-361 E	260-195 E	053-228 E	210-322 E
1" double glazed, 1x Low-E	NovaPVC stainable	050-462 E	010-302 E	259-362 E	260-196 E	053-229 E	210-323 E
1" double glazed, 1x Low-E	NovaPVC hybrid white	050-467 E ¹	010-306 E	259-366 E	260-200 E	053-233 E	210-327 E
1" double glazed, 1x Low-E	NovaPVC hybrid black/white	050-468 E ¹	010-307 E	259-367 E	260-201 E	053-234 E	210-328 E
1.56" triple glazed, 2x Low-E NHP	Contemporary hybrid white	On request E	On request E	On request E	On request E	On request E	On request E

NHP High Performance Door

¹ Can meet the requirements of the ENERGY STAR® program only in N300, N600 or N700 doors.



Direct set sidelite Direct set XL sidelite 7" × 64" for vertical accent
 Frame: 13 3/8" × 79" Cadre: 28 3/4" × 79" Accent sold separately
 Insulated glass: 10 1/8" × 76 1/8" Insulated glass: 25 3/8" × 76 1/8"

E Can meet the requirements of the ENERGY STAR® program

08-079-XXX-XXX Add this prefix to the codes below

Glazing	Frame	13 3/8" × 79"	28 3/4" × 79"	7" × 64" for vertical accent
1" double glazed, 1x Low-E	Sidelite frame	211-104	430-009	—
1" double glazed, 1x Low-E	Contemporary hybrid anodized/white	—	—	005-423 E ¹ To match with vertical accent alunox finish: 25-274-295-020
1" double glazed, 1x Low-E	Contemporary hybrid black/white	—	—	005-422 E ¹ To match with Vertical accent black finish: 25-274-295-021

¹ Can meet the requirements of the ENERGY STAR® program only in N300, N600 or N700 doors.