





Table of Contents

<u>201 Series (8" x 58" Glass Insert Size) – Masonite Spec</u>	2
<u>217 Series (17" x 22" Glass Insert Size) – Masonite Spec</u>	3
<u>406 Series (24" x 47-3/4" Half Lite Glass Insert Size) – Masonite Spec</u>	4
<u>407 Series (24" x 47-3/4" Camber Top Glass Insert Size) 1 of 2 – Masonite Spec</u>	5
<u>407 Series (24" x 47-3/4" Camber Top Glass Insert Size) 2 of 2 – Masonite Spec</u>	6
<u>416 Series (28-3/4" x 47-3/4" Half Lite Glass Insert Size) – Masonite Spec</u>	7
<u>417 Series (28-3/4" x 47-3/4" Camber Top Glass Insert Size) 1 of 2 – Masonite Spec</u>	8
<u>417 Series (28-3/4" x 47-3/4" Camber Top Glass Insert Size) 2 of 2 – Masonite Spec</u>	9
<u>450 Series (8" x 48" Glass Insert Size) 1 of 4 – Masonite Spec</u>	10
<u>450 Series (8" x 48" Glass Insert Size) 2 of 4 – Masonite Spec</u>	11
<u>450 Series (8" x 48" Glass Insert Size) 3 of 4 – Masonite Spec</u>	12
<u>450 Series (8" x 48" Glass Insert Size) 4 of 4 – Masonite Spec</u>	13
<u>617 Series (8" x 17" Glass Insert Size) – Masonite Spec</u>	14
<u>680 Series (8" x 6" Glass Insert Size) – Masonite Spec</u>	15
<u>682 Series (8" x 8" Glass Insert Size) 1 of 2 – Masonite Spec</u>	16
<u>682 Series (8" x 8" Glass Insert Size) 2 of 2 – Masonite Spec</u>	17
<u>810 Series (22" x 80" Glass Insert Size) 1 of 2 – Masonite Spec</u>	18
<u>810 Series (22" x 80" Glass Insert Size) 2 of 2 – Masonite Spec</u>	19
<u>820 Series (20" x 80" Glass Insert Size) 1 of 2 – Masonite Spec</u>	20
<u>820 Series (20" x 80" Glass Insert Size) 2 of 2 – Masonite Spec</u>	21
<u>822 Series (22" x 6" Glass Insert Size) – Masonite Spec</u>	22
<u>852 Series (8" x 80" Glass Insert Size) 1 of 6 – Masonite Spec</u>	23
<u>852 Series (8" x 80" Glass Insert Size) 2 of 6 – Masonite Spec</u>	24
<u>852 Series (8" x 80" Glass Insert Size) 3 of 6 – Masonite Spec</u>	25
<u>852 Series (8" x 80" Glass Insert Size) 4 of 6 – Masonite Spec</u>	26
<u>852 Series (8" x 80" Glass Insert Size) 5 of 6 – Masonite Spec</u>	27
<u>852 Series (8" x 80" Glass Insert Size) 6 of 6 – Masonite Spec</u>	28
<u>125 Series – ADA Compliant (22" x 76" Glass Insert Size) – Masonite Spec</u>	29




BELLEVILLE® FIBERGLASS DOORS

Section XX XX.X.X



Filename: TM-GL-HERITAGE CRFT 217-80 001
Revision: A
Date: 08-01-2017
Section XX XX.XX

406 SERIES (24" X 47-³/₄" HALF LITE GLASS INSERT)
MASONITE™ SPEC*



Options:

BARRINGTON® SIERRA FIBERGLASS DOORS

Note:

1. Overall Length and Width Dimensions are +/- 1/16 inch
2. To be used for Wrought Iron Frames Only.

*Available as Prem Spec

www.masonite.com

© 2017 Masonite International Corporation. All Rights Reserved.

Our continuing program of product improvement makes specifications, design and product detail subject to change without notice.


Filename: TM-GL-406-80 001

Revision: B

Date: 04-12-2019

Section XX XX.XX

407 SERIES (24" X 47-³/₄" HALF LITE CAMBER TOP GLASS INSERT) 1 OF 2
MASONITE™ SPEC*



Options:

BARRINGTON® SIERRA FIBERGLASS DOORS

Note:

1. Overall Length and Width Dimensions are +/- 1/16 inch
2. To be used for Wrought Iron Frames Only.

*Available as Prem Spec

www.masonite.com

© 2017 Masonite International Corporation. All Rights Reserved.

Our continuing program of product improvement makes specifications, design and product detail subject to change without notice.


Filename: TM-GL-407-80 001

Revision: B

Date: 04-12-2019

Section XX XX.XX

407 SERIES (24" X 47-³/₄" HALF LITE CAMBER TOP GLASS INSERT) 2 OF 2
MASONITE™ SPEC*



Options:

BARRINGTON® SIERRA FIBERGLASS DOORS

Note:

1. Overall Length and Width Dimensions are +/- 1/16 inch
2. To be used for Wrought Iron Frames Only.

*Available as Prem Spec

www.masonite.com

© 2017 Masonite International Corporation. All Rights Reserved.

Our continuing program of product improvement makes specifications, design and product detail subject to change without notice.


Filename: TM-GL-407-80 002

Revision: B

Date: 04-12-2019

Section XX XX.XX

416 SERIES (28-³/₄" X 47-³/₄" HALF LITE GLASS INSERT)
MASONITE™ SPEC*



Options:

BARRINGTON® SIERRA FIBERGLASS DOORS

Note:

1. Overall Length and Width Dimensions are +/- 1/16 inch
2. To be used for Wrought Iron Frames Only.

*Available as Prem Spec

www.masonite.com

© 2017 Masonite International Corporation. All Rights Reserved.

Our continuing program of product improvement makes specifications, design and product detail subject to change without notice.


Filename: TM-GL-416-80 001

Revision: B

Date: 04-12-2019

Section XX XX.XX

417 SERIES (28-³/₄" X 47-³/₄" HALF LITE CAMBER TOP GLASS INSERT) 1 OF 2
MASONITE™ SPEC*



Note:

1. Overall Length and Width Dimensions are +/- 1/16 inch
2. To be used for Wrought Iron Frames Only.

*Available as Prem Spec

www.masonite.com

© 2017 Masonite International Corporation. All Rights Reserved.

Our continuing program of product improvement makes specifications, design and product detail subject to change without notice.


Filename: TM-GL-417-80 001

Revision: B

Date: 04-12-2019

Section XX XX.XX

417 SERIES (28-³/₄" X 47-³/₄" HALF LITE CAMBER TOP GLASS INSERT) 2 OF 2
MASONITE™ SPEC*



Options:

BARRINGTON® SIERRA FIBERGLASS DOORS

Note:

1. Overall Length and Width Dimensions are +/- 1/16 inch
2. To be used for Wrought Iron Frames Only.

*Available as Prem Spec

www.masonite.com

© 2017 Masonite International Corporation. All Rights Reserved.

Our continuing program of product improvement makes specifications, design and product detail subject to change without notice.


Filename: TM-GL-417-80 002

Revision: B

Date: 04-12-2019

Section XX XX.XX

450 SERIES (8" X 48" GLASS INSERT SIZE) 1 of 4
MASONITE™ SPEC*



8'0"	A	29-3/4"	2'6"
	B	4-3/8"	
	C	3"	
	D	21"	
8'0"	A	31-3/4"	2'8"
	B	4-3/8"	
	C	5"	
	D	23"	
8'0"	A	33-3/4"	2'10"
	B	5-3/8"	
	C	5"	
	D	23"	
8'0"	A	35-3/4"	3'0"
	B	6-3/8"	
	C	5"	
	D	23"	

Options:

BELLEVILLE® FIBERGLASS DOORS
WOOD OR METAL-EDGE STEEL DOORS

Note:

1. Overall Length and Width Dimensions are +/- 1/16 inch

*Available as Prem Spec

www.masonite.com

© 2017 Masonite International Corporation. All Rights Reserved.

Our continuing program of product improvement makes specifications, design and product detail subject to change without notice.


Filename: TM-GL-450-80 003

Revision: B

Date: 06-15-2017

Section XX XX.XX

450 SERIES (8" X 48" GLASS INSERT SIZE) 2 OF 4
MASONITE™ SPEC*



8'0"	A	29-3/4"	2'6"
	B	4-3/8"	
	C	3"	
	D	21"	
8'0"	A	31-3/4"	2'8"
	B	4-3/8"	
	C	5"	
	D	23"	
8'0"	A	33-3/4"	2'10"
	B	5-3/8"	
	C	5"	
	D	23"	
8'0"	A	35-3/4"	3'0"
	B	6-3/8"	
	C	5"	
	D	23"	

Options:
OAKCRAFT® FIBERGLASS DOORS

Note:

1. Overall Length and Width Dimensions are +/- 1/16 inch

*Available as Prem Spec

www.masonite.com

© 2017 Masonite International Corporation. All Rights Reserved.


Our continuing program of product improvement makes specifications, design and product detail subject to change without notice.

Filename: TM-GL-450-80 004

Revision: B

Date: 06-15-2017


Section XX XX.XX



BELLEVILLE® FIBERGLASS SIDELITES
WOOD-EDGE STEEL SIDELITES

Filename: TM-GL-450-80 005
Revision: B
Date: 06-15-2017
Section XX XX.XX

450 SERIES (8" X 48" GLASS INSERT SIZE) 4 OF 4
MASONITE™ SPEC*



8'0"	A	11-7/8"	12"
	B	1-7/16"	
8'0"	A	13-7/8"	14"
	B	2-7/16"	

Options:

OAKCRAFT® FIBERGLASS SIDELITES

Note:

1. Overall Length and Width Dimensions are +/- 1/16 inch

*Available as Prem Spec

www.masonite.com

© 2017 Masonite International Corporation. All Rights Reserved.

Our continuing program of product improvement makes specifications, design and product detail subject to change without notice.


Filename: TM-GL-450-80 006

Revision: A

Date: 06-15-2017

Section XX XX.XX

617 SERIES (8" X 17" GLASS INSERT SIZE)
MASONITE™ SPEC*




8'0"	A	11-7/8"	1'0"
	B	1-7/16"	
8'0"	A	13-7/8"	1'2"
	B	2-7/16"	

Options:
HERITAGE CRAFTSMAN® FIBERGLASS DOORS

Note:


1. Overall Length and Width Dimensions are +/- 1/16 inch



OAKCRAFT® FIBERGLASS DOORS

Filename: TM-GL-680-80 003
Revision: B
Date: 06-15-2017
Section XX XX.XX

682 SERIES (8" X 8" GLASS INSERT) 1 OF 2
MASONITE™ SPEC*



8'0"	A	29-3/4"	2'6"
	B	4-3/8"	
	C	21"	
8'0"	A	31-3/4"	2'8"
	B	5-3/8"	
	C	21"	
8'0"	A	31-3/4"	2'8"
	B	4-3/8"	
	C	23"	
8'0"	A	33-3/4"	2'10"
	B	5-3/8"	
	C	23"	
8'0"	A	35-3/4"	3'0"
	B	6-3/8"	
	C	23"	

Options:
BELLEVILLE FIBER GLASS DOORS

Note:

1. Overall Length and Width Dimensions are +/- 1/16 inch

*Available as Prem Spec

www.masonite.com

© 2017 Masonite International Corporation. All Rights Reserved.

Our continuing program of product improvement makes specifications, design and product detail subject to change without notice.


Filename: TM-GL-682-80 001

Revision: B

Date: 4-07-2019

Section XX XX.XX

682 SERIES (8" X 8" GLASS INSERT) 2 OF 2
MASONITE™ SPEC*



8'0"	A	29-3/4"	2'6"
	B	4-5/16"	
	C	21-1/18"	
8'0"	A	31-3/4"	2'8"
	B	5-5/16"	
	C	21-1/8"	
8'0"	A	31-3/4"	2'8"
	B	4-5/16"	
	C	23-1/8"	
8'0"	A	33-3/4"	2'10"
	B	5-5/16"	
	C	23-1/8"	
8'0"	A	35-3/4"	3'0"
	B	6-5/16"	
	C	23-1/8"	

Options:

OAKCRAFT® FIBERGLASS DOORS

Note:

1. Overall Length and Width Dimensions are +/- 1/16 inch

*Available as Prem Spec

www.masonite.com

© 2017 Masonite International Corporation. All Rights Reserved.


Our continuing program of product improvement makes specifications, design and product detail subject to change without notice.

Filename: TM-GL-682-80 002

Revision: A


Date: 3-26-2018

Section XX XX.XX



BELLEVILLE® FIBERGLASS DOORS
WOOD OR METAL-EDGE STEEL DOORS


Filename: TM-GL-810-80 001
Revision: A
Date: 02-06-2017
Section XX XX.XX



OAKCRAFT® FIBERGLASS DOORS

Section XX XX.X.X

820 SERIES (20" X 80" GLASS INSERT SIZE) 1 OF 2
MASONITE™ SPEC*



8'0"	A	29-3/4"	2'6"
	B	4-3/8"	
8'0"	A	31-3/4"	2'8"
	B	5-3/8"	

Options:

BELLEVILLE® FIBERGLASS DOORS
WOOD OR METAL-EDGE STEEL DOORS

Note:

1. Overall Length and Width Dimensions are +/- 1/16 inch

*Available as Prem Spec

www.masonite.com

© 2017 Masonite International Corporation. All Rights Reserved.

Our continuing program of product improvement makes specifications, design and product detail subject to change without notice.


Filename: TM-GL-820-80 001

Revision: A

Date: 02-07-2017

Section XX XX.XX

820 SERIES (20" X 80" GLASS INSERT SIZE) 2 OF 2
MASONITE™ SPEC*



8'0"	A	29-3/4"	2'6"
	B	4-3/8"	
8'0"	A	31-3/4"	2'8"
	B	5-3/8"	

Options:

OAKCRAFT® FIBERGLASS DOORS

Note:

1. Overall Length and Width Dimensions are +/- 1/16 inch

*Available as Prem Spec

www.masonite.com

© 2017 Masonite International Corporation. All Rights Reserved.


Our continuing program of product improvement makes specifications, design and product detail subject to change without notice.

Filename: TM-GL-820-80 002

Revision: A

Date: 02-08-2017


Section XX XX.XX



OAKCRAFT® FIBERGLASS DOORS

Filename: TM-GL-822-80 002
Revision: B
Date: 06-15-2017
Section XX XX.XX

852 SERIES (8" X 80" GLASS INSERT SIZE) 1 OF 6
MASONITE™ SPEC*



8'0"	A	29-3/4"	2'6"
	B	4-3/8"	
	C	3"	
	D	21"	
8'0"	A	31-3/4"	2'8"
	B	4-3/8"	
	C	5"	
	D	23"	
8'0"	A	33-3/4"	2'10"
	B	5-3/8"	
	C	5"	
	D	23"	
8'0"	A	35-3/4"	3'0"
	B	6-3/8"	
	C	5"	
	D	23"	

Options:

BELLEVILLE® FIBERGLASS DOORS
WOOD OR METAL-EDGE STEEL DOORS

Note:

1. Overall Length and Width Dimensions are +/- 1/16 inch

*Available as Prem Spec

www.masonite.com

© 2017 Masonite International Corporation. All Rights Reserved.

Our continuing program of product improvement makes specifications, design and product detail subject to change without notice.


Filename: TM-GL-852-80-001

Revision: A

Date: 02-08-2017

Section XX XX.X.X

852 SERIES (8" X 80" GLASS INSERT SIZE) 2 OF 6
MASONITE™ SPEC*



8'0"	A	29-3/4"	2'6"
	B	4-3/8"	
	C	3"	
	D	21"	
8'0"	A	31-3/4"	2'8"
	B	4-3/8"	
	C	5"	
	D	23"	
8'0"	A	33-3/4"	2'10"
	B	5-3/8"	
	C	5"	
	D	23"	
8'0"	A	35-3/4"	3'0"
	B	6-3/8"	
	C	5"	
	D	23"	

Options:

OAKCRAFT® FIBERGLASS DOORS

Note:

1. Overall Length and Width Dimensions are +/- 1/16 inch

*Available as Prem Spec

www.masonite.com

© 2017 Masonite International Corporation. All Rights Reserved.

Our continuing program of product improvement makes specifications, design and product detail subject to change without notice.


Filename: TM-GL-852-80-002

Revision: A

Date: 02-08-2017

Section XX XX.X.X

852 SERIES (8" X 80" GLASS INSERT SIZE) 3 OF 6
MASONITE™ SPEC*



8'0"	A	11-7/8"	12"
	B	1-7/16"	
8'0"	A	13-7/8"	14"
	B	2-7/16"	

Options:

BELLEVILLE® FIBERGLASS SIDELITES
WOOD-EDGE STEEL SIDELITES

Note:


1. Overall Length and Width Dimensions are +/- 1/16 inch

*Available as Prem Spec
www.masonite.com

© 2017 Masonite International Corporation. All Rights Reserved.
Our continuing program of product improvement makes specifications, design and product detail subject to change without notice.

Filename: TM-GL-852-80 003
Revision: A
Date: 02-08-2017
Section XX XX.XX

852 SERIES (8" X 80" GLASS INSERT SIZE) 4 OF 6
MASONITE™ SPEC*



8'0"	A	11-7/8"	12"
	B	1-7/16"	
8'0"	A	13-7/8"	14"
	B	2-7/16"	

Options:

OAKCRAFT® FIBERGLASS SIDELITES

Note:

1. Overall Length and Width Dimensions are +/- 1/16 inch

*Available as Prem Spec

www.masonite.com

© 2017 Masonite International Corporation. All Rights Reserved.


Our continuing program of product improvement makes specifications, design and product detail subject to change without notice.

Filename: TM-GL-852-80 004

Revision: B

Date: 06-15-2017

Section XX XX.XX




HERITAGE CRAFTSMAN® FIBERGLASS DOORS

Filename: TM-HERITAGE CRFT 852-80 001
Revision: A
Date: 08-01-2017
Section XX XX.XX



852 SERIES (8" X 80" GLASS INSERT SIZE) 6 OF 6
MASONITE™ SPEC*



8'0"	A	11-7/8"	12"
	B	1-7/16"	
8'0"	A	13-7/8"	14"
	B	2-7/16"	

Options:

BARRINGTON® SIERRA FIBERGLASS SIDELITES

Note:

1. Overall Length and Width Dimensions are +/- 1/16 inch
2. To be used for Wrought Iron Frames Only.

*Available as Prem Spec

www.masonite.com

© 2017 Masonite International Corporation. All Rights Reserved.

Our continuing program of product improvement makes specifications, design and product detail subject to change without notice.


Filename: TM-GL-850-80 005

Revision: B

Date: 4-12-2019

Section XX XX.X.X

125 SERIES (22" X 76" GLASS INSERT SIZE)
MASONITE™ SPEC



8'0"	A	31-3/4"	2'8"
	B	4-3/8"	
8'0"	A	33-3/4"	2'10"
	B	5-3/8"	
8'0"	A	35-3/4"	3'0"
	B	6-3/8"	

Options:
 BELLEVILLE® FIBERGLASS DOORS
 WOOD OR METAL-EDGE STEEL DOORS

Note:

1. Overall Length and Width Dimensions are +/- 1/16 inch

www.masonite.com

© 2017 Masonite International Corporation. All Rights Reserved.

Our continuing program of product improvement makes specifications, design and product detail subject to change without notice.

Filename: TM-GL-125-80-01

Revision: A

Date: 10-27-2025

Section XX XX.XX