Stratumnova Coin Repository Rules v1.1

Author: ArchitectZero **Role:** Repository Architect

Core model: One master Coin ID is one permanent artifact-lineage container. Related source, coin metadata, render text, documentation, and later versions stay together.

1. Repository lanes

Start with **public**, **websites**, and **build-by-coin**. Private is a separate meta set added later under its own rules. Public retains the complete approved public corpus. Websites contains a copy of the website-classified subset; at present that is also the puzzle-special subset. Build-by-Coin begins with the non-website public set.

2. PDF placement

Every collection has a root **PDFs/** folder for collection-wide rules, schemas, reports, and procedures. Each coin container may also have its own **PDFs/** folder for documentation specific to that coin and its versions.

3. One coin = one container

Do not separate a coin's JSON, source artifact, render TXT, and coin-specific documentation into global type folders. Store them together under the permanent Coin ID. The Coin ID is the durable identity and the folder is the portable unit.

4. Version lineage

A small or ordinary revision of an existing artifact does not automatically mint a new master Coin ID. Preserve the master coin and add a version beneath the same container. A version coin records the exact version's artifact identity, SHA, bytes, changes, evidence/test state, dependencies, and parent/version relationship. A genuinely new artifact identity receives a new master coin.

5. Baseline rule

The existing 1,510 approved public coins are transferred 1:1. Do not invent historical versions. The supplied artifact is the baseline/original state for that Coin ID. Version branches begin only when an actual later revision exists.

6. Authority and transfer

Existing source files are authoritative during intake. Transfer is copy/verification, not repair. Do not rewrite, normalize, reformat, rename content, reorder JSON, alter statuses, resolve unknowns, or manufacture missing facts.

7. Unresolved fallback

For a new expected field with no verified instruction/evidence, use **unresolved**. Existing legacy **unknown** values remain unchanged until deliberately tested or migrated. Unresolved/unknown is not equivalent to none, false, empty, failed, or not applicable.

8. Evidence rule

Technical facts move out of unresolved/unknown only through accepted evidence: direct artifact inspection, reproducible testing, authoritative project instruction, or another source explicitly accepted by the schema. AI inference alone is not evidence.

9. Build-by-Coin lifecycle

Preserve -> verify -> mark unresolved when evidence is missing -> test -> document -> update coin/version record -> update affected manifest/index -> update applicable PDF. Build-by-Coin must expose uncertainty instead of hiding it.

10. Resolver behavior

The system reads coin/index metadata before loading payloads. It tracks selected Coin IDs and versions, family counts, source byte totals, verified dependencies, unresolved dependencies, established conflicts, and missing requirements. Version addressing may resolve a master Coin ID to its current/default version or request an exact version.

11. Website routing

All website-classified coins remain in Public and are additionally copied into Websites. They are excluded from the initial Build-by-Coin working corpus. Do not delete the Public originals.

12. Intake validation

Before entry or update, check collection, Coin ID, template/schema order, filenames, hashes/bytes where supplied, classification, status vocabulary, evidence, version relationship, dependency semantics, and required documentation. If the template does not fit or evidence conflicts, preserve the artifact and mark the affected information unresolved rather than improvising.

13. Synchronization

When later testing legitimately changes knowledge, synchronize the affected coin/version metadata, test record, manifest/index, and relevant PDF. Do not modify unrelated versions. Historical version artifacts remain immutable.

14. Failure rule

Missing, conflicting, unverifiable, or structurally ambiguous information is reported and held. Do not silently skip, repair, or guess. Explicit uncertainty is preferred over fabricated certainty.

15. Attribution

New repository manifests created for this workflow may use Author: ArchitectZero and Role: Repository Architect. Do not inject this attribution into transferred source files or use it to alter Git commit identity.

Canonical container pattern

collection/coins/<COIN-ID>/ [master coin JSON + baseline artifact + render TXT + PDFs/ + versions/ when later revisions exist]

Primary rule: One master Coin ID = one permanent lineage container. Copy exactly first; version sideways when the same artifact changes; mint a new master coin only for a new artifact identity.