

handin - manual

v0.0.4-prerelease

(build 45)

Andreas Strauman

April 8, 2018

2 Problem

I remember when I first started out with LaTeX, as a student, it was very new and challenging just to make a simple nicely typeset document. We've all seen documents that has problem numbering using sections, like I did here. (The header says **2 Problem**.)

This is a package that makes it easy for student to hand in a formatted document in LaTeX. It just creates a couple of commands that typesets the document with nice headers (problem numbers and part problem numbers e.g. **(1a)**).

If you are a teacher, this package works just as well for creating exercises!

If you found any bugs or want new functionality, to contribute, view the commented source, get latest version of this package or get in touch with me, you can do all of that at <https://github.com/Strauman/Handin-LaTeX-template/>

Contents

1	Reference	3
1.1	Making exercises	3
1.2	Page formatting commands	3
1.3	Languages	4
1.4	General reference	4
2	Changelog	5

1 Reference

1.1 Making exercises

Here are commands related to creating exercises

`\problem{<text>}`

This command will print out a problem header. For example `\problem{1}` prints a nice big header **Problem 1** You can do a star (*) after `\problem` to prevent it from showing in the table of contents

`\problem`

Does the same as `\problem`, but does not add the problem to the table of contents

`\pproblem{<text>}`

This command will print out a part problem header based on what problem you are on. For example if you already have done `\problem{1}`, then `\pproblem{a}` prints a nice big header **(1a)**. You can do a star (*) after `\pproblem` to prevent it from showing in the table of contents

`\pproblem`

Does the same as `\pproblem`, but does not add the part problem to the table of contents

1.2 Page formatting commands

This package redefines `\maketitle`. Here are some front-page commands. See layout.pdf for where they will appear. These commands all have to be executed in the preamble (that is after `\documentclass` and before `\begin{document}`) The `\title` and `\author` commands are as per usual:

`\title{<title>}`

`\author{<your name>}`

`\logo{<path/to/image>}`

If you want an image below the title, you provide the path to the image here

`\coursename{<text>}`

`\coursetitle{<text>}`

The front page will show coursename - coursetitle on a "subtitle" format

`\institute{⟨text⟩}`

Shows as text on bottom

`\containspages{⟨text⟩}`

Here you can set a string that shows on bottom. Default is

`\containspages{Contains \pageref{LastPage} pages, front page included}`

`\pagetext{⟨string⟩}`

This is the text that is on the bottom right corner reading "Page x of y".

Default is `\pagetext{Page \thepage of \pageref{LastPage}}`

1.3 Languages

This package supports.

- English
- Norwegian
- German (by `africola`)

Translations are welcome at <https://github.com/Strauman/Handin-Latex-template/tree/master/src/languages>. The current language is set by the `iflang` package, so you can use e.g. `babel`:

```
\usepackage[german]{babel}
```

1.4 General reference

`\settable{⟨text⟩}`

```
\settable{hello}
```

if now `\@hello` is called, a warning is displayed with the text "`\hello` not set"

```
\hello{world}
```

if now `\@hello` is called, it prints "world" `\@hello@noerror` gives the returning content and empty without error if no content set.

```
\ifset@hello{true}{false}
```

2 Changelog

Version	Date	Changes
v0.0.2	2018/04/01	Problems are now added to the table of contents by default
v0.0.2b34	2018/04/02	Updated documentation syntax
v0.0.3b41	2018/04/04	<ul style="list-style-type: none">• German language added by africola (https://github.com/africola)
v0.0.4	2018/04/06	<ul style="list-style-type: none">• Made proper margins for problem headers and part problem headers• Added <code>microtype</code> and <code>Latin Modern</code> font (<code>cfr-lm</code>) Contributed by: koppor (https://github.com/koppor)