Namespace CodeUI

Classes

BaseUI

BaseUIEditor

Class BaseUI

Namespace: CodeUI

Assembly: CodeUI.dll

```
public abstract class BaseUI : MonoBehaviour
```

Inheritance

object ← BaseUI

Constructors

BaseUI()

```
protected BaseUI()
```

Properties

Root

```
protected VisualElement Root { get; }
```

Property Value

VisualElement

Methods

Awake()

```
protected virtual void Awake()
```

Generate(VisualElement)

```
protected abstract void Generate(VisualElement root)
```

Parameters

`root` VisualElement

OnEnable()

```
protected virtual void OnEnable()
```

RebuildUI()

```
public void RebuildUI()
```

Class BaseUIEditor

Namespace: CodeUI

Assembly: CodeUI.dll

```
public class BaseUIEditor : Editor
```

Inheritance

object ← BaseUIEditor

Constructors

BaseUIEditor()

```
public BaseUIEditor()
```

Methods

OnInspectorGUI()

```
public override void OnInspectorGUI()
```

Namespace CodeUI.Components

Classes

Divider

Spacer

Class Divider

Namespace: CodeUI.Components

Assembly: CodeUI.dll

```
public class Divider : VisualElement
```

Inheritance

object ← Divider

Constructors

Divider(bool)

```
public Divider(bool horizontal = true)
```

Parameters

`horizontal` bool

Class Spacer

Namespace: CodeUI.Components

Assembly: CodeUI.dll

```
public class Spacer : VisualElement
```

Inheritance

object ← Spacer

Constructors

Spacer(float, float)

```
public Spacer(float width, float height = 0)
```

Parameters

`width` float

`height` float

Methods

Horizontal(float)

```
public static Spacer Horizontal(float width)
```

Parameters

`width` float

Returns

Spacer

Vertical(float)

```
public static Spacer Vertical(float height)
```

Parameters

`height` float

Returns

Spacer

Namespace CodeUI.Extensions

Classes

ApplyExtensions

BackgroundExtensions

BorderExtensions

ClassExtensions

EventExtensions

GeneralExtensions

HierarchyExtensions

LayoutExtensions

LocalizationBindingExtensions

LoopExtensions

MarginExtension

PaddingExtensions

StyleExtensions

TextExtensions

TransformExtensions

TransitionExtensions

TransitionPropertyExtensions

UnityBindingExtensions

Enums

TransitionProperty

Class ApplyExtensions

Namespace: CodeUI.Extensions

Assembly: CodeUI.dll

```
public static class ApplyExtensions
```

Inheritance

object ← ApplyExtensions

Inherited Members

object.GetType() , object.MemberwiseClone() , object.ToString() , object.Equals(object) , object.Equals(object, object) , object.ReferenceEquals(object, object) , object.GetHashCode()

Methods

ApplyQForEachWhere<TRoot>(TRoot, Func<VisualElement, bool>, string, string, Action<VisualElement>)

```
public static TRoot ApplyQForEachWhere<TRoot>(this TRoot element, Func<VisualElement, bool>
predicate, string name = null, string className = null, Action<VisualElement> action = null)
where TRoot : VisualElement
```

Parameters

`element` TRoot

`predicate` Func<VisualElement, bool>

`name` string

`className` string

`action` Action<VisualElement>

Returns

TRoot

Type Parameters

`TRoot`

ApplyQForEachWhere<TRoot, TChild>(TRoot, Func<TChild, bool>, string, string, Action<TChild>)

```
public static TRoot ApplyQForEachWhere<TRoot, TChild>(this TRoot element, Func<TChild, bool>
predicate, string name = null, string className = null, Action<TChild> action = null) where
TRoot : VisualElement where TChild : VisualElement
```

Parameters

`element` TRoot

`predicate` Func<TChild, bool>

`name` string

`className` string

`action` Action<TChild>

Returns

TRoot

Type Parameters

`TRoot`

`TChild`

ApplyQForEach<TRoot>(TRoot, string, string, Action<VisualElement>)

```
public static TRoot ApplyQForEach<TRoot>(this TRoot element, string name = null, string
className = null, Action<VisualElement> action = null) where TRoot : VisualElement
```

Parameters

`element` TRoot

`name` string

`className` string

`action` Action<VisualElement>

Returns

TRoot

Type Parameters

`TRoot`

ApplyQForEach<TRoot, TChild>(TRoot, string, string, Action<TChild>)

```
public static TRoot ApplyQForEach<TRoot, TChild>(this TRoot element, string name = null,
string className = null, Action<TChild> action = null) where TRoot : VisualElement where
TChild : VisualElement
```

Parameters

`element` TRoot

`name` string

`className` string

`action` Action<TChild>

Returns

TRoot

Type Parameters

`TRoot`

`TChild`

ApplyQ<TRoot>(TRoot, string, string, Action<VisualElement>)

```
public static TRoot ApplyQ<TRoot>(this TRoot element, string name = null, string className =
null, Action<VisualElement> action = null) where TRoot : VisualElement
```

Parameters

`element` TRoot

`name` string

`className` string

`action` Action<VisualElement>

Returns

TRoot

Type Parameters

`TRoot`

ApplyQ<TRoot, TChild>(TRoot, string, string, Action<TChild>)

```
public static TRoot ApplyQ<TRoot, TChild>(this TRoot element, string name = null, string
className = null, Action<TChild> action = null) where TRoot : VisualElement where TChild
: VisualElement
```

Parameters

`element` TRoot

`name` string

`className` string

`action` Action<TChild>

Returns

TRoot

Type Parameters

`TRoot`

`TChild`

Apply<T>(T, Action<T>)

```
public static T Apply<T>(this T element, Action<T> action) where T : VisualElement
```

Parameters

`element` T

`action` Action<T>

Returns

T

Type Parameters

`T`

Class BackgroundExtensions

Namespace: CodeUI.Extensions

Assembly: CodeUI.dll

```
public static class BackgroundExtensions
```

Inheritance

object ← BackgroundExtensions

Inherited Members

object.GetType() , object.MemberwiseClone() , object.ToString() , object.Equals(object) , object.Equals(object, object) , object.ReferenceEquals(object, object) , object.GetHashCode()

Methods

AspectRatio<T>(T, Ratio)

```
public static T AspectRatio<T>(this T element, Ratio ratio) where T : VisualElement
```

Parameters

`element` T

`ratio` Ratio

Returns

T

Type Parameters

`T`

BackgroundColor<T>(T, Color)

```
public static T BackgroundColor<T>(this T element, Color color) where T : VisualElement
```

Parameters

`element` T

`color` Color

Returns

T

Type Parameters

`T`

BackgroundImage<T>(T, Sprite)

```
public static T BackgroundImage<T>(this T element, Sprite background) where T
: VisualElement
```

Parameters

`element` T

`background` Sprite

Returns

T

Type Parameters

`T`

BackgroundImage<T>(T, Texture2D)

```
public static T BackgroundImage<T>(this T element, Texture2D background) where T
: VisualElement
```

Parameters

`element` T

`background` Texture2D

Returns

T

Type Parameters

`T`

BackgroundImage<T>(T, Background)

```
public static T BackgroundImage<T>(this T element, Background background) where T
: VisualElement
```

Parameters

`element` T

`background` Background

Returns

T

Type Parameters

`T`

BackgroundImage<T>(T, VectorImage)

```
public static T BackgroundImage<T>(this T element, VectorImage background) where T
: VisualElement
```

Parameters

`element` T

`background` VectorImage

Returns

T

Type Parameters

`T`

BackgroundRepeat<T>(T, Repeat, Repeat)

```
public static T BackgroundRepeat<T>(this T element, Repeat x, Repeat y) where T
: VisualElement
```

Parameters

`element` T

`x` Repeat

`y` Repeat

Returns

T

Type Parameters

`T`

BackgroundSize<T>(T, BackgroundSize)

```
public static T BackgroundSize<T>(this T element, BackgroundSize size) where T
: VisualElement
```

Parameters

`element` T

`size` BackgroundSize

Returns

T

Type Parameters

`T`

BackgroundSize<T>(T, Length, Length)

```
public static T BackgroundSize<T>(this T element, Length x, Length y) where T
: VisualElement
```

Parameters

`element` T

`x` Length

`y` Length

Returns

T

Type Parameters

`T`

BackgroundTint<T>(T, Color)

```
public static T BackgroundTint<T>(this T element, Color tint) where T : VisualElement
```

Parameters

`element` T

`tint` Color

Returns

T

Type Parameters

`T`

Opacity<T>(T, float)

```
public static T Opacity<T>(this T element, float opacity) where T : VisualElement
```

Parameters

`element` T

`opacity` float

Returns

T

Type Parameters

`T`

Class BorderExtensions

Namespace: CodeUI.Extensions

Assembly: CodeUI.dll

```
public static class BorderExtensions
```

Inheritance

object ← BorderExtensions

Inherited Members

object.GetType() , object.MemberwiseClone() , object.ToString() , object.Equals(object) , object.Equals(object, object) , object.ReferenceEquals(object, object) , object.GetHashCode()

Methods

BorderColor<T>(T, Color)

```
public static T BorderColor<T>(this T element, Color all) where T : VisualElement
```

Parameters

`element` T

`all` Color

Returns

T

Type Parameters

`T`

BorderColor<T>(T, Color, Color)

```
public static T BorderColor<T>(this T element, Color vertical, Color horizontal) where T
: VisualElement
```

Parameters

`element` T

`vertical` Color

`horizontal` Color

Returns

T

Type Parameters

`T`

BorderColor<T>(T, Color, Color, Color, Color)

```
public static T BorderColor<T>(this T element, Color top, Color right, Color bottom, Color
left) where T : VisualElement
```

Parameters

`element` T

`top` Color

`right` Color

`bottom` Color

`left` Color

Returns

T

Type Parameters

T

BorderRadius<T>(T, Length)

```
public static T BorderRadius<T>(this T element, Length all) where T : VisualElement
```

Parameters

element T

all Length

Returns

T

Type Parameters

T

BorderRadius<T>(T, Length, Length)

```
public static T BorderRadius<T>(this T element, Length top, Length bottom) where T
: VisualElement
```

Parameters

element T

top Length

bottom Length

Returns

T

Type Parameters

T

BorderRadius<T>(T, Length, Length, Length, Length)

```
public static T BorderRadius<T>(this T element, Length topLeft, Length topRight, Length
bottomRight, Length bottomLeft) where T : VisualElement
```

Parameters

element T

topLeft Length

topRight Length

bottomRight Length

bottomLeft Length

Returns

T

Type Parameters

T

BorderWidth<T>(T, float)

```
public static T BorderWidth<T>(this T element, float all) where T : VisualElement
```

Parameters

element T

all float

Returns

T

Type Parameters

T

BorderWidth<T>(T, float, float)

```
public static T BorderWidth<T>(this T element, float vertical, float horizontal) where T
: VisualElement
```

Parameters

element T

vertical float

horizontal float

Returns

T

Type Parameters

T

BorderWidth<T>(T, float, float, float, float)

```
public static T BorderWidth<T>(this T element, float top, float right, float bottom, float
left) where T : VisualElement
```

Parameters

element T

`top` float

`right` float

`bottom` float

`left` float

Returns

T

Type Parameters

`T`

Class ClassExtensions

Namespace: CodeUI.Extensions

Assembly: CodeUI.dll

```
public static class ClassExtensions
```

Inheritance

object ← ClassExtensions

Inherited Members

object.GetType() , object.MemberwiseClone() , object.ToString() , object.Equals(object) , object.Equals(object, object) , object.ReferenceEquals(object, object) , object.GetHashCode()

Methods

AddClasses<T>(T, params string[])

```
public static T AddClasses<T>(this T element, params string[] classes) where T
: VisualElement
```

Parameters

`element` T

`classes` string[]

Returns

T

Type Parameters

`T`

ClearClasses<T>(T)

```
public static T ClearClasses<T>(this T element) where T : VisualElement
```

Parameters

`element` T

Returns

T

Type Parameters

`T`

RemoveClasses<T>(T, params string[])

```
public static T RemoveClasses<T>(this T element, params string[] classes) where T
: VisualElement
```

Parameters

`element` T

`classes` string[]

Returns

T

Type Parameters

`T`

ToggleClasses<T>(T, bool, params string[])

```
public static T ToggleClasses<T>(this T element, bool enable, params string[] classNames)
where T : VisualElement
```

Parameters

`element` T

`enable` bool

`classNames` string[]

Returns

T

Type Parameters

`T`

ToggleClasses<T>(T, params string[])

```
public static T ToggleClasses<T>(this T element, params string[] classNames) where T
: VisualElement
```

Parameters

`element` T

`classNames` string[]

Returns

T

Type Parameters

`T`

Class EventExtensions

Namespace: CodeUI.Extensions

Assembly: CodeUI.dll

```
public static class EventExtensions
```

Inheritance

object ← EventExtensions

Inherited Members

object.GetType() , object.MemberwiseClone() , object.ToString() , object.Equals(object) , object.Equals(object, object) , object.ReferenceEquals(object, object) , object.GetHashCode()

Methods

OnClick<T>(T, Action)

```
public static T OnClick<T>(this T element, Action onClick) where T : VisualElement
```

Parameters

`element` T

`onClick` Action

Returns

T

Type Parameters

`T`

OnEvent<TElement, TEvent>(TElement, EventCallback<TEvent>)

```
public static TElement OnEvent<TElement, TEvent>(this TElement element,
EventCallback<TEvent> callback) where TElement : VisualElement where TEvent :
EventBase<TEvent>, new()
```

Parameters

`element` TElement

`callback` EventCallback<TEvent>

Returns

TElement

Type Parameters

`TElement`

`TEvent`

OnHover<T>(T, Action<bool>)

```
public static T OnHover<T>(this T element, Action<bool> isHovering) where T : VisualElement
```

Parameters

`element` T

`isHovering` Action<bool>

Returns

T

Type Parameters

`T`

OnResize<T>(T, Action<GeometryChangedEvent>)

```
public static T OnResize<T>(this T element, Action<GeometryChangedEvent> onResize) where T
: VisualElement
```

Parameters

`element` T

`onResize` Action<GeometryChangedEvent>

Returns

T

Type Parameters

`T`

OnValueChanged<TElement, TValue>(TElement, EventCallback<ChangeEvent<TValue>>)

```
public static TElement OnValueChanged<TElement, TValue>(this TElement
element, EventCallback<ChangeEvent<TValue>> onValueChanged) where TElement :
VisualElement, INotifyValueChanged<TValue>
```

Parameters

`element` TElement

`onValueChanged` EventCallback<ChangeEvent<TValue>>

Returns

TElement

Type Parameters

`TElement`

TValue

Class GeneralExtensions

Namespace: CodeUI.Extensions

Assembly: CodeUI.dll

```
public static class GeneralExtensions
```

Inheritance

object ← GeneralExtensions

Inherited Members

object.GetType() , object.MemberwiseClone() , object.ToString() , object.Equals(object) , object.Equals(object, object) , object.ReferenceEquals(object, object) , object.GetHashCode()

Methods

Disable<T>(T)

```
public static T Disable<T>(this T element) where T : VisualElement
```

Parameters

`element` T

Returns

T

Type Parameters

`T`

Enable<T>(T)

```
public static T Enable<T>(this T element) where T : VisualElement
```

Parameters

`element` T

Returns

T

Type Parameters

`T`

SetFocusable<T>(T, bool)

```
public static T SetFocusable<T>(this T element, bool focusable) where T : VisualElement
```

Parameters

`element` T

`focusable` bool

Returns

T

Type Parameters

`T`

SetName<T>(T, string)

```
public static T SetName<T>(this T element, string name) where T : VisualElement
```

Parameters

`element` T

`name` string

Returns

T

Type Parameters

`T`

SetPickingMode<T>(T, PickingMode)

```
public static T SetPickingMode<T>(this T element, PickingMode mode) where T : VisualElement
```

Parameters

`element` T

`mode` PickingMode

Returns

T

Type Parameters

`T`

SetText<T>(T, string)

```
public static T SetText<T>(this T element, string text) where T : TextElement
```

Parameters

`element` T

`text` string

Returns

T

Type Parameters

T

SetToolTip<T>(T, string)

```
public static T SetToolTip<T>(this T element, string toolTip) where T : VisualElement
```

Parameters

element T

toolTip string

Returns

T

Type Parameters

T

Class HierarchyExtensions

Namespace: CodeUI.Extensions

Assembly: CodeUI.dll

```
public static class HierarchyExtensions
```

Inheritance

object ← HierarchyExtensions

Inherited Members

object.GetType() , object.MemberwiseClone() , object.ToString() , object.Equals(object) , object.Equals(object, object) , object.ReferenceEquals(object, object) , object.GetHashCode()

Methods

AddTo<T>(T, VisualElement)

```
public static T AddTo<T>(this T child, VisualElement parent) where T : VisualElement
```

Parameters

`child` T

`parent` VisualElement

Returns

T

Type Parameters

`T`

ClearChildren<T>(T)

```
public static T ClearChildren<T>(this T element) where T : VisualElement
```

Parameters

`element` T

Returns

T

Type Parameters

`T`

Detach<T>(T)

```
public static T Detach<T>(this T element) where T : VisualElement
```

Parameters

`element` T

Returns

T

Type Parameters

`T`

InsertChild<T>(T, int, VisualElement)

```
public static T InsertChild<T>(this T element, int index, VisualElement child) where T
: VisualElement
```

Parameters

`element` T

`index` int

`child` VisualElement

Returns

T

Type Parameters

`T`

WithChildren<T>(T, params VisualElement[])

```
public static T WithChildren<T>(this T element, params VisualElement[] children) where T
: VisualElement
```

Parameters

`element` T

`children` VisualElement[]

Returns

T

Type Parameters

`T`

Class LayoutExtensions

Namespace: CodeUI.Extensions

Assembly: CodeUI.dll

```
public static class LayoutExtensions
```

Inheritance

object ← LayoutExtensions

Inherited Members

object.GetType() , object.MemberwiseClone() , object.ToString() , object.Equals(object) , object.Equals(object, object) , object.ReferenceEquals(object, object) , object.GetHashCode()

Methods

Absolute<T>(T)

```
public static T Absolute<T>(this T element) where T : VisualElement
```

Parameters

`element` T

Returns

T

Type Parameters

`T`

AlignItems<T>(T, Align)

```
public static T AlignItems<T>(this T element, Align align) where T : VisualElement
```

Parameters

`element` T

`align` Align

Returns

T

Type Parameters

`T`

AlignSelf<T>(T, Align)

```
public static T AlignSelf<T>(this T element, Align align) where T : VisualElement
```

Parameters

`element` T

`align` Align

Returns

T

Type Parameters

`T`

Bottom<T>(T, Length)

```
public static T Bottom<T>(this T element, Length bottom) where T : VisualElement
```

Parameters

`element` T

`bottom` Length

Returns

T

Type Parameters

`T`

Center<T>(T)

```
public static T Center<T>(this T element) where T : VisualElement
```

Parameters

`element` T

Returns

T

Type Parameters

`T`

Column<T>(T)

```
public static T Column<T>(this T element) where T : VisualElement
```

Parameters

`element` T

Returns

T

Type Parameters

T

FlexBasis<T>(T, Length)

```
public static T FlexBasis<T>(this T element, Length basis) where T : VisualElement
```

Parameters

element T

basis Length

Returns

T

Type Parameters

T

FlexDirection<T>(T, FlexDirection)

```
public static T FlexDirection<T>(this T element, FlexDirection direction) where T
: VisualElement
```

Parameters

element T

direction FlexDirection

Returns

T

Type Parameters

T

FlexGrow<T>(T, float)

```
public static T FlexGrow<T>(this T element, float grow) where T : VisualElement
```

Parameters

element T

grow float

Returns

T

Type Parameters

T

FlexShrink<T>(T, float)

```
public static T FlexShrink<T>(this T element, float shrink) where T : VisualElement
```

Parameters

element T

shrink float

Returns

T

Type Parameters

T

FlexSize<T>(T, float, float, Length)

```
public static T FlexSize<T>(this T element, float grow, float shrink, Length basis) where T
: VisualElement
```

Parameters

element T

grow float

shrink float

basis Length

Returns

T

Type Parameters

T

FlexWrap<T>(T, Wrap)

```
public static T FlexWrap<T>(this T element, Wrap wrap) where T : VisualElement
```

Parameters

element T

wrap Wrap

Returns

T

Type Parameters

T

Height<T>(T, Length)

```
public static T Height<T>(this T element, Length height) where T : VisualElement
```

Parameters

element T

height Length

Returns

T

Type Parameters

T

JustifyContent<T>(T, Justify)

```
public static T JustifyContent<T>(this T element, Justify justify) where T : VisualElement
```

Parameters

element T

justify Justify

Returns

T

Type Parameters

T

Left<T>(T, Length)

```
public static T Left<T>(this T element, Length left) where T : VisualElement
```

Parameters

element T

left Length

Returns

T

Type Parameters

T

MaxHeight<T>(T, Length)

```
public static T MaxHeight<T>(this T element, Length height) where T : VisualElement
```

Parameters

element T

height Length

Returns

T

Type Parameters

T

MaxWidth<T>(T, Length)

```
public static T MaxWidth<T>(this T element, Length width) where T : VisualElement
```

Parameters

`element` T

`width` Length

Returns

T

Type Parameters

`T`

MinHeight<T>(T, Length)

```
public static T MinHeight<T>(this T element, Length height) where T : VisualElement
```

Parameters

`element` T

`height` Length

Returns

T

Type Parameters

`T`

MinMaxHeight<T>(T, Length, Length)

```
public static T MinMaxHeight<T>(this T element, Length min, Length max) where T
: VisualElement
```

Parameters

`element` T

`min` Length

`max` Length

Returns

T

Type Parameters

`T`

MinMaxWidth<T>(T, Length, Length)

```
public static T MinMaxWidth<T>(this T element, Length min, Length max) where T
: VisualElement
```

Parameters

`element` T

`min` Length

`max` Length

Returns

T

Type Parameters

`T`

MinWidth<T>(T, Length)

```
public static T MinWidth<T>(this T element, Length width) where T : VisualElement
```

Parameters

`element` T

`width` Length

Returns

T

Type Parameters

`T`

Relative<T>(T)

```
public static T Relative<T>(this T element) where T : VisualElement
```

Parameters

`element` T

Returns

T

Type Parameters

`T`

Right<T>(T, Length)

```
public static T Right<T>(this T element, Length right) where T : VisualElement
```

Parameters

`element` T

`right` Length

Returns

T

Type Parameters

`T`

Row<T>(T)

```
public static T Row<T>(this T element) where T : VisualElement
```

Parameters

`element` T

Returns

T

Type Parameters

`T`

SetDisplay<T>(T, DisplayStyle)

```
public static T SetDisplay<T>(this T element, DisplayStyle display) where T : VisualElement
```

Parameters

`element` T

`display` DisplayStyle

Returns

T

Type Parameters

`T`

SetPositionMode<T>(T, Position)

```
public static T SetPositionMode<T>(this T element, Position positionMode) where T
: VisualElement
```

Parameters

`element` T

`positionMode` Position

Returns

T

Type Parameters

`T`

SetPosition<T>(T, Length, Length, Length, Length)

```
public static T SetPosition<T>(this T element, Length top, Length right, Length bottom,
Length left) where T : VisualElement
```

Parameters

`element` T

`top` Length

`right` Length

`bottom` Length

`left` Length

Returns

T

Type Parameters

`T`

SetVisibility<T>(T, Visibility)

```
public static T SetVisibility<T>(this T element, Visibility visibility) where T
: VisualElement
```

Parameters

`element` T

`visibility` Visibility

Returns

T

Type Parameters

`T`

Size<T>(T, Length)

```
public static T Size<T>(this T element, Length squareSize) where T : VisualElement
```

Parameters

`element` T

`squareSize` Length

Returns

T

Type Parameters

`T`

Size<T>(T, Length, Length)

```
public static T Size<T>(this T element, Length width, Length height) where T : VisualElement
```

Parameters

`element` T

`width` Length

`height` Length

Returns

T

Type Parameters

`T`

Top<T>(T, Length)

```
public static T Top<T>(this T element, Length top) where T : VisualElement
```

Parameters

`element` T

`top` Length

Returns

T

Type Parameters

`T`

Width<T>(T, Length)

```
public static T Width<T>(this T element, Length width) where T : VisualElement
```

Parameters

`element` T

`width` Length

Returns

T

Type Parameters

`T`

Class LocalizationBindingExtensions

Namespace: CodeUI.Extensions

Assembly: CodeUI.dll

```
public static class LocalizationBindingExtensions
```

Inheritance

object ← LocalizationBindingExtensions

Inherited Members

object.GetType() , object.MemberwiseClone() , object.ToString() , object.Equals(object) , object.Equals(object, object) , object.ReferenceEquals(object, object) , object.GetHashCode()

Methods

BindLocalizedText<T>(T, string, string)

```
public static T BindLocalizedText<T>(this T text, string tableReference, string
entryReference) where T : TextElement
```

Parameters

`text` T

`tableReference` string

`entryReference` string

Returns

T

Type Parameters

`T`

BindLocalizedText<T>(T, LocalizedString)

```
public static T BindLocalizedText<T>(this T text, LocalizedString localizedString) where T
: TextElement
```

Parameters

`text` T

`localizedString` LocalizedString

Returns

T

Type Parameters

`T`

Class LoopExtensions

Namespace: CodeUI.Extensions

Assembly: CodeUI.dll

```
public static class LoopExtensions
```

Inheritance

object ← LoopExtensions

Inherited Members

object.GetType() , object.MemberwiseClone() , object.ToString() , object.Equals(object) , object.Equals(object, object) , object.ReferenceEquals(object, object) , object.GetHashCode()

Methods

ForEach<T, TData>(T, IEnumerable<TData>, Action<T, TData>)

```
public static T ForEach<T, TData>(this T parent, IEnumerable<TData> items, Action<T, TData>
builder) where T : VisualElement
```

Parameters

`parent` T

`items` IEnumerable<TData>

`builder` Action<T, TData>

Returns

T

Type Parameters

`T`

`TData`

Repeat<T>(T, int, Action<T, int>)

```
public static T Repeat<T>(this T parent, int count, Action<T, int> builder) where T
: VisualElement
```

Parameters

`parent` T

`count` int

`builder` Action<T, int>

Returns

T

Type Parameters

`T`

Class MarginExtension

Namespace: CodeUI.Extensions

Assembly: CodeUI.dll

```
public static class MarginExtension
```

Inheritance

object ← MarginExtension

Inherited Members

object.GetType() , object.MemberwiseClone() , object.ToString() , object.Equals(object) , object.Equals(object, object) , object.ReferenceEquals(object, object) , object.GetHashCode()

Methods

Margin<T>(T, Length)

```
public static T Margin<T>(this T element, Length all) where T : VisualElement
```

Parameters

`element` T

`all` Length

Returns

T

Type Parameters

`T`

Margin<T>(T, Length, Length)

```
public static T Margin<T>(this T element, Length vertical, Length horizontal) where T
: VisualElement
```

Parameters

`element` T

`vertical` Length

`horizontal` Length

Returns

T

Type Parameters

`T`

Margin<T>(T, Length, Length, Length, Length)

```
public static T Margin<T>(this T element, Length top, Length right, Length bottom, Length
left) where T : VisualElement
```

Parameters

`element` T

`top` Length

`right` Length

`bottom` Length

`left` Length

Returns

T

Type Parameters

T

Class PaddingExtensions

Namespace: CodeUI.Extensions

Assembly: CodeUI.dll

```
public static class PaddingExtensions
```

Inheritance

object ← PaddingExtensions

Inherited Members

object.GetType() , object.MemberwiseClone() , object.ToString() , object.Equals(object) , object.Equals(object, object) , object.ReferenceEquals(object, object) , object.GetHashCode()

Methods

Padding<T>(T, Length)

```
public static T Padding<T>(this T element, Length all) where T : VisualElement
```

Parameters

`element` T

`all` Length

Returns

T

Type Parameters

`T`

Padding<T>(T, Length, Length)

```
public static T Padding<T>(this T element, Length vertical, Length horizontal) where T
: VisualElement
```

Parameters

`element` T

`vertical` Length

`horizontal` Length

Returns

T

Type Parameters

`T`

Padding<T>(T, Length, Length, Length, Length)

```
public static T Padding<T>(this T element, Length top, Length right, Length bottom, Length
left) where T : VisualElement
```

Parameters

`element` T

`top` Length

`right` Length

`bottom` Length

`left` Length

Returns

T

Type Parameters

T

Class StyleExtensions

Namespace: CodeUI.Extensions

Assembly: CodeUI.dll

```
public static class StyleExtensions
```

Inheritance

object ← StyleExtensions

Inherited Members

object.GetType() , object.MemberwiseClone() , object.ToString() , object.Equals(object) , object.Equals(object, object) , object.ReferenceEquals(object, object) , object.GetHashCode()

Methods

Style<T>(T, Action<IStyle>)

```
public static T Style<T>(this T element, Action<IStyle> styleAction) where T : VisualElement
```

Parameters

`element` T

`styleAction` Action<IStyle>

Returns

T

Type Parameters

`T`

Class TextExtensions

Namespace: CodeUI.Extensions

Assembly: CodeUI.dll

```
public static class TextExtensions
```

Inheritance

object ← TextExtensions

Inherited Members

object.GetType() , object.MemberwiseClone() , object.ToString() , object.Equals(object) , object.Equals(object, object) , object.ReferenceEquals(object, object) , object.GetHashCode()

Methods

FontSize<T>(T, Length)

```
public static T FontSize<T>(this T element, Length size) where T : VisualElement
```

Parameters

`element` T

`size` Length

Returns

T

Type Parameters

`T`

FontStyle<T>(T, FontStyle)

```
public static T FontStyle<T>(this T element, FontStyle style) where T : VisualElement
```

Parameters

`element` T

`style` FontStyle

Returns

T

Type Parameters

`T`

Font<T>(T, Font)

```
[Obsolete("Font(Font) is deprecated in UI Toolkit. Use Font(FontDefinition) instead for full
TextMeshPro support")]
public static T Font<T>(this T element, Font font) where T : VisualElement
```

Parameters

`element` T

`font` Font

Returns

T

Type Parameters

`T`

Font<T>(T, FontDefinition)

```
public static T Font<T>(this T element, FontDefinition font) where T : VisualElement
```

Parameters

`element` T

`font` FontDefinition

Returns

T

Type Parameters

`T`

LetterSpacing<T>(T, Length)

```
public static T LetterSpacing<T>(this T element, Length spacing) where T : VisualElement
```

Parameters

`element` T

`spacing` Length

Returns

T

Type Parameters

`T`

ParagraphSpacing<T>(T, Length)

```
public static T ParagraphSpacing<T>(this T element, Length spacing) where T : VisualElement
```

Parameters

`element` T

`spacing` Length

Returns

T

Type Parameters

`T`

TextAlignment<T>(T, TextAnchor)

```
public static T TextAlignment<T>(this T element, TextAnchor alignment) where T
: VisualElement
```

Parameters

`element` T

`alignment` TextAnchor

Returns

T

Type Parameters

`T`

TextColor<T>(T, Color)

```
public static T TextColor<T>(this T element, Color color) where T : VisualElement
```

Parameters

`element` T

`color` Color

Returns

T

Type Parameters

`T`

TextOutlineColor<T>(T, Color)

```
public static T TextOutlineColor<T>(this T element, Color color) where T : VisualElement
```

Parameters

`element` T

`color` Color

Returns

T

Type Parameters

`T`

TextOutlineWidth<T>(T, float)

```
public static T TextOutlineWidth<T>(this T element, float width) where T : VisualElement
```

Parameters

`element` T

`width` float

Returns

T

Type Parameters

`T`

TextOverflow<T>(T, TextOverflow)

```
public static T TextOverflow<T>(this T element, TextOverflow overflow) where T
: VisualElement
```

Parameters

`element` T

`overflow` TextOverflow

Returns

T

Type Parameters

`T`

WordSpacing<T>(T, Length)

```
public static T WordSpacing<T>(this T element, Length spacing) where T : VisualElement
```

Parameters

`element` T

`spacing` Length

Returns

T

Type Parameters

T

Class TransformExtensions

Namespace: CodeUI.Extensions

Assembly: CodeUI.dll

```
public static class TransformExtensions
```

Inheritance

object ← TransformExtensions

Inherited Members

object.GetType() , object.MemberwiseClone() , object.ToString() , object.Equals(object) , object.Equals(object, object) , object.ReferenceEquals(object, object) , object.GetHashCode()

Methods

Rotate<T>(T, float)

```
public static T Rotate<T>(this T element, float degrees) where T : VisualElement
```

Parameters

`element` T

`degrees` float

Returns

T

Type Parameters

`T`

Rotate<T>(T, Angle)

```
public static T Rotate<T>(this T element, Angle angle) where T : VisualElement
```

Parameters

`element` T

`angle` Angle

Returns

T

Type Parameters

`T`

Scale<T>(T, float)

```
public static T Scale<T>(this T element, float scale) where T : VisualElement
```

Parameters

`element` T

`scale` float

Returns

T

Type Parameters

`T`

Scale<T>(T, float, float)

```
public static T Scale<T>(this T element, float x, float y) where T : VisualElement
```

Parameters

`element` T

`x` float

`y` float

Returns

T

Type Parameters

`T`

Scale<T>(T, Vector2)

```
public static T Scale<T>(this T element, Vector2 scale) where T : VisualElement
```

Parameters

`element` T

`scale` Vector2

Returns

T

Type Parameters

`T`

TransformOrigin<T>(T, Length, Length)

```
public static T TransformOrigin<T>(this T element, Length x, Length y) where T
: VisualElement
```

Parameters

`element` T

`x` Length

`y` Length

Returns

T

Type Parameters

`T`

TranslateX<T>(T, Length)

```
public static T TranslateX<T>(this T element, Length x) where T : VisualElement
```

Parameters

`element` T

`x` Length

Returns

T

Type Parameters

`T`

TranslateY<T>(T, Length)

```
public static T TranslateY<T>(this T element, Length y) where T : VisualElement
```

Parameters

`element` T

`y` Length

Returns

T

Type Parameters

`T`

Translate<T>(T, Length, Length)

```
public static T Translate<T>(this T element, Length x, Length y) where T : VisualElement
```

Parameters

`element` T

`x` Length

`y` Length

Returns

T

Type Parameters

`T`

Translate<T>(T, Vector2)

```
public static T Translate<T>(this T element, Vector2 offset) where T : VisualElement
```

Parameters

`element` T

`offset` Vector2

Returns

T

Type Parameters

`T`

Class TransitionExtensions

Namespace: CodeUI.Extensions

Assembly: CodeUI.dll

```
public static class TransitionExtensions
```

Inheritance

object ← TransitionExtensions

Inherited Members

object.GetType() , object.MemberwiseClone() , object.ToString() , object.Equals(object) , object.Equals(object, object) , object.ReferenceEquals(object, object) , object.GetHashCode()

Methods

ClearTransitions<T>(T)

```
public static T ClearTransitions<T>(this T element) where T : VisualElement
```

Parameters

`element` T

Returns

T

Type Parameters

`T`

TransitionAll<T>(T, float, EasingMode, float)

```
public static T TransitionAll<T>(this T element, float durationSeconds, EasingMode easing =
0, float delaySeconds = 0) where T : VisualElement
```

Parameters

`element` T

`durationSeconds` float

`easing` EasingMode

`delaySeconds` float

Returns

T

Type Parameters

`T`

Transition<T>(T, TransitionProperty, float, EasingMode, float)

```
public static T Transition<T>(this T element, TransitionProperty property, float
durationSeconds, EasingMode easing = 0, float delaySeconds = 0) where T : VisualElement
```

Parameters

`element` T

`property` TransitionProperty

`durationSeconds` float

`easing` EasingMode

`delaySeconds` float

Returns

T

Type Parameters

T

Transition<T>(T, string, float, EasingMode, float)

```
[Obsolete("Use Transition(TransitionProperty, float, EasingMode, float) for type safety")]
public static T Transition<T>(this T element, string propertyName, float durationSeconds,
EasingMode easing = 0, float delaySeconds = 0) where T : VisualElement
```

Parameters

`element` T

`propertyName` string

`durationSeconds` float

`easing` EasingMode

`delaySeconds` float

Returns

T

Type Parameters

`T`

Transition<T>(T, StylePropertyName, float, EasingMode, float)

```
public static T Transition<T>(this T element, StylePropertyName propertyName, float
durationSeconds, EasingMode easing = 0, float delaySeconds = 0) where T : VisualElement
```

Parameters

`element` T

`propertyName` StylePropertyName

`durationSeconds` float

`easing` EasingMode

`delaySeconds` float

Returns

T

Type Parameters

`T`

Transitions<T>(T, TransitionProperty[], float, EasingMode, float)

```
public static T Transitions<T>(this T element, TransitionProperty[] properties, float
durationSeconds, EasingMode easing = 0, float delaySeconds = 0) where T : VisualElement
```

Parameters

`element` T

`properties` TransitionProperty[]

`durationSeconds` float

`easing` EasingMode

`delaySeconds` float

Returns

T

Type Parameters

`T`

Enum TransitionProperty

Namespace: CodeUI.Extensions

Assembly: CodeUI.dll

```
public enum TransitionProperty
```

Extension Methods

TransitionPropertyExtensions.ToUssName(TransitionProperty)

Fields

all = 0

backgroundColor = 1

backgroundPosition = 2

backgroundSize = 3

borderBottomColor = 8

borderBottomLeftRadius = 19

borderBottomRightRadius = 18

borderBottomWidth = 13

borderColor = 5

borderLeftColor = 9

borderLeftWidth = 14

borderRadius = 15

borderRightColor = 7

borderRightWidth = 12

borderTopColor = 6

borderTopLeftRadius = 16

```
borderTopRightRadius = 17

borderTopWidth = 11

borderWidth = 10

bottom = 22

color = 49

flex = 30

flexBasis = 31

flexGrow = 32

flexShrink = 33

fontSize = 50

height = 25

left = 23

letterSpacing = 51

margin = 34

marginBottom = 37

marginLeft = 38

marginRight = 36

marginTop = 35

maxHeight = 29

maxWidth = 28

minHeight = 27

minWidth = 26

opacity = 48

padding = 39
```

```
paddingBottom = 42

paddingLeft = 43

paddingRight = 41

paddingTop = 40

right = 21

rotate = 46

scale = 45

textShadow = 53

top = 20

transformOrigin = 47

translate = 44

unityBackgroundImageTintColor = 4

unityParagraphSpacing = 54

unitySliceBottom = 60

unitySliceLeft = 61

unitySliceRight = 59

unitySliceScale = 62

unitySliceTop = 58

unityTextOutline = 55

unityTextOutlineColor = 56

unityTextOutlineWidth = 57

width = 24

wordSpacing = 52
```

Class TransitionPropertyExtensions

Namespace: CodeUI.Extensions

Assembly: CodeUI.dll

```
public static class TransitionPropertyExtensions
```

Inheritance

object ← TransitionPropertyExtensions

Inherited Members

object.GetType() , object.MemberwiseClone() , object.ToString() , object.Equals(object) , object.Equals(object, object) , object.ReferenceEquals(object, object) , object.GetHashCode()

Methods

ToUssName(TransitionProperty)

```
public static string ToUssName(this TransitionProperty property)
```

Parameters

`property` TransitionProperty

Returns

string

Class UnityBindingExtensions

Namespace: CodeUI.Extensions

Assembly: CodeUI.dll

```
public static class UnityBindingExtensions
```

Inheritance

object ← UnityBindingExtensions

Inherited Members

object.GetType() , object.MemberwiseClone() , object.ToString() , object.Equals(object) , object.Equals(object, object) , object.ReferenceEquals(object, object) , object.GetHashCode()

Methods

BindText<TElement, TData>(TElement, TData, Expression<Func<TData, string>>, BindingMode)

```
public static TElement BindText<TElement, TData>(this TElement text, TData dataSource,
Expression<Func<TData, string>> sourceProperty, BindingMode mode = 2) where TElement
: TextElement
```

Parameters

`text` TElement

`dataSource` TData

`sourceProperty` Expression<Func<TData, string>>

`mode` BindingMode

Returns

TElement

Type Parameters

TElement

TData

BindValue<TElement, TData, TValue>(TElement, TData, Expression<Func<TData, TValue>>, BindingMode)

```
public static TElement BindValue<TElement, TData, TValue>(this TElement element, TData
dataSource, Expression<Func<TData, TValue>> sourceProperty, BindingMode mode = 0) where
TElement : VisualElement, INotifyValueChanged<TValue>
```

Parameters

`element` TElement

`dataSource` TData

`sourceProperty` Expression<Func<TData, TValue>>

`mode` BindingMode

Returns

TElement

Type Parameters

`TElement`

`TData`

`TValue`

SetUnityBinding<T>(T, string, string, BindingMode)

```
public static T SetUnityBinding<T>(this T element, string targetPath, string sourcePath,
BindingMode mode = 0) where T : VisualElement
```

Parameters

`element` T

`targetPath` string

`sourcePath` string

`mode` BindingMode

Returns

T

Type Parameters

`T`

SetUnityBinding<TElement, TData, TDataType>(TElement, Expression<Func<TElement, TDataType>>, TData, bool, Expression<Func<TData, TDataType>>, BindingMode)

```
public static TElement SetUnityBinding<TElement, TData, TDataType>(this TElement element,
Expression<Func<TElement, TDataType>> targetProperty, TData dataSource, bool
applyDataSource, Expression<Func<TData, TDataType>> sourceProperty, BindingMode mode = 0)
where TElement : VisualElement
```

Parameters

`element` TElement

`targetProperty` Expression<Func<TElement, TDataType>>

`dataSource` TData

`applyDataSource` bool

`sourceProperty` Expression<Func<TData, TDataType>>

`mode` BindingMode

Returns

TElement

Type Parameters

`TElement`

`TData`

`TDataType`

SetUnityBinding<TElement, TData, TSourceDataType, TTargetDataType>(TElement, Expression<Func<TElement, TTargetDataType>>, TData, bool, Expression<Func<TData, TSourceDataType>>, ConverterGroup, ConverterGroup, BindingMode)

```
public static TElement SetUnityBinding<TElement, TData, TSourceDataType, TTargetDataType>
(this TElement element, Expression<Func<TElement, TTargetDataType>> targetProperty, TData
dataSource, bool applyDataSource, Expression<Func<TData, TSourceDataType>> sourceProperty,
ConverterGroup toUiGroup = null, ConverterGroup toSourceGroup = null, BindingMode mode = 0)
where TElement : VisualElement
```

Parameters

`element` TElement

`targetProperty` Expression<Func<TElement, TTargetDataType>>

`dataSource` TData

`applyDataSource` bool

`sourceProperty` Expression<Func<TData, TSourceDataType>>

`toUiGroup` ConverterGroup

`toSourceGroup` ConverterGroup

`mode` BindingMode

Returns

TElement

Type Parameters

`TElement`

`TData`

`TSourceDataType`

`TTargetDataType`

SetUnityDataSource<T>(T, object)

```
public static T SetUnityDataSource<T>(this T element, object dataSource) where T
: VisualElement
```

Parameters

`element` T

`dataSource` object

Returns

T

Type Parameters

`T`

Namespace CodeUI.Tokens

Classes

FontSize

Radius

Spacing

Class FontSize

Namespace: CodeUI.Tokens

Assembly: CodeUI.dll

```
public static class FontSize
```

Inheritance

object ← FontSize

Inherited Members

object.GetType() , object.MemberwiseClone() , object.ToString() , object.Equals(object) , object.Equals(object, object) , object.ReferenceEquals(object, object) , object.GetHashCode()

Fields

LG

```
public const float LG = 20
```

Field Value

float

MD

```
public const float MD = 16
```

Field Value

float

SM

```
public const float SM = 14
```

Field Value

float

XL

```
public const float XL = 28
```

Field Value

float

XS

```
public const float XS = 12
```

Field Value

float

XXL

```
public const float XXL = 40
```

Field Value

float

Class Radius

Namespace: CodeUI.Tokens

Assembly: CodeUI.dll

```
public static class Radius
```

Inheritance

object ← Radius

Inherited Members

object.GetType() , object.MemberwiseClone() , object.ToString() , object.Equals(object) , object.Equals(object, object) , object.ReferenceEquals(object, object) , object.GetHashCode()

Fields

Full

```
public const float Full = 999
```

Field Value

float

LG

```
public const float LG = 16
```

Field Value

float

MD

```
public const float MD = 8
```

Field Value

float

None

```
public const float None = 0
```

Field Value

float

SM

```
public const float SM = 4
```

Field Value

float

Class Spacing

Namespace: CodeUI.Tokens

Assembly: CodeUI.dll

```
public static class Spacing
```

Inheritance

object ← Spacing

Inherited Members

object.GetType() , object.MemberwiseClone() , object.ToString() , object.Equals(object) , object.Equals(object, object) , object.ReferenceEquals(object, object) , object.GetHashCode()

Fields

LG

```
public const float LG = 24
```

Field Value

float

MD

```
public const float MD = 16
```

Field Value

float

SM

```
public const float SM = 8
```

Field Value

float

XL

```
public const float XL = 32
```

Field Value

float

XS

```
public const float XS = 4
```

Field Value

float

XXL

```
public const float XXL = 48
```

Field Value

float