

Lab Report for Software Engineering course  
Lab 2: Starbubucks coffee online retailing system  
v1.0

Tang, Xinyue  
16307110476  
School of Software  
Fudan University

March 20, 2019

# Contents

<b>1</b>	<b>Background Knowledge of the lab</b>	<b>2</b>
<b>2</b>	<b>Steps of accomplishing this Lab</b>	<b>3</b>
2.1	the Design of Login and Signup . . . . .	3
2.1.1	Idea and Method . . . . .	3
2.1.2	Encoding specification . . . . .	4
2.2	Problems and Methods . . . . .	4
2.2.1	the error caused by <code>nextLine()</code> . . . . .	4
2.2.2	Code Checking: Password or Certificate . . . . .	4
2.3	testing and optimizing . . . . .	4
2.3.1	testing . . . . .	4
2.3.2	optimizing . . . . .	5
<b>3</b>	<b>Interface Documentation</b>	<b>6</b>
<b>4</b>	<b>Structure of the project</b>	<b>7</b>

## Chapter 1

# Background Knowledge of the lab

AAA

## Chapter 2

# Steps of accomplishing this Lab

### 2.1 the Design of Login and Signup

#### 2.1.1 Idea and Method

*Note: we only consider the situations of login/signup failure mentioned in the requirement document, and other operation failures such as database/network errors are not included in the error handling.*

##### A. Login

As the document says, login can be divided into two situations: login successfully (both the name and password are matched) and login failed (throw the runtime exception).

Therefore, in the whole login method, we use "loginStatus", the private variable to record the status, and apply the if-else branches to these two situations: if the return value of the "getUser" method in "UserRepository" class is not null and the return value of "getPassword" method and the parameter user's password are the same, it goes to login successfully, and the logger record information.

Otherwise, it goes to login failed. After logger, it will directly throw a runtime exception.

##### B. Signup

Also, the signup part can be divided into two cases: signup successfully (the name can be used) and signup failed (the name already exists in the file).

Therefore, in the whole signup method: if the name doesn't exist in the file, it means the name is not repetitive. So it goes to the catch branch so as to create the new user, and write the logger.

Otherwise, it throws the runtime exception and write the logger.

### 2.1.2 Encoding specification

#### Detailed Descriptions of Thrown Exceptions

```
throw new RuntimeException(InfoConstant.      1
    USERNAME_OR_PASS_ERROR);
throw new RuntimeException(userAlreadyExistStr); 2
```

#### Catch the Particular Exceptions

```
{      1
...    2
} catch (RuntimeException e){      3
    .....    4
}      5
```

#### Readability of Variables

e.g.userSignupOkStr/userLoginStr

#### Proper comments and consistent comment style

```
//user exist and the password correct      1
```

## 2.2 Problems and Methods

### 2.2.1 the error caused by nextLine( )

solution: add another line of "in.nextLine( )" to absorb the redundant line feed.

### 2.2.2 Code Checking: Password or Certificate

solution: rename the password-related constants (since this lab does not relate to encryption)

## 2.3 testing and optimizing

### 2.3.1 testing

result:find two problems:

#### 1. the PriceService.cost module output:

" name: null, size: 1, number: 2, price:4\$  
20\$ "

solution:add two construct functions and changed the PriceService.cost function

```
public Cappuccino() {      1
    setName("Cappuccino");      2
}      3
public Espresso() {      4
    setName("Espresso");      5
```

```
}
```

6

## 2. the logic of login after signing up

our program let the user to login automatically after signing up before. When the TA said that user should login in by themselves after signing up, I changed the logic of `Lab2Application.main` function.

### 2.3.2 optimizing

the name and password's validity verification:

at first we write two while loop for the null value and mismatching value condition, we merged them to one while loop.

```
while ((nameStr.equals("")) || (!nameStr.matches(InfoConstant.USER_REGEX))) {
    ...
}
```

1  
2  
3

## Chapter 3

# Interface Documentation

AAA

## Chapter 4

# Structure of the project

AAA



# Bibliography

- [1] Wikipedia contributors. (2018, December 24). Version control. In *Wikipedia, The Free Encyclopedia*. Retrieved 06:12, March 10, 2019, from [https://en.wikipedia.org/w/index.php?title=Version\\_control&oldid=875227317](https://en.wikipedia.org/w/index.php?title=Version_control&oldid=875227317)
- [2] Wikipedia contributors. (2019, March 10). Systems development life cycle. In *Wikipedia, The Free Encyclopedia*. Retrieved 06:13, March 10, 2019, from [https://en.wikipedia.org/w/index.php?title=Systems\\_development\\_life\\_cycle&oldid=887015682](https://en.wikipedia.org/w/index.php?title=Systems_development_life_cycle&oldid=887015682)
- [3] Stolen, L. H. (1999). Distributed control system. *international telecommunications energy conference*.
- [4] Murayama, T. (1991). Distributed Control System. *international conference on advanced robotics robots in unstructured environments*.
- [5] Wikipedia contributors. (2019, March 6). Distributed control system. In *Wikipedia, The Free Encyclopedia*. Retrieved 06:18, March 10, 2019, from [https://en.wikipedia.org/w/index.php?title=Distributed\\_control\\_system&oldid=886468871](https://en.wikipedia.org/w/index.php?title=Distributed_control_system&oldid=886468871)