

# EXTRACT COLUMN

## Extract Column in Power BI

- Extract Column is a feature in Power Query used to extract specific information from an existing column.
- It can extract data before/after a delimiter, or a specific number of characters.
- Common options:
  - Text Before Delimiter
  - Text After Delimiter
  - Text Between Delimiters
  - First/Last Characters

Example:

Nikhil@gmail.com → Extract text before @ → Nikhil

Use: To separate or extract useful information from text columns.

The screenshot displays the Power Query Editor interface. The 'Extract' menu is open, showing options: 'Length', 'First Characters', 'Last Characters', 'Text Before Delimiter', 'Text After Delimiter', and 'Text Between Delimiters'. The main data table has columns: 'State or Province', 'City', 'Code', 'Order Date', 'Ship Date', 'Profit', 'Quantity ordered new', and 'Sales'. The 'City' column is selected, and the 'Extract' menu is applied to it. The 'Applied Steps' pane on the right shows 'Inserted Text Length'.

| State or Province | City    | Code  | Order Date | Ship Date  | Profit     | Quantity ordered new | Sales |
|-------------------|---------|-------|------------|------------|------------|----------------------|-------|
| 1                 | hington | 86221 | 07-01-2015 | 08-01-2015 | 4.56       | 4                    |       |
| 2                 | ornia   | 91776 | 19-06-2015 | 15-06-2015 | 4390.3665  | 22                   |       |
| 3                 | Jersey  | 7203  | 15-02-2015 | 17-02-2015 | -33.8096   | 22                   |       |
| 4                 | nesota  | 55372 | 12-05-2015 | 14-05-2015 | 803.4705   | 16                   |       |
| 5                 | nesota  | 55372 | 12-05-2015 | 19-05-2015 | -24.03     | 7                    |       |
| 6                 | nesota  | 55372 | 12-05-2015 | 19-05-2015 | -37.03     | 4                    |       |
| 7                 | nesota  | 55372 | 12-05-2015 | 19-05-2015 | -0.71      | 4                    |       |
| 8                 | York    | 11787 | 08-04-2015 | 09-04-2015 | -59.82     | 7                    |       |
| 9                 | York    | 11787 | 28-05-2015 | 28-05-2015 | 261.8757   | 10                   |       |
| 10                | York    | 13210 | 12-02-2015 | 15-02-2015 | 2.63       | 6                    |       |
| 11                | York    | 13210 | 12-02-2015 | 14-02-2015 | 652.7331   | 10                   |       |
| 12                | itana   | 59601 | 15-05-2015 | 16-05-2015 | 314.4813   | 17                   |       |
| 13                | itana   | 59801 | 21-05-2015 | 23-05-2015 | -114.6399  | 18                   |       |
| 14                | York    | 10012 | 15-05-2015 | 16-05-2015 | 384.38     | 70                   |       |
| 15                | York    | 10012 | 21-05-2015 | 22-05-2015 | -17.49     | 58                   |       |
| 16                | York    | 10012 | 21-05-2015 | 23-05-2015 | -114.6399  | 71                   |       |
| 17                | ornia   | 92677 | 29-01-2015 | 29-01-2015 | -26.2968   | 1                    |       |
| 18                | ornia   | 92677 | 29-01-2015 | 30-01-2015 | -5.3072    | 1                    |       |
| 19                | ornia   | 90712 | 03-05-2015 | 04-05-2015 | 8.894      | 12                   |       |
| 20                | jon     | 97526 | 22-02-2015 | 23-02-2015 | 144.69     | 13                   |       |
| 21                | jon     | 97526 | 27-03-2015 | 28-03-2015 | -35.8788   | 2                    |       |
| 22                | jon     | 97526 | 20-01-2015 | 22-01-2015 | 209.997    | 8                    |       |
| 23                | jon     | 97526 | 12-03-2015 | 19-03-2015 | 3568.096   | 22                   |       |
| 24                | jon     | 97030 | 15-06-2015 | 17-06-2015 | -84.4376   | 13                   |       |
| 25                | jon     | 97030 | 15-06-2015 | 16-06-2015 | 24.312     | 18                   |       |
| 26                | hington | 98052 | 10-05-2015 | 11-05-2015 | 25.91382   | 6                    |       |
| 27                | hington | 98373 | 10-03-2015 | 10-03-2015 | 162.666    | 6                    |       |
| 28                | hington | 98052 | 28-01-2015 | 30-01-2015 | -6923.5992 | 1                    |       |
| 29                | hington | 98052 | 10-03-2015 | 11-03-2015 | -67.49     | 17                   |       |
| 30                | York    | 14150 | 20-04-2015 | 21-04-2015 | 19.6282    | 20                   |       |
| 31                | York    | 14150 | 20-04-2015 | 21-04-2015 | -1.8524    | 17                   |       |

Power Query Editor interface showing a table with columns: Date, Profit, Quantity ordered new, Sales, Order ID, Conditional Column, Sale Quality, and Length. The formula bar shows: `= Table.AddColumn(#"Renamed Columns", "Length", each Text.Length([Customer Name]), Int64.Type)`. The right sidebar shows Query Settings and Properties.

Power Query Editor interface showing a table with columns: Date, Profit, Quantity ordered new, Sales, Order ID, Conditional Column, Sale Quality, and Length. A dialog box titled "Insert First Characters" is open, asking for the number of starting characters to keep (input: 4). The right sidebar shows Query Settings and Properties.

Power Query Editor interface showing a table with columns: Date, Profit, Quantity ordered new, Sales, Order ID, Conditional Column, Sale Quality, Length, and First Characters. The formula bar shows: `= Table.AddColumn(#"Inserted Text Length", "First Characters", each Text.Start([Conditional Column], 2), type text)`. The right sidebar shows Query Settings and Properties.

Power Query Editor interface showing a table with columns: Product Sub-Category, Product Container, Product Name, Product Base Margin, Country, and Region. A dialog box titled "Text Before Delimiter" is open, prompting the user to enter a delimiter. The table contains 31 rows of data, including items like "SANFORD Liquid Accent™ Tank-Style Highlighters" and "Global Troy™ Executive Leather Low-Back Tilter".

29 COLUMNS, 999+ ROWS Column profiling based on top 1000 rows

PREVIEW DOWNLOADED AT 23:16

Power Query Editor interface showing a table with columns: Order ID, Conditional Column, Sale Quality, Length, First Characters, and Text Before Delimiter. A dialog box titled "Text Before Delimiter" is open, prompting the user to enter a delimiter. The table contains 31 rows of data, including items like "SANFORD Liquid Accent™ Tank" and "Global Troy™ Executive Leather Low".

30 COLUMNS, 999+ ROWS Column profiling based on top 1000 rows

PREVIEW DOWNLOADED AT 23:16