



TCP



tcp.analysis.retransmission
No. Time Source Destination Protocol Length Info
5215 71.658534700 146.75.78.248 10.214.105.161 TCP 1510 [TCP Fast Retransmission] 443 → 56145 [ACK] Seq=1092672 Ack=536 Win=285 Len=1456
5221 71.689139900 146.75.78.248 10.214.105.161 TCP 1510 [TCP Retransmission] 443 → 56145 [ACK] Seq=1101408 Ack=536 Win=285 Len=1456 [TCP PDU reassembled in 5243]
5227 71.706392200 146.75.78.248 10.214.105.161 TCP 1510 [TCP Fast Retransmission] 443 → 56145 [ACK] Seq=1104320 Ack=536 Win=285 Len=1456 [TCP PDU reassembled in 5243]
5243 71.778746300 146.75.78.248 10.214.105.161 TLSv1.2 1510 [TCP Fast Retransmission] , Encrypted Heartbeat
5252 71.823951500 146.75.78.248 10.214.105.161 TCP 1510 [TCP Fast Retransmission] 443 → 56145 [ACK] Seq=1118880 Ack=536 Win=285 Len=1456
5274 71.908560000 146.75.78.248 10.214.105.161 TCP 1510 [TCP Fast Retransmission] 443 → 56145 [ACK] Seq=1133440 Ack=536 Win=285 Len=1456
5314 72.103691600 146.75.78.248 10.214.105.161 TLSv1.2 1510 [TCP Retransmission] , Application Data
5334 72.181818400 146.75.78.248 10.214.105.161 TCP 1510 [TCP Fast Retransmission] 443 → 56145 [ACK] Seq=1168384 Ack=536 Win=285 Len=1456
5357 72.291615200 146.75.78.248 10.214.105.161 TCP 1510 [TCP Fast Retransmission] 443 → 56145 [ACK] Seq=1184400 Ack=536 Win=285 Len=1456
5445 72.644723000 146.75.78.248 10.214.105.161 TCP 1510 [TCP Fast Retransmission] 443 → 56145 [ACK] Seq=1249920 Ack=536 Win=285 Len=1456 [TCP PDU reassembled in 5451]
5451 72.669618500 146.75.78.248 10.214.105.161 TLSv1.2 1510 [TCP Fast Retransmission] , Encrypted Handshake Message
5555 73.071019100 146.75.78.248 10.214.105.161 TCP 1510 [TCP Fast Retransmission] 443 → 56145 [ACK] Seq=1327088 Ack=536 Win=285 Len=1456
5561 73.101723600 146.75.78.248 10.214.105.161 TCP 1510 [TCP Fast Retransmission] 443 → 56145 [ACK] Seq=1332912 Ack=536 Win=285 Len=1456
5562 73.101725000 146.75.78.248 10.214.105.161 TCP 1510 [TCP Fast Retransmission] 443 → 56145 [PSH, ACK] Seq=1334368 Ack=536 Win=285 Len=1456
5647 73.488411700 146.75.78.248 10.214.105.161 TCP 1510 [TCP Fast Retransmission] 443 → 56145 [ACK] Seq=1392608 Ack=536 Win=285 Len=1456
5648 73.488413500 146.75.78.248 10.214.105.161 TCP 1510 [TCP Fast Retransmission] 443 → 56145 [PSH, ACK] Seq=1394064 Ack=536 Win=285 Len=1456
5655 73.508273900 146.75.78.248 10.214.105.161 TLSv1.2 1510 [TCP Fast Retransmission] , Change Cipher Spec
5683 73.714302400 146.75.78.248 10.214.105.161 TCP 1510 [TCP Retransmission] 443 → 56145 [ACK] Seq=1417360 Ack=536 Win=285 Len=1456
5689 73.714314700 146.75.78.248 10.214.105.161 TCP 1510 [TCP Retransmission] 443 → 56145 [ACK] Seq=1423184 Ack=536 Win=285 Len=1456
Sequence Number (raw): 1428446604
[Next Sequence Number: 26 (relative sequence number)]
Acknowledgment Number: 1 (relative ack number)
Acknowledgment number (raw): 2935498888
0101 .... = Header Length: 20 bytes (5)
Flags: 0x011 (FIN, ACK)
Window: 501
[Calculated window size: 501]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x622c [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[SEQ/ACK analysis]
[TCP Analysis Flags]
[Expert Info (Note/Sequence): This frame is a (suspected) retransmission]
[The RTO for this segment was: 103.332500 milliseconds]
[RTO based on delta from frame: 5311]
[Client Contiguous Streams: 1]
[Server Contiguous Streams: 1]
0000 2a c2 25 d4 92 3e 38 38 a6 2e ee bb 08 00 45 00 * % >88 ..... E
0010 00 28 42 e3 40 00 2d 06 40 53 17 d4 3e 4f 0a d6 (B @ - @S >O
0020 69 a1 01 bb fc 9c 08 83 a2 bc ae f8 28 88 50 11 i ..... (P
0030 01 f5 62 2c 00 00 00 00 00 00 00 00 b,



Capturing from Wi-Fi
Archivo Edición Visualización Ir Captura Analizar Estadísticas Telefonía Wireless Herramientas Ayuda
tcp.analysis.lost_segment
No. Time Source Destination Protocol Length Info
1225 33.287778900 23.215.11.132 10.214.105.161 TCP 60 [TCP Previous segment not captured] 443 → 63100 [FIN, ACK] Seq=25 Ack=2 Win=501 Len=0
3340 88.173767400 4.150.223.114 10.214.105.161 TCP 163 [TCP Previous segment not captured] 443 → 63515 [PSH, ACK] Seq=8761 Ack=465 Win=4194048 Len=109 [TCP PDU reassembled in 3352]
3492 88.897558300 199.232.214.248 10.214.105.161 TLSv1.3 1510 [TCP Previous segment not captured] , Continuation Data
3500 88.904557600 199.232.214.248 10.214.105.161 TLSv1.3 1510 [TCP Previous segment not captured] , Continuation Data
3523 88.913726500 199.232.214.248 10.214.105.161 TLSv1.3 1510 [TCP Previous segment not captured] , Continuation Data
3528 88.916462600 199.232.214.248 10.214.105.161 TCP 1510 [TCP Previous segment not captured] 443 → 53715 [ACK] Seq=59193 Ack=2646 Win=145920 Len=1456 [TCP PDU reassembled in 3574]
3531 88.916464400 199.232.214.248 10.214.105.161 TCP 1510 [TCP Previous segment not captured] 443 → 53715 [ACK] Seq=65017 Ack=2646 Win=145920 Len=1456 [TCP PDU reassembled in 3574]
3614 88.985595900 52.123.129.14 10.214.105.161 TCP 1514 [TCP Previous segment not captured] 443 → 53716 [ACK] Seq=4381 Ack=447 Win=4194048 Len=1460 [TCP PDU reassembled in 3636]
3659 89.104491200 199.232.214.248 10.214.105.161 TLSv1.3 188 [TCP Previous segment not captured] , Continuation Data
3700 89.219761600 52.123.129.14 10.214.105.161 TCP 1514 [TCP Previous segment not captured] 443 → 53718 [ACK] Seq=25602 Ack=2100 Win=4194560 Len=1460 [TCP PDU reassembled in 3716]
4032 90.955403600 52.110.4.25 10.214.105.161 TCP 1514 [TCP Previous segment not captured] 443 → 53723 [ACK] Seq=23042 Ack=6316 Win=64256 Len=1460
4033 90.955404200 52.110.4.25 10.214.105.161 TCP 1514 [TCP Previous segment not captured] 443 → 53723 [ACK] Seq=23962 Ack=6316 Win=64256 Len=1460
4035 90.955406400 52.110.4.25 10.214.105.161 TLSv1.3 1514 [TCP Previous segment not captured] , Continuation Data
4040 91.010621900 52.110.4.25 10.214.105.161 TLSv1.3 1514 [TCP Previous segment not captured] , Continuation Data
Destination Address: 10.214.105.161
[Stream index: 32]
Transmission Control Protocol, Src Port: 443, Dst Port: 63100, Seq: 25, Ack: 2, Len: 0
Source Port: 443
Destination Port: 63100
[Stream index: 2]
[Stream Packet Number: 3]
[Conversation completeness: Incomplete (28)]
[TCP Segment Len: 0]
Sequence Number: 25 (relative sequence number)
Sequence Number (raw): 4214965897
[Next Sequence Number: 26 (relative sequence number)]
Acknowledgment Number: 2 (relative ack number)
Acknowledgment number (raw): 1285258053
0101 .... = Header Length: 20 bytes (5)
Flags: 0x011 (FIN, ACK)
Window: 501
[Calculated window size: 501]
[Window size scaling factor: -1 (unknown)]
Checksum: 0x142f [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[SEQ/ACK analysis]
[TCP Analysis Flags]
0000 2a c2 25 d4 92 3e 38 38 a6 2e ee bb 08 00 45 00 * % >88 ..... E
0010 00 28 e3 71 40 00 24 06 db 8c 17 d7 0b 84 0a d6 (q@ $
0020 69 a1 01 bb f6 7c fb 3b 46 89 4c 9b 7b 45 50 11 i ..... | ; F L {EP
0030 01 f5 14 2f 00 00 00 00 00 00 00 00 ./
Wi-Fi <live capture in progress>
Paquetes: 4226 · Displayed: 14 (0.3%)
Perfil: Default


*Wi-Fi
Archivo Edición Visualización Ir Captura Analizar Estadísticas Telefonía Wireless Herramientas Ayuda
tcp.stream eq 203
No. Time Source Destination Protocol Length Info
54553 267.691342400 10.214.105.161 23.1.254.219 TCP 66 54919 → 80 [SYN] Seq=0 Win=65535 Len=0 MSS=1460 WS=256 SACK_PERM
54562 267.687474600 23.1.254.219 10.214.105.161 TCP 66 80 → 54919 [SYN, ACK] Seq=0 Ack=1 Win=64240 Len=0 MSS=1384 SACK_PERM WS=128
54563 267.687595400 10.214.105.161 23.1.254.219 TCP 54 54919 → 80 [ACK] Seq=1 Ack=1 Win=65280 Len=0
54564 267.687660800 10.214.105.161 23.1.254.219 HTTP 208 GET /connecttest.txt HTTP/1.1
54571 267.745619500 23.1.254.219 10.214.105.161 TCP 60 80 → 54919 [ACK] Seq=1 Ack=155 Win=64128 Len=0
54572 267.746366900 23.1.254.219 10.214.105.161 HTTP 241 HTTP/1.1 200 OK (text/plain)
54573 267.746367600 23.1.254.219 10.214.105.161 TCP 60 80 → 54919 [FIN, ACK] Seq=188 Ack=155 Win=64128 Len=0
54574 267.746418700 10.214.105.161 23.1.254.219 TCP 54 54919 → 80 [ACK] Seq=155 Ack=189 Win=65280 Len=0
54575 267.746466700 10.214.105.161 23.1.254.219 TCP 54 54919 → 80 [FIN, ACK] Seq=155 Ack=189 Win=65280 Len=0
54600 268.055714300 10.214.105.161 23.1.254.219 TCP 54 [TCP Retransmission] 54919 → 80 [FIN, ACK] Seq=155 Ack=189 Win=65280 Len=0
54610 268.135430400 23.1.254.219 10.214.105.161 TCP 60 80 → 54919 [ACK] Seq=189 Ack=156 Win=64128 Len=0
Header Checksum: 0x0567 [validation disabled]
[Header checksum status: Unverified]
Source Address: 10.214.105.161
Destination Address: 23.1.254.219
[Stream index: 470]
Transmission Control Protocol, Src Port: 54919, Dst Port: 80, Seq: 0, Len: 0
Source Port: 54919
Destination Port: 80
[Stream index: 203]
[Stream Packet Number: 1]
[Conversation completeness: Complete, WITH_DATA (31)]
[TCP Segment Len: 0]
Sequence Number: 0 (relative sequence number)
Sequence Number (raw): 843214805
[Next Sequence Number: 1 (relative sequence number)]
Acknowledgment Number: 0
Acknowledgment number (raw): 0
1000 .... = Header Length: 32 bytes (8)
Flags: 0x002 (SYN)
Window: 65535


UDP










ETH


Archivo Edición Visualización Ir Captura Analizar Estadísticas Telefonía Wireless Herramientas Ayuda
eth
No. Time Source Destination Protocol Length Info
29351 106.601505700 10.214.107.97 10.214.107.255 NBNS 92 Name query NB ASHLEY<20>
29352 106.601507000 148.202.9.254 239.255.255.250 IGMPv2 60 Membership Query, specific for group 239.255.255.250
29353 106.601507700 fe80::d7:106b:8e2e:8f65 ff02::1:ffbe:6369 ICMPv6 86 Neighbor Solicitation for fe80::ceb:17d5:42be:6369 from 22:9b:f5:e7:a3:5e
29354 106.603506500 10.214.123.237 10.214.123.255 NBNS 92 Name query NB BRWDBB12FCF194D<00>
29355 106.604922300 10.214.105.161 239.255.255.250 IGMPv2 46 Membership Report group 239.255.255.250
29356 106.705469800 fe80::c09:a7ca:6fe3:6b… ff02::16 ICMPv6 130 Multicast Listener Report Message v2
29357 106.705471600 10.214.71.84 255.255.255.255 UDP 67 53639 → 7533 Len=25
29358 106.708703300 192.178.52.138 10.214.105.161 QUIC 485 Protected Payload (KP0)
29359 106.715719500 35.186.224.24 10.214.105.161 QUIC 336 Protected Payload (KP0)
29360 106.806211500 10.214.134.185 10.214.135.255 UDP 82 57621 → 57621 Len=40
29361 106.806212700 148.202.9.254 239.255.255.250 IGMPv2 60 Membership Query, specific for group 239.255.255.250
29362 106.806213300 10.214.129.110 10.214.135.255 UDP 82 57621 → 57621 Len=40
29363 106.808048100 fe80::181e:d8ef:ec67:3… ff02::16 ICMPv6 110 Multicast Listener Report Message v2
29364 106.808050600 0.0.0.0 255.255.255.255 DHCP 352 DHCP Discover - Transaction ID 0xc9e847a4
29365 106.909094300 0.0.0.0 255.255.255.255 DHCP 362 DHCP Request - Transaction ID 0xc9e847a4
29366 106.909096200 fe80::8b:5f2e:b459:d19f ff02::1:ffbe:6369 ICMPv6 86 Neighbor Solicitation for fe80::ceb:17d5:42be:6369 from 52:24:56:44:03:01
29367 106.914233300 23.218.145.108 10.214.105.161 TLSv1.3 93 Application Data
29368 106.914235000 23.218.145.108 10.214.105.161 TLSv1.3 78 Application Data
29369 106.914236200 23.218.145.108 10.214.105.161 TCP 60 443 → 58117 [FIN, ACK] Seq=3608 Ack=2029 Win=64128 Len=0
29370 106.914236800 23.218.145.108 10.214.105.161 TCP 60 [TCP Retransmission] 443 → 58117 [FIN, ACK] Seq=3608 Ack=2029 Win=64128 Len=0
29371 106.914391900 10.214.105.161 23.218.145.108 TCP 54 58117 → 443 [ACK] Seq=2029 Ack=3609 Win=64768 Len=0
29372 107.011456000 fe80::8e3:95e4:335b:dd… ff02::1:ffcf:196e ICMPv6 86 Neighbor Solicitation for fe80::872:c686:2cf:196e from ae:19:9c:40:05:c4
29373 107.011457500 fe80::cf8:2150:e33b:65… ff02::16 ICMPv6 90 Multicast Listener Report Message v2
Interface id: 0 (\Device\NPF_{C01AABFF-BE27-4F89-AC2B-11D64C1DF388})
Encapsulation type: Ethernet (1)
Arrival Time: Oct 6, 2026 11:27:14.720527100 Hora estándar central (México)
UTC Arrival Time: Oct 6, 2026 17:27:14.720527100 UTC
Epoch Arrival Time: 1791307634.720527100
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 1.900 microseconds]
[Time delta from previous displayed frame: 1.900 microseconds]
[Time since reference or first frame: 1 minute, 46.909096200 seconds]
Frame Number: 29366
Frame Length: 86 bytes (688 bits)
Capture Length: 86 bytes (688 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:ipv6:icmpv6]
Character encoding: ASCII (0)
[Coloring Rule Name: ICMP]
[Coloring Rule String: icmp || icmpv6]
Ethernet II, Src: 52:24:56:44:03:01 (52:24:56:44:03:01), Dst: IPv6mcast_ff:be:63:69 (33:33:ff:be:63:69)
Destination: IPv6mcast_ff:be:63:69 (33:33:ff:be:63:69)
Source: 52:24:56:44:03:01 (52:24:56:44:03:01)
Type: IPv6 (0x86dd)
[Stream index: 1798]
Internet Protocol Version 6, Src: fe80::8b:5f2e:b459:d19f, Dst: ff02::1:ffbe:6369
Internet Control Message Protocol v6
0000 33 33 ff be 63 69 52 24 56 44 03 01 86 dd 60 00 33··ciR$ VD····`·
0010 00 00 00 20 3a ff fe 80 00 00 00 00 00 00 08 8b ··· :··· ········
0020 5f 2e b4 59 d1 9f ff 02 00 00 00 00 00 00 00 00 _··Y···· ········
0030 00 01 ff be 63 69 87 00 bc 71 00 00 00 00 fe 80 ····ci·· ·q·····
0040 00 00 00 00 00 00 8c eb 17 d5 42 be 63 69 01 01 ······ ··B·ci··
0050 52 24 56 44 03 01 R$VD··



*Wi-Fi
Archivo Edición Visualización Ir Captura Analizar Estadísticas Telefonía Wireless Herramientas Ayuda
eth
No. Time Source Destination Protocol Length Info
29471 109.573492400 fe80::d7:106b:8e2e:8f65 ff02::1:ff38:d457 ICMPv6 86 Neighbor Solicitation for fe80::c67:3db4:3a38:d457 from 22:9b:f5:e7:a3:5e
29472 109.673774500 0.0.0.0 255.255.255.255 DHCP 332 DHCP Discover - Transaction ID 0x7d1ac65
29473 109.673776000 148.202.9.254 239.255.255.250 IGMPv2 60 Membership Query, specific for group 239.255.255.250
29474 109.673776800 148.202.9.254 239.255.255.250 IGMPv2 60 Membership Query, specific for group 239.255.255.250
29475 109.673777800 fe80::c61:5847:d946:dc… ff02::16 ICMPv6 90 Multicast Listener Report Message v2
29476 109.673781500 0.0.0.0 255.255.255.255 DHCP 342 DHCP Request - Transaction ID 0x1020eb50
29477 109.676628500 10.214.105.161 239.255.255.250 IGMPv2 46 Membership Report group 239.255.255.250
29478 109.680157000 10.214.104.97 239.255.255.250 UDP 351 49100 → 10150 Len=309
29479 109.680158500 10.214.104.97 239.255.255.250 UDP 351 49100 → 10150 Len=309
29480 109.878343400 10.214.90.120 10.214.91.255 BROWSER 231 Browser Election Request
29481 109.878344300 10.214.88.175 10.214.91.255 UDP 82 57621 → 57621 Len=40
29482 109.878345000 148.202.9.254 239.255.255.250 IGMPv2 60 Membership Query, specific for group 239.255.255.250
29483 109.981583200 fe80::1432:c01:f6bb:b5… ff02::1:ffcf:cc06 ICMPv6 86 Neighbor Solicitation for fe80::1c64:ae85:b4cf:cc06 from 1a:ec:a3:7f:a1:b8
29484 109.981585200 148.202.9.254 239.255.255.250 IGMPv2 60 Membership Query, specific for group 239.255.255.250
29485 109.981586100 fe80::c90:e577:e50e:e1… ff02::1:ff9f:f93c ICMPv6 86 Neighbor Solicitation for fe80::44e:ba08:6c9f:f93c from ea:26:e1:4a:94:b5
29486 109.981590900 0.0.0.0 255.255.255.255 DHCP 342 DHCP Request - Transaction ID 0xee28a6e7
29487 109.983459500 fe80::18fa:5c19:edd4:5… ff02::1:ffcb:b06b ICMPv6 86 Neighbor Solicitation for fe80::184d:4e92:f3cb:b06b from 1e:07:80:6e:c9:ff
29488 109.983460900 0.0.0.0 255.255.255.255 DHCP 340 DHCP Discover - Transaction ID 0x596d638
29489 109.993754200 10.214.104.97 239.255.255.250 UDP 351 49100 → 10150 Len=309
29490 110.083297200 10.214.111.108 10.214.111.255 UDP 62 2008 → 2008 Len=20
29491 110.083299000 fe80::8a4:e3f4:c033:d20 ff02::16 ICMPv6 130 Multicast Listener Report Message v2
29492 110.088382300 10.214.106.240 239.255.255.250 SSDP 167 M-SEARCH * HTTP/1.1
29493 110.187928000 10.214.105.161 239.255.255.250 IGMPv2 46 Membership Report group 239.255.255.250
Frame 29489: Packet, 351 bytes on wire (2808 bits), 351 bytes captured (2808 bits) on interface \Device\NPF_{C01AABFF-BE27
Ethernet II, Src: ee:4d:69:91:28:0a (ee:4d:69:91:28:0a), Dst: 2a:c2:25:d4:92:3e (2a:c2:25:d4:92:3e)
Destination: 2a:c2:25:d4:92:3e (2a:c2:25:d4:92:3e)
Source: ee:4d:69:91:28:0a (ee:4d:69:91:28:0a)
Type: IPv4 (0x0800)
[Stream index: 258]
Internet Protocol Version 4, Src: 10.214.104.97, Dst: 239.255.255.250
User Datagram Protocol, Src Port: 49100, Dst Port: 10150
Data (309 bytes)
0000 2a c2 25 d4 92 3e ee 4d 69 91 28 0a 08 00 45 00 *·%··>·M i·(···E·
0010 01 51 63 63 40 00 01 11 b2 07 0a d6 68 61 ef ff ·Qcc@··· ····ha··
0020 ff fa bf cc 27 a6 01 3d 4d 7e 53 45 52 56 49 43 ····'·= M~SERVIC
0030 45 2d 50 55 42 4c 49 53 48 20 2a 20 48 54 54 50 E-PUBLIS H * HTTP
0040 2f 31 2e 31 0d 0a 4d 41 4e 3a 20 22 73 64 70 2f /1.1··MA N: "sdp/
0050 31 22 0d 0a 4e 53 3a 20 34 0d 0a 44 53 50 3a 20 1"··NS: · 4··DSP:
0060 31 30 31 35 30 0d 0a 43 53 50 3a 20 30 0d 0a 50 10150··C SP: 0··P
0070 44 49 44 3a 20 34 31 41 33 31 35 44 33 41 42 41 DID: 41A 315D3ABA
0080 30 0d 0a 44 54 3a 20 38 0d 0a 44 4e 3a 20 0d 0a 0··DT: 8 ··DN:··
0090 56 49 52 54 55 41 4c 5f 49 50 3a 20 0d 0a 54 53 VIRTUAL_ IP:··TS
00a0 3a 20 31 37 39 31 33 30 37 36 33 39 37 31 30 0d : 179130 7639710·
00b0 0a 4e 53 44 41 54 41 3a 20 59 55 47 6a 46 64 4f ·NSDATA: YUGjFdO
00c0 72 6f 43 4d 41 43 42 55 30 36 52 49 41 5a 77 77 roCMACBU 06RIAZww
00d0 30 4d 55 45 7a 4d 54 56 45 4d 30 46 43 51 54 41 0MUEzMTV EM0FCQTA
00e0 42 4f 41 49 42 41 41 73 42 5f 51 6f 6f 6b 57 6c BOAIBAAs B_QookWl
00f0 4e 37 67 41 41 41 41 41 41 41 41 41 41 41 41 41 N7gAAAAA AAAAAAAA
0100 41 41 41 73 42 5f 47 46 6f 31 67 6f 41 41 41 41 AAAsB_GF o1goAAAA
0110 41 41 41 41 41 41 41 41 41 41 66 77 77 38 78 36 AAAAAAAA AAfww8x6
0120 73 41 41 4d 4d 51 55 49 32 51 55 55 7a 4d 55 56 sAAMMQUI 2QUUzMUV
0130 43 51 6b 4e 44 44 45 51 77 51 7a 6c 45 51 6b 45 CQkNDDEQ wQzlEQkE
0140 7a 4e 45 4a 44 52 51 77 32 52 6a 4a 44 51 6a 55 zNEJDRQw 2RjJDQjU
0150 30 52 6b 51 33 4d 44 53 41 45 41 0d 0a 0d 0a 0RkQ3MDS AEA····
Specifies if this is an individual (unicast) or group (broadcast/multicast) address (eth.dst.ig), 1 bit(s)
Paquetes: 29493 · Displayed: 29493 (100.0%) · Perdido: 0 (0.0%)
Perfil: Default


ARP


arp
No. Time Source Destination Protocol Length Info
352 4.506427700 2a:c2:25:d4:92:3e LGInnotek_09:9a:bc ARP 42 Who has 10.214.106.242? Tell 10.214.105.161
355 4.521753000 LGInnotek_09:9a:bc 2a:c2:25:d4:92:3e ARP 60 10.214.106.242 is at 64:cb:e9:09:9a:bc
1372 19.207568600 AristaNetwor_2e:ee:bb 2a:c2:25:d4:92:3e ARP 60 Who has 10.214.105.161? Tell 10.214.107.254
1373 19.207597900 2a:c2:25:d4:92:3e AristaNetwor_2e:ee:bb ARP 42 10.214.105.161 is at 2a:c2:25:d4:92:3e
1442 21.059112900 LGInnotek_09:9a:bc 2a:c2:25:d4:92:3e ARP 60 Who has 10.214.105.161? Tell 10.214.106.242
1443 21.059238500 2a:c2:25:d4:92:3e LGInnotek_09:9a:bc ARP 42 10.214.105.161 is at 2a:c2:25:d4:92:3e
Frame 352: Packet, 42 bytes on wire (336 bits), 42 bytes captured (336 bits) on interface \Device\NPF_{C01AABFF-BE27-4F89
Section number: 1
Interface id: 0 (\Device\NPF_{C01AABFF-BE27-4F89-AC2B-11D64C1DF388})
Encapsulation type: Ethernet (1)
Arrival Time: Oct 6, 2026 11:35:13.502537800 Hora estándar central (México)
UTC Arrival Time: Oct 6, 2026 17:35:13.502537800 UTC
Epoch Arrival Time: 1791308113.502537800
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 46.779300 milliseconds]
[Time since reference or first frame: 4.506427700 seconds]
Frame Number: 352
Frame Length: 42 bytes (336 bits)
Capture Length: 42 bytes (336 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:arp]
Character encoding: ASCII (0)
[Coloring Rule Name: ARP]
[Coloring Rule String: arp]
Ethernet II, Src: 2a:c2:25:d4:92:3e (2a:c2:25:d4:92:3e), Dst: LGInnotek_09:9a:bc (64:cb:e9:09:9a:bc)
Destination: LGInnotek_09:9a:bc (64:cb:e9:09:9a:bc)
.... ..0. .... = LG bit: Globally unique address (factory default)
....0 .... = IG bit: Individual address (unicast)
Source: 2a:c2:25:d4:92:3e (2a:c2:25:d4:92:3e)
.... ..1. .... = LG bit: Locally administered address (this is NOT the factory default)
0000 64 cb e9 09 9a bc 2a c2 25 d4 92 3e 08 06 00 01
0010 08 00 06 04 00 01 2a c2 25 d4 92 3e 0a d6 69 a1
0020 64 cb e9 09 9a bc 0a d6 6a f2



arp
No. Time Source Destination Protocol Length Info
352 4.506427700 2a:c2:25:d4:92:3e LGInnotek_09:9a:bc ARP 42 Who has 10.214.106.242? Tell 10.214.105.161
355 4.521753000 LGInnotek_09:9a:bc 2a:c2:25:d4:92:3e ARP 60 10.214.106.242 is at 64:cb:e9:09:9a:bc
1372 19.207568600 AristaNetwor_2e:ee:bb 2a:c2:25:d4:92:3e ARP 60 Who has 10.214.105.161? Tell 10.214.107.254
1373 19.207597900 2a:c2:25:d4:92:3e AristaNetwor_2e:ee:bb ARP 42 10.214.105.161 is at 2a:c2:25:d4:92:3e
1442 21.059112900 LGInnotek_09:9a:bc 2a:c2:25:d4:92:3e ARP 60 Who has 10.214.105.161? Tell 10.214.106.242
1443 21.059238500 2a:c2:25:d4:92:3e LGInnotek_09:9a:bc ARP 42 10.214.105.161 is at 2a:c2:25:d4:92:3e
7102 65.495163900 2a:c2:25:d4:92:3e LGInnotek_09:9a:bc ARP 42 Who has 10.214.106.242? Tell 10.214.105.161
7111 65.699726600 LGInnotek_09:9a:bc 2a:c2:25:d4:92:3e ARP 60 10.214.106.242 is at 64:cb:e9:09:9a:bc
Interface id: 0 (\Device\NPF_{C01AABFF-BE27-4F89-AC2B-11D64C1DF388})
Encapsulation type: Ethernet (1)
Arrival Time: Oct 6, 2026 11:35:30.055223000 Hora estándar central (México)
UTC Arrival Time: Oct 6, 2026 17:35:30.055223000 UTC
Epoch Arrival Time: 1791308130.055223000
[Time shift for this packet: 0.000000000 seconds]
[Time delta from previous captured frame: 2.200 microseconds]
[Time delta from previous displayed frame: 1.851515000 seconds]
[Time since reference or first frame: 21.059112900 seconds]
Frame Number: 1442
Frame Length: 60 bytes (480 bits)
Capture Length: 60 bytes (480 bits)
[Frame is marked: False]
[Frame is ignored: False]
[Protocols in frame: eth:ethertype:arp]
Character encoding: ASCII (0)
[Coloring Rule Name: ARP]
[Coloring Rule String: arp]
Ethernet II, Src: LGInnotek_09:9a:bc (64:cb:e9:09:9a:bc), Dst: 2a:c2:25:d4:92:3e (2a:c2:25:d4:92:3e)
Destination: 2a:c2:25:d4:92:3e (2a:c2:25:d4:92:3e)
Source: LGInnotek_09:9a:bc (64:cb:e9:09:9a:bc)
Type: ARP (0x0806)
[Stream index: 3]
Padding: 000000000000000000000000000000000000
Address Resolution Protocol (request)
0000 2a c2 25 d4 92 3e 64 cb e9 09 9a bc 08 06 00 01
0010 08 00 06 04 00 01 64 cb e9 09 9a bc 0a d6 6a f2
0020 00 00 00 00 00 00 0a d6 69 a1 00 00 00 00 00 00
0030 00 00 00 00 00 00 00 00 00 00 00 00
Specifies if this is an individual (unicast) or group (broadcast/multicast) address (eth.dst.ig), 1 bit(s)
Paquetes: 7348 · Displayed: 8 (0.1%)
Perfil: Default


DNS



Archivo Edición Visualización Ir Captura Analizar Estadísticas Telefonía Wireless Herramientas Ayuda
dns.flags.rcode != 0
No. Time Source Destination Protocol Length Info
Wi-Fi: <live capture in progress>
Paquetes: 367 · Displayed: 0 (0.0%)
Perfil: Default
Archivo Edición Visualización Ir Captura Analizar Estadísticas Telefonía Wireless Herramientas Ayuda
dns
No. Time Source Destination Protocol Length Info
UDP payload (335 bytes)
Domain Name System (response)
Transaction ID: 0x7e0b
Flags: 0x8180 Standard query response, No error
Questions: 1
Answer RRs: 5
Authority RRs: 0
Additional RRs: 0
Queries
i.scdn.co: type HTTPS, class IN
Flags (dns.flags), 2 byte(s)
Paquetes: 7844 · Displayed: 40 (0.5%)
Perfil: Default


dns.qry.name
No. Time Source Destination Protocol Length Info
684 12.334575400 10.214.105.161 148.202.152.225 DNS 83 Standard query 0x46a1 HTTPS api-partner.spotify.com
685 12.335241700 10.214.105.161 148.202.152.225 DNS 83 Standard query 0xef17 A api-partner.spotify.com
690 12.352115000 148.202.152.225 10.214.105.161 DNS 238 Standard query response 0x46a1 HTTPS api-partner.spotify.com CNAME partners.wg.spotify.com CNAME edge-web.dual-gslb.spotify.com SOA dns1.p05.nsone.net
691 12.352859400 148.202.152.225 10.214.105.161 DNS 180 Standard query response 0xef17 A api-partner.spotify.com CNAME partners.wg.spotify.com CNAME edge-web.dual-gslb.spotify.com A 35.186.224.24
Frame 690: Packet, 238 bytes on wire (1904 bits), 238 bytes captured (1904 bits) on interface \Device\NPF_{C01AABFF-BE27-4
Ethernet II, Src: AristaNetwor_2e:ee:bb (38:38:a6:2e:ee:bb), Dst: 2a:c2:25:d4:92:3e (2a:c2:25:d4:92:3e)
Internet Protocol Version 4, Src: 148.202.152.225, Dst: 10.214.105.161
User Datagram Protocol, Src Port: 53, Dst Port: 54739
Source Port: 53
Destination Port: 54739
Length: 204
Checksum: 0x1045 [unverified]
[Checksum Status: Unverified]
[Stream index: 76]
[Stream Packet Number: 2]
[Timestamps]
UDP payload (196 bytes)
Domain Name System (response)
Transaction ID: 0x46a1
Flags: 0x8180 Standard query response, No error
1... .... = Response: Message is a response
.000 0... .... = Opcode: Standard query (0)
.... .0.. .... = Authoritative: Server is not an authority for domain
.... ..0. .... = Truncated: Message is not truncated
....1 .... = Recursion desired: Do query recursively
.... 1... .... = Recursion available: Server can do recursive queries
.... .0.. .... = Z: reserved (0)
....0. .... = Answer authenticated: Answer/authority portion was not authenticated by the server
....0 .... = Non-authenticated data: Unacceptable
.... 0000 = Reply code: No error (0)
Questions: 1
Answer RRs: 2
Authority RRs: 1
Additional RRs: 0
Queries
api-partner.spotify.com: type HTTPS, class IN
Name: api-partner.spotify.com
[Name Length: 23]
[Label Count: 3]
Type: HTTPS (65) (HTTPS Specific Service Endpoints)
Class: IN (0x0001)
Answers
Authoritative nameservers
[Request In: 684]
[Time: 15.639600 milliseconds]
0000 2a c2 25 d4 92 3e 38 38 a6 2e ee bb 08 00 45 00
0010 00 e8 e4 ce 00 00 3f 11 f4 1b 94 ca 98 e1 0a d6
0020 69 a1 00 35 d5 d3 00 cc 10 45 46 a1 81 80 00 01
0030 00 02 00 01 00 00 0b 61 70 69 2d 70 61 72 74 6e
0040 65 72 07 73 70 6f 74 69 66 79 03 63 6f 6d 00 00
0050 41 00 01 c0 0c 00 05 00 01 00 00 00 40 00 19 08
0060 70 61 72 74 6e 65 72 73 02 77 67 07 73 70 6f 74
0070 69 66 79 03 63 6f 6d 00 c0 35 00 05 00 01 00 00
0080 00 9e 00 20 08 65 64 67 65 2d 77 65 62 09 64 75
0090 61 6c 2d 67 73 6c 62 07 73 70 6f 74 69 66 79 03
00a0 63 6f 6d 00 c0 63 00 06 00 01 00 00 00 1c 00 3e
00b0 04 64 6e 73 31 03 70 30 35 05 6e 73 6f 6e 65 03
00c0 6e 65 74 00 0a 68 6f 73 74 6d 61 73 74 65 72 05
00d0 6e 73 6f 6e 65 03 6e 65 74 00 62 2b 8b 48 00 00
00e0 a8 c0 00 00 1c 20 00 12 75 00 00 00 0e 10


HTTP










HTTPS









SMB



smb || smb2
No.
Time
Source
Destination
Protocol
Length
Info
SMB2 (Server Message Block Protocol version 2): Protocol
Paquetes: 7088 · Displayed: 0 (0.0%)
Perfil: Default

FTP



Archivo Edición Visualización Ir Captura Analizar Estadísticas Telefonía Wireless Herramientas Ayuda
ftp-data
ftp-data
No. Source Destination Protocol Length Info
FTP Data: Protocol
Paquetes: 35353 · Displayed: 0 (0.0%)
Perfil: Default


Archivo Edición Visualización Ir Captura Analizar Estadísticas Telefonía Wireless Herramientas Ayuda
Detiene captura de paquetes
No. Time Source Destination Protocol Length Info
File Transfer Protocol (FTP): Protocol
Paquetes: 29370 · Displayed: 0 (0.0%)
Perfil: Default


SSH



ssh
No.
Time
Source
Destination
Protocol
Length
Info
SSH Protocol: Protocol
Paquetes: 192453 · Displayed: 0 (0.0%)
Perfil: Default
Archivo
Edición
Visualización
Ir
Captura
Analizar
Estadísticas
Telefonía
Wireless
Herramientas
Ayuda
tcp.port==22
No.
Time
Source
Destination
Protocol
Length
Info
Wi-Fi: <live capture in progress>
Paquetes: 305 · Displayed: 0 (0.0%)
Perfil: Default

TELNET



Archivo Edición Visualización Ir Captura Analizar Estadísticas Telefonía Wireless Herramientas Ayuda
tcp.port==23
No. Time Source Destination Protocol Length Info
wireshark_Wi-FiRRZKW3.pcapng
Paquetes: 22221 · Displayed: 0 (0.0%)
Perfil: Default
Archivo Edición Visualización Ir Captura Analizar Estadísticas Telefonía Wireless Herramientas Ayuda
telnet
No. Time Source Destination Protocol Length Info
Telnet: Protocol
Paquetes: 9550 · Displayed: 0 (0.0%)
Perfil: Default

TLS



tls
Transport Layer Security: Protocol
Paquetes: 103751 · Displayed: 10723 (10.3%)
Perfil: Default



Archivo Edición Visualización Ir Captura Analizar Estadísticas Telefonía Wireless Herramientas Ayuda
tls
Transport Layer Security: Protocol
Paquetes: 104604 · Displayed: 10841 (10.4%)
Perfil: Default

ICMP


Archivo Edición Visualización Ir Captura Analizar Estadísticas Telefonía Wireless Herramientas Ayuda
icmp
No. Time Source Destination Protocol Length Info
Internet Control Message Protocol: Protocol
Paquetes: 107864 · Displayed: 0 (0.0%)
Perfil: Default

SMTP


Archivo Edición Visualización Ir Captura Analizar Estadísticas Telefonía Wireless Herramientas Ayuda
tcp.port==25
No. Time Source Destination Protocol Length Info
wireshark_Wi-FiRRZKW3.pcapng
Paquetes: 115803 · Displayed: 0 (0.0%)
Perfil: Default


Archivo Edición Visualización Ir Captura Analizar Estadísticas Telefonía Wireless Herramientas Ayuda
smtp
No. Time Source Destination Protocol Length Info
Simple Mail Transfer Protocol: Protocol
Paquetes: 108585 · Displayed: 0 (0.0%)
Perfil: Default