
SSS-FAA-072-02-0

72" FAA Airport Number "0" (1-800-Stencil 1800-0452-0720), 20 W x 72 H on 32 x 84 sheet

Scale 1:10 when printed on 11x17 (tabloid) at 100% · units: inches · black with red outline = CUT layer exactly as in the DXF (bridges = white gaps); grey with red outline = material sheet, its outline is cut




Pieces: 1 · sheet 22.019 x 76 in (border L/R/B/T 1/1/2/2 in), sheet outline on CUT
Matches 1-800-Stencil per-digit dimensioned image: digit 20 W x 72 H, sheet 32 x 84 (6 in margins; replaces 3 in margin rule per Matt).
Shape TRACED FROM IMAGE 1800-0452-0720-72in-FAA-Airport-Number-0-84x32-2.jpg (whole digit: all curves, hooks, angles, notches). Not from FAA A-6 / UFC artwork. Image px: 281 x 1015; uniform-scale check -0.33%.
1-800 image bridges were closed and re-bridged to spec (25% stroke, min 0.5 in).
EDGES CLEANED (rebuild r3, 2026-11-04): contour smoothed and line-fitted (straight runs snapped to single lines, near-0/90 deg edges snapped exact, curves smoothed, burrs/notches removed) BEFORE splitting; est. trace resolution 0.29 in (smoothing level 1); existing spec bridges (25% stroke, min 0.5 in) kept as gaps; size unchanged.
Corners restored to match the 1-800 reference: sharp corners rebuilt as crisp vertices, rounded corners as true fillets of the reference radius.
SHEET (2026-11-04): material outline cut on CUT layer; letter/number material: H+2 in top/bottom, 1 in each side; border L/R/B/T 1/1/2/2 in.

SSS-FAA-072-02-1

72" FAA Airport Number "1" (1-800-Stencil 1800-0452-0721), 7 W x 72 H on 32 x 84 sheet

Scale 1:10 when printed on 11x17 (tabloid) at 100% · units: inches · black with red outline = CUT layer exactly as in the DXF (bridges = white gaps); grey with red outline = material sheet, its outline is cut





Pieces: 1 · sheet 9.009 x 76 in (border L/R/B/T 1/1/2/2 in), sheet outline on CUT
Matches 1-800-Stencil per-digit dimensioned image: digit 7 W x 72 H, sheet 32 x 84 (6 in margins; replaces 3 in margin rule per Matt).
Shape TRACED FROM IMAGE 1800-0452-0721-72in-FAA-Airport-Number-1-84x32-2.jpg (whole digit: all curves, hooks, angles, notches). Not from FAA A-6 / UFC artwork. Image px: 103 x 1015; uniform-scale check +4.38%.
1-800 image bridges were closed and re-bridged to spec (25% stroke, min 0.5 in).
EDGES CLEANED (rebuild r3, 2026-11-04): contour smoothed and line-fitted (straight runs snapped to single lines, near-0/90 deg edges snapped exact, curves smoothed, burrs/notches removed) BEFORE splitting; est. trace resolution 0.14 in (smoothing level 1); existing spec bridges (25% stroke, min 0.5 in) kept as gaps; size unchanged.
Corners restored to match the 1-800 reference: sharp corners rebuilt as crisp vertices, rounded corners as true fillets of the reference radius.
CORNERS REBUILT (corner triage r5, 2026-11-04): 3 corners rebuilt locally from the 1-800 reference geometry (sharp = exact vertex, rounded = true fillet of the reference radius); edges, bridges, split and size unchanged.
SHEET (2026-11-04): material outline cut on CUT layer; letter/number material: H+2 in top/bottom, 1 in each side; border L/R/B/T 1/1/2/2 in.

SSS-FAA-072-02-2

72" FAA Airport Number "2" (1-800-Stencil 1800-0452-0722), 20 W x 72 H on 32 x 84 sheet

Scale 1:10 when printed on 11x17 (tabloid) at 100% · units: inches · black with red outline = CUT layer exactly as in the DXF (bridges = white gaps); grey with red outline = material sheet, its outline is cut






Pieces: 1 · sheet 22 x 76 in (border L/R/B/T 1/1/2/2 in), sheet outline on CUT
Matches 1-800-Stencil per-digit dimensioned image: digit 20 W x 72 H, sheet 32 x 84 (6 in margins; replaces 3 in margin rule per Matt).
Shape TRACED FROM IMAGE 1800-0452-0722-72in-FAA-Airport-Number-2-84x32-2.jpg (whole digit: all curves, hooks, angles, notches). Not from FAA A-6 / UFC artwork. Image px: 281 x 1016; uniform-scale check -0.43%.
1-800 image bridges were closed and re-bridged to spec (25% stroke, min 0.5 in).
EDGES CLEANED (rebuild r3, 2026-11-04): contour smoothed and line-fitted (straight runs snapped to single lines, near-0/90 deg edges snapped exact, curves smoothed, burrs/notches removed) BEFORE splitting; est. trace resolution 0.29 in (smoothing level 1); existing spec bridges (25% stroke, min 0.5 in) kept as gaps; size unchanged.
Corners restored to match the 1-800 reference: sharp corners rebuilt as crisp vertices, rounded corners as true fillets of the reference radius.
SHEET (2026-11-04): material outline cut on CUT layer; letter/number material: H+2 in top/bottom, 1 in each side; border L/R/B/T 1/1/2/2 in.

SSS-FAA-072-02-3

72" FAA Airport Number "3" (1-800-Stencil 1800-0452-0723), 20 W x 72 H on 32 x 84 sheet

Scale 1:10 when printed on 11x17 (tabloid) at 100% · units: inches · black with red outline = CUT layer exactly as in the DXF (bridges = white gaps); grey with red outline = material sheet, its outline is cut




Pieces: 1 · sheet 22 x 76 in (border L/R/B/T 1/1/2/2 in), sheet outline on CUT
Matches 1-800-Stencil per-digit dimensioned image: digit 20 W x 72 H, sheet 32 x 84 (6 in margins; replaces 3 in margin rule per Matt).
Shape TRACED FROM IMAGE 1800-0452-0723-72in-FAA-Airport-Number-3-84x32-2.jpg (whole digit: all curves, hooks, angles, notches). Not from FAA A-6 / UFC artwork. Image px: 281 x 1014; uniform-scale check -0.24%.
1-800 image bridges were closed and re-bridged to spec (25% stroke, min 0.5 in).
EDGES CLEANED (rebuild r3, 2026-11-04): contour smoothed and line-fitted (straight runs snapped to single lines, near-0/90 deg edges snapped exact, curves smoothed, burrs/notches removed) BEFORE splitting; est. trace resolution 0.29 in (smoothing level 1); existing spec bridges (25% stroke, min 0.5 in) kept as gaps; size unchanged.
Corners restored to match the 1-800 reference: sharp corners rebuilt as crisp vertices, rounded corners as true fillets of the reference radius.
CORNERS REBUILT (corner triage r5, 2026-11-04): 13 corners rebuilt locally from the 1-800 reference geometry (sharp = exact vertex, rounded = true fillet of the reference radius); edges, bridges, split and size unchanged.
SHEET (2026-11-04): material outline cut on CUT layer; letter/number material: H+2 in top/bottom, 1 in each side; border L/R/B/T 1/1/2/2 in.

SSS-FAA-072-02-4

72" FAA Airport Number "4" (1-800-Stencil 1800-0452-0724), 20 W x 72 H on 32 x 84 sheet

Scale 1:10 when printed on 11x17 (tabloid) at 100% · units: inches · black with red outline = CUT layer exactly as in the DXF (bridges = white gaps); grey with red outline = material sheet, its outline is cut




Pieces: 1 · sheet 22 x 76 in (border L/R/B/T 1/1/2/2 in), sheet outline on CUT
Matches 1-800-Stencil per-digit dimensioned image: digit 20 W x 72 H, sheet 32 x 84 (6 in margins; replaces 3 in margin rule per Matt).
Shape TRACED FROM IMAGE 1800-0452-0724-72in-FAA-Airport-Number-4-84x32-2.jpg (whole digit: all curves, hooks, angles, notches). Not from FAA A-6 / UFC artwork. Image px: 281 x 1015; uniform-scale check -0.33%.
1-800 image bridges were closed and re-bridged to spec (25% stroke, min 0.5 in).
EDGES CLEANED (rebuild r3, 2026-11-04): contour smoothed and line-fitted (straight runs snapped to single lines, near-0/90 deg edges snapped exact, curves smoothed, burrs/notches removed) BEFORE splitting; est. trace resolution 0.29 in (smoothing level 1); existing spec bridges (25% stroke, min 0.5 in) kept as gaps; size unchanged.
Corners restored to match the 1-800 reference: sharp corners rebuilt as crisp vertices, rounded corners as true fillets of the reference radius.
CORNERS REBUILT (corner triage r5, 2026-11-04): 1 corners rebuilt locally from the 1-800 reference geometry (sharp = exact vertex, rounded = true fillet of the reference radius); edges, bridges, split and size unchanged.
SHEET (2026-11-04): material outline cut on CUT layer; letter/number material: H+2 in top/bottom, 1 in each side; border L/R/B/T 1/1/2/2 in.

SSS-FAA-072-02-5

72" FAA Airport Number "5" (1-800-Stencil 1800-0452-0725), 20 W x 72 H on 32 x 84 sheet

Scale 1:10 when printed on 11x17 (tabloid) at 100% · units: inches · black with red outline = CUT layer exactly as in the DXF (bridges = white gaps); grey with red outline = material sheet, its outline is cut




Pieces: 1 · sheet 22 x 76 in (border L/R/B/T 1/1/2/2 in), sheet outline on CUT
Matches 1-800-Stencil per-digit dimensioned image: digit 20 W x 72 H, sheet 32 x 84 (6 in margins; replaces 3 in margin rule per Matt).
Shape TRACED FROM IMAGE 1800-0452-0725-72in-FAA-Airport-Number-5-84x32-2.jpg (whole digit: all curves, hooks, angles, notches). Not from FAA A-6 / UFC artwork. Image px: 281 x 1015; uniform-scale check -0.33%.
1-800 image bridges were closed and re-bridged to spec (25% stroke, min 0.5 in).
EDGES CLEANED (rebuild r3, 2026-11-04): contour smoothed and line-fitted (straight runs snapped to single lines, near-0/90 deg edges snapped exact, curves smoothed, burrs/notches removed) BEFORE splitting; est. trace resolution 0.29 in (smoothing level 1); existing spec bridges (25% stroke, min 0.5 in) kept as gaps; size unchanged.
Corners restored to match the 1-800 reference: sharp corners rebuilt as crisp vertices, rounded corners as true fillets of the reference radius.
SHEET (2026-11-04): material outline cut on CUT layer; letter/number material: H+2 in top/bottom, 1 in each side; border L/R/B/T 1/1/2/2 in.

SSS-FAA-072-02-6

72" FAA Airport Number "6" (1-800-Stencil 1800-0452-0726), 20 W x 72 H on 32 x 84 sheet

Scale 1:10 when printed on 11x17 (tabloid) at 100% · units: inches · black with red outline = CUT layer exactly as in the DXF (bridges = white gaps); grey with red outline = material sheet, its outline is cut




Pieces: 1 · sheet 22 x 76.367 in (border L/R/B/T 1/1/2/2 in), sheet outline on CUT
Matches 1-800-Stencil per-digit dimensioned image: digit 20 W x 72 H, sheet 32 x 84 (6 in margins; replaces 3 in margin rule per Matt).
Shape TRACED FROM IMAGE 1800-0452-0726-72in-FAA-Airport-Number-6-84x32-2.jpg (whole digit: all curves, hooks, angles, notches). Not from FAA A-6 / UFC artwork. Image px: 281 x 1015; uniform-scale check -0.33%.
1-800 image bridges were closed and re-bridged to spec (25% stroke, min 0.5 in).
EDGES CLEANED (rebuild r3, 2026-11-04): contour smoothed and line-fitted (straight runs snapped to single lines, near-0/90 deg edges snapped exact, curves smoothed, burrs/notches removed) BEFORE splitting; est. trace resolution 0.29 in (smoothing level 1); existing spec bridges (25% stroke, min 0.5 in) kept as gaps; size unchanged.
Corners restored to match the 1-800 reference: sharp corners rebuilt as crisp vertices, rounded corners as true fillets of the reference radius.
SHEET (2026-11-04): material outline cut on CUT layer; letter/number material: H+2 in top/bottom, 1 in each side; border L/R/B/T 1/1/2/2 in.

SSS-FAA-072-02-7

72" FAA Airport Number "7" (1-800-Stencil 1800-0452-0727), 20 W x 72 H on 32 x 84 sheet

Scale 1:10 when printed on 11x17 (tabloid) at 100% · units: inches · black with red outline = CUT layer exactly as in the DXF (bridges = white gaps); grey with red outline = material sheet, its outline is cut




Pieces: 1 · sheet 22 x 76 in (border L/R/B/T 1/1/2/2 in), sheet outline on CUT
Matches 1-800-Stencil per-digit dimensioned image: digit 20 W x 72 H, sheet 32 x 84 (6 in margins; replaces 3 in margin rule per Matt).
Shape TRACED FROM IMAGE 1800-0452-0727-72in-FAA-Airport-Number-7-84x32-2.jpg (whole digit: all curves, hooks, angles, notches). Not from FAA A-6 / UFC artwork. Image px: 281 x 1015; uniform-scale check -0.33%.
1-800 image bridges were closed and re-bridged to spec (25% stroke, min 0.5 in).
EDGES CLEANED (rebuild r3, 2026-11-04): contour smoothed and line-fitted (straight runs snapped to single lines, near-0/90 deg edges snapped exact, curves smoothed, burrs/notches removed) BEFORE splitting; est. trace resolution 0.29 in (smoothing level 1); existing spec bridges (25% stroke, min 0.5 in) kept as gaps; size unchanged.
Corners restored to match the 1-800 reference: sharp corners rebuilt as crisp vertices, rounded corners as true fillets of the reference radius.
SHEET (2026-11-04): material outline cut on CUT layer; letter/number material: H+2 in top/bottom, 1 in each side; border L/R/B/T 1/1/2/2 in.

SSS-FAA-072-02-8

72" FAA Airport Number "8" (1-800-Stencil 1800-0452-0728), 20 W x 72 H on 32 x 84 sheet

Scale 1:10 when printed on 11x17 (tabloid) at 100% · units: inches · black with red outline = CUT layer exactly as in the DXF (bridges = white gaps); grey with red outline = material sheet, its outline is cut




Pieces: 1 · sheet 22 x 76 in (border L/R/B/T 1/1/2/2 in), sheet outline on CUT
Matches 1-800-Stencil per-digit dimensioned image: digit 20 W x 72 H, sheet 32 x 84 (6 in margins; replaces 3 in margin rule per Matt).
Shape TRACED FROM IMAGE 1800-0452-0728-72in-FAA-Airport-Number-8-84x32-2.jpg (whole digit: all curves, hooks, angles, notches). Not from FAA A-6 / UFC artwork. Image px: 281 x 1016; uniform-scale check -0.43%.
1-800 image bridges were closed and re-bridged to spec (25% stroke, min 0.5 in).
EDGES CLEANED (rebuild r2, 2026-11-04): contour smoothed and line-fitted (straight runs snapped to single lines, near-0/90 deg edges snapped exact, curves smoothed, burrs/notches removed) BEFORE splitting; est. trace resolution 0.29 in (smoothing level 1); existing spec bridges (25% stroke, min 0.5 in) kept as gaps; size unchanged.
SHEET (2026-11-04): material outline cut on CUT layer; letter/number material: H+2 in top/bottom, 1 in each side; border L/R/B/T 1/1/2/2 in.

SSS-FAA-072-02-9

72" FAA Airport Number "9" (1-800-Stencil 1800-0452-0729), 20 W x 72 H on 32 x 84 sheet

Scale 1:10 when printed on 11x17 (tabloid) at 100% · units: inches · black with red outline = CUT layer exactly as in the DXF (bridges = white gaps); grey with red outline = material sheet, its outline is cut




Pieces: 1 · sheet 22 x 76.379 in (border L/R/B/T 1/1/2/2 in), sheet outline on CUT
Matches 1-800-Stencil per-digit dimensioned image: digit 20 W x 72 H, sheet 32 x 84 (6 in margins; replaces 3 in margin rule per Matt).
Shape TRACED FROM IMAGE 1800-0452-0729-72in-FAA-Airport-Number-9-84x32-2.jpg (whole digit: all curves, hooks, angles, notches). Not from FAA A-6 / UFC artwork. Image px: 281 x 1015; uniform-scale check -0.33%.
1-800 image bridges were closed and re-bridged to spec (25% stroke, min 0.5 in).
EDGES CLEANED (rebuild r3, 2026-11-04): contour smoothed and line-fitted (straight runs snapped to single lines, near-0/90 deg edges snapped exact, curves smoothed, burrs/notches removed) BEFORE splitting; est. trace resolution 0.29 in (smoothing level 1); existing spec bridges (25% stroke, min 0.5 in) kept as gaps; size unchanged.
Corners restored to match the 1-800 reference: sharp corners rebuilt as crisp vertices, rounded corners as true fillets of the reference radius.
SHEET (2026-11-04): material outline cut on CUT layer; letter/number material: H+2 in top/bottom, 1 in each side; border L/R/B/T 1/1/2/2 in.

SSS-FAA-072-02-0

72" FAA Runway Numeral "0", FAA AC 150/5340-1M Chg 1 Fig A-6, fitted to 1-800-Stencil 20 W x 72 H

Scale 1:10 when printed on 11x17 (tabloid) at 100% · units: inches · black = cut opening, blue = bridge, dashed = blank




Pieces: 1 · blank 26 x 78 in (3 in margin)
Primary source: AC 150/5340-1M Chg 1 Fig A-6 vector glyph (feet values; errata 6/24/2025 fixes metric only). Glyph measures 20.40 ft W x 59.94 ft H at the drawing's 60 ft height scale.
UNEVEN SCALE: 1/10 scale would give 24 in wide; listing width 20 in governs. Horizontal x 0.8169 of 1/10 (20 ft digits fitted to exactly 20 in; 1, 4, 7 at the 0 digit scale), vertical x 1.2 (60 ft -> 72 in).
Measured: 20.000 W x 72.000 H in. Horizontal crossings at mid-height (in): [5.618, 5.618]. Vertical crossings at centreline (in): [10.945, 13.698].
Nominal (labels): vertical/diagonal stroke 5 ft -> 5.0 in, horizontal stroke 10 ft -> 12.0 in. Artwork crossings above differ from these by up to ~15% (A-6 artwork is not drawn exactly to its labels). Cross-check: vertical stroke 5 ft -> 5.0 in wide x-scaled; horizontal stroke 10 ft -> 12.0 in tall; UFC 3-260-04 Fig 5-6 cross-check in manifest.
No features traced from 1-800-Stencil images: A-6 defines every stroke of this digit.
Bridges: R cross 5.618" w=1.404"; L cross 5.618" w=1.405"

SSS-FAA-072-02-1

72" FAA Runway Numeral "1", FAA AC 150/5340-1M Chg 1 Fig A-6, fitted to 1-800-Stencil 20 W x 72 H

Scale 1:10 when printed on 11x17 (tabloid) at 100% · units: inches · black = cut opening, blue = bridge, dashed = blank




Pieces: 1 · blank 14.034 x 78 in (3 in margin)
Primary source: AC 150/5340-1M Chg 1 Fig A-6 vector glyph (feet values; errata 6/24/2025 fixes metric only). Glyph measures 8.19 ft W x 60.00 ft H at the drawing's 60 ft height scale.
UNEVEN SCALE: 1/10 scale would give 24 in wide; listing width 20 in governs. Horizontal x 0.8169 of 1/10 (20 ft digits fitted to exactly 20 in; 1, 4, 7 at the 0 digit scale), vertical x 1.2 (60 ft -> 72 in).
Measured: 8.034 W x 72.000 H in. Horizontal crossings at mid-height (in): [5.449]. Vertical crossings at centreline (in): [72.0].
Nominal (labels): vertical/diagonal stroke 5 ft -> 5.0 in, horizontal stroke 10 ft -> 12.0 in. Artwork crossings above differ from these by up to ~15% (A-6 artwork is not drawn exactly to its labels). Cross-check: vertical stroke 5 ft -> 5.0 in wide x-scaled; horizontal stroke 10 ft -> 12.0 in tall; UFC 3-260-04 Fig 5-6 cross-check in manifest.
No features traced from 1-800-Stencil images: A-6 defines every stroke of this digit.
No islands, no bridges.

SSS-FAA-072-02-2

72" FAA Runway Numeral "2", FAA AC 150/5340-1M Chg 1 Fig A-6, fitted to 1-800-Stencil 20 W x 72 H

Scale 1:10 when printed on 11x17 (tabloid) at 100% · units: inches · black = cut opening, blue = bridge, dashed = blank




Pieces: 1 · blank 26 x 78 in (3 in margin)
Primary source: AC 150/5340-1M Chg 1 Fig A-6 vector glyph (feet values; errata 6/24/2025 fixes metric only). Glyph measures 20.29 ft W x 60.00 ft H at the drawing's 60 ft height scale.
UNEVEN SCALE: 1/10 scale would give 24 in wide; listing width 20 in governs. Horizontal x 0.8216 of 1/10 (20 ft digits fitted to exactly 20 in; 1, 4, 7 at the 0 digit scale), vertical x 1.2 (60 ft -> 72 in).
Measured: 20.000 W x 72.000 H in. Horizontal crossings at mid-height (in): [6.164]. Vertical crossings at centreline (in): [11.897, 11.652, 12.653].
Nominal (labels): vertical/diagonal stroke 5 ft -> 5.0 in, horizontal stroke 10 ft -> 12.0 in. Artwork crossings above differ from these by up to ~15% (A-6 artwork is not drawn exactly to its labels). Cross-check: vertical stroke 5 ft -> 5.0 in wide x-scaled; horizontal stroke 10 ft -> 12.0 in tall; UFC 3-260-04 Fig 5-6 cross-check in manifest.
No features traced from 1-800-Stencil images: A-6 defines every stroke of this digit.
No islands, no bridges.

SSS-FAA-072-02-3

72" FAA Runway Numeral "3", FAA AC 150/5340-1M Chg 1 Fig A-6, fitted to 1-800-Stencil 20 W x 72 H

Scale 1:10 when printed on 11x17 (tabloid) at 100% · units: inches · black = cut opening, blue = bridge, dashed = blank




Pieces: 1 · blank 26 x 78 in (3 in margin)
Primary source: AC 150/5340-1M Chg 1 Fig A-6 vector glyph (feet values; errata 6/24/2025 fixes metric only). Glyph measures 20.34 ft W x 60.00 ft H at the drawing's 60 ft height scale.
UNEVEN SCALE: 1/10 scale would give 24 in wide; listing width 20 in governs. Horizontal x 0.8192 of 1/10 (20 ft digits fitted to exactly 20 in; 1, 4, 7 at the 0 digit scale), vertical x 1.2 (60 ft -> 72 in).
Measured: 20.000 W x 72.000 H in. Horizontal crossings at mid-height (in): [9.604]. Vertical crossings at centreline (in): [11.897, 15.237, 12.653].
Nominal (labels): vertical/diagonal stroke 5 ft -> 5.0 in, horizontal stroke 10 ft -> 12.0 in. Artwork crossings above differ from these by up to ~15% (A-6 artwork is not drawn exactly to its labels). Cross-check: vertical stroke 5 ft -> 5.0 in wide x-scaled; horizontal stroke 10 ft -> 12.0 in tall; UFC 3-260-04 Fig 5-6 cross-check in manifest.
No features traced from 1-800-Stencil images: A-6 defines every stroke of this digit.
No islands, no bridges.

SSS-FAA-072-02-4

72" FAA Runway Numeral "4", FAA AC 150/5340-1M Chg 1 Fig A-6, fitted to 1-800-Stencil 20 W x 72 H

Scale 1:10 when printed on 11x17 (tabloid) at 100% · units: inches · black = cut opening, blue = bridge, dashed = blank




Pieces: 1 · blank 30.888 x 78 in (3 in margin)
Primary source: AC 150/5340-1M Chg 1 Fig A-6 vector glyph (feet values; errata 6/24/2025 fixes metric only). Glyph measures 25.39 ft W x 60.00 ft H at the drawing's 60 ft height scale.
UNEVEN SCALE: 1/10 scale would give 24 in wide; listing width 20 in governs. Horizontal x 0.8169 of 1/10 (20 ft digits fitted to exactly 20 in; 1, 4, 7 at the 0 digit scale), vertical x 1.2 (60 ft -> 72 in).
Measured: 24.888 W x 72.000 H in. Horizontal crossings at mid-height (in): [5.908, 5.562]. Vertical crossings at centreline (in): [12.241, 12.149].
Nominal (labels): vertical/diagonal stroke 5 ft -> 5.0 in, horizontal stroke 10 ft -> 12.0 in. Artwork crossings above differ from these by up to ~15% (A-6 artwork is not drawn exactly to its labels). Cross-check: vertical stroke 5 ft -> 5.0 in wide x-scaled; horizontal stroke 10 ft -> 12.0 in tall; UFC 3-260-04 Fig 5-6 cross-check in manifest.
No features traced from 1-800-Stencil images: A-6 defines every stroke of this digit.
No islands, no bridges.

SSS-FAA-072-02-5

72" FAA Runway Numeral "5", FAA AC 150/5340-1M Chg 1 Fig A-6, fitted to 1-800-Stencil 20 W x 72 H

Scale 1:10 when printed on 11x17 (tabloid) at 100% · units: inches · black = cut opening, blue = bridge, dashed = blank




Pieces: 1 · blank 26 x 78 in (3 in margin)
Primary source: AC 150/5340-1M Chg 1 Fig A-6 vector glyph (feet values; errata 6/24/2025 fixes metric only). Glyph measures 20.52 ft W x 60.00 ft H at the drawing's 60 ft height scale.
UNEVEN SCALE: 1/10 scale would give 24 in wide; listing width 20 in governs. Horizontal x 0.8124 of 1/10 (20 ft digits fitted to exactly 20 in; 1, 4, 7 at the 0 digit scale), vertical x 1.2 (60 ft -> 72 in).
Measured: 20.000 W x 72.000 H in. Horizontal crossings at mid-height (in): [20.0]. Vertical crossings at centreline (in): [12.791, 12.791, 12.722].
Nominal (labels): vertical/diagonal stroke 5 ft -> 5.0 in, horizontal stroke 10 ft -> 12.0 in. Artwork crossings above differ from these by up to ~15% (A-6 artwork is not drawn exactly to its labels). Cross-check: vertical stroke 5 ft -> 5.0 in wide x-scaled; horizontal stroke 10 ft -> 12.0 in tall; UFC 3-260-04 Fig 5-6 cross-check in manifest.
No features traced from 1-800-Stencil images: A-6 defines every stroke of this digit.
No islands, no bridges.

SSS-FAA-072-02-6

72" FAA Runway Numeral "6", FAA AC 150/5340-1M Chg 1 Fig A-6, fitted to 1-800-Stencil 20 W x 72 H

Scale 1:10 when printed on 11x17 (tabloid) at 100% · units: inches · black = cut opening, blue = bridge, dashed = blank




Pieces: 1 · blank 26 x 78 in (3 in margin)
Primary source: AC 150/5340-1M Chg 1 Fig A-6 vector glyph (feet values; errata 6/24/2025 fixes metric only). Glyph measures 20.29 ft W x 59.94 ft H at the drawing's 60 ft height scale.
UNEVEN SCALE: 1/10 scale would give 24 in wide; listing width 20 in governs. Horizontal x 0.8216 of 1/10 (20 ft digits fitted to exactly 20 in; 1, 4, 7 at the 0 digit scale), vertical x 1.2 (60 ft -> 72 in).
Measured: 20.000 W x 72.000 H in. Horizontal crossings at mid-height (in): [20.0]. Vertical crossings at centreline (in): [12.115, 12.115, 9.085].
Nominal (labels): vertical/diagonal stroke 5 ft -> 5.0 in, horizontal stroke 10 ft -> 12.0 in. Artwork crossings above differ from these by up to ~15% (A-6 artwork is not drawn exactly to its labels). Cross-check: vertical stroke 5 ft -> 5.0 in wide x-scaled; horizontal stroke 10 ft -> 12.0 in tall; UFC 3-260-04 Fig 5-6 cross-check in manifest.
No features traced from 1-800-Stencil images: A-6 defines every stroke of this digit.
Bridges: R cross 5.593" w=1.398"; L cross 5.593" w=1.398"

SSS-FAA-072-02-7

72" FAA Runway Numeral "7", FAA AC 150/5340-1M Chg 1 Fig A-6, fitted to 1-800-Stencil 20 W x 72 H

Scale 1:10 when printed on 11x17 (tabloid) at 100% · units: inches · black = cut opening, blue = bridge, dashed = blank




Pieces: 1 · blank 28.921 x 78 in (3 in margin)
Primary source: AC 150/5340-1M Chg 1 Fig A-6 vector glyph (feet values; errata 6/24/2025 fixes metric only). Glyph measures 23.38 ft W x 59.94 ft H at the drawing's 60 ft height scale.
UNEVEN SCALE: 1/10 scale would give 24 in wide; listing width 20 in governs. Horizontal x 0.8169 of 1/10 (20 ft digits fitted to exactly 20 in; 1, 4, 7 at the 0 digit scale), vertical x 1.2 (60 ft -> 72 in).
Measured: 22.921 W x 72.000 H in. Horizontal crossings at mid-height (in): [5.73]. Vertical crossings at centreline (in): [27.121, 11.908].
Nominal (labels): vertical/diagonal stroke 5 ft -> 5.0 in, horizontal stroke 10 ft -> 12.0 in. Artwork crossings above differ from these by up to ~15% (A-6 artwork is not drawn exactly to its labels). Cross-check: vertical stroke 5 ft -> 5.0 in wide x-scaled; horizontal stroke 10 ft -> 12.0 in tall; UFC 3-260-04 Fig 5-6 cross-check in manifest.
No features traced from 1-800-Stencil images: A-6 defines every stroke of this digit.
No islands, no bridges.

SSS-FAA-072-02-8

72" FAA Runway Numeral "8", FAA AC 150/5340-1M Chg 1 Fig A-6, fitted to 1-800-Stencil 20 W x 72 H

Scale 1:10 when printed on 11x17 (tabloid) at 100% · units: inches · black = cut opening, blue = bridge, dashed = blank




Pieces: 1 · blank 26 x 78 in (3 in margin)
Primary source: AC 150/5340-1M Chg 1 Fig A-6 vector glyph (feet values; errata 6/24/2025 fixes metric only). Glyph measures 20.57 ft W x 59.94 ft H at the drawing's 60 ft height scale.
UNEVEN SCALE: 1/10 scale would give 24 in wide; listing width 20 in governs. Horizontal x 0.8101 of 1/10 (20 ft digits fitted to exactly 20 in; 1, 4, 7 at the 0 digit scale), vertical x 1.2 (60 ft -> 72 in).
Measured: 20.000 W x 72.000 H in. Horizontal crossings at mid-height (in): [19.944]. Vertical crossings at centreline (in): [11.908, 12.803, 12.597].
Nominal (labels): vertical/diagonal stroke 5 ft -> 5.0 in, horizontal stroke 10 ft -> 12.0 in. Artwork crossings above differ from these by up to ~15% (A-6 artwork is not drawn exactly to its labels). Cross-check: vertical stroke 5 ft -> 5.0 in wide x-scaled; horizontal stroke 10 ft -> 12.0 in tall; UFC 3-260-04 Fig 5-6 cross-check in manifest.
No features traced from 1-800-Stencil images: A-6 defines every stroke of this digit.
Bridges: R cross 5.627" w=1.407"; L cross 5.627" w=1.407"; R cross 5.627" w=1.407"; L cross 5.627" w=1.407"

SSS-FAA-072-02-9

72" FAA Runway Numeral "9", FAA AC 150/5340-1M Chg 1 Fig A-6, fitted to 1-800-Stencil 20 W x 72 H

Scale 1:10 when printed on 11x17 (tabloid) at 100% · units: inches · black = cut opening, blue = bridge, dashed = blank



Pieces: 1 · blank 26 x 78 in (3 in margin)
Primary source: AC 150/5340-1M Chg 1 Fig A-6 vector glyph (feet values; errata 6/24/2025 fixes metric only). Glyph measures 20.34 ft W x 59.94 ft H at the drawing's 60 ft height scale.
UNEVEN SCALE: 1/10 scale would give 24 in wide; listing width 20 in governs. Horizontal x 0.8192 of 1/10 (20 ft digits fitted to exactly 20 in; 1, 4, 7 at the 0 digit scale), vertical x 1.2 (60 ft -> 72 in).
Measured: 20.000 W x 72.000 H in. Horizontal crossings at mid-height (in): [20.0]. Vertical crossings at centreline (in): [9.398, 11.908, 11.908].
Nominal (labels): vertical/diagonal stroke 5 ft -> 5.0 in, horizontal stroke 10 ft -> 12.0 in. Artwork crossings above differ from these by up to ~15% (A-6 artwork is not drawn exactly to its labels). Cross-check: vertical stroke 5 ft -> 5.0 in wide x-scaled; horizontal stroke 10 ft -> 12.0 in tall; UFC 3-260-04 Fig 5-6 cross-check in manifest.
No features traced from 1-800-Stencil images: A-6 defines every stroke of this digit.
Bridges: R cross 5.577" w=1.394"; L cross 5.577" w=1.394"