
SSS-ARW-224-03

SSS-ARW-224-03 224" Maine DOT Roundabout Arrows Stencil - matched to 1-800-Stencil image, 72 W x 224 H


Scale 1:24 when printed on 11x17 (tabloid) at 100% · units: inches · black = cut opening, blue = bridge, dashed = blank



Pieces: 4 (2 x 2); blanks (in): 39.082 x 115.002, 39.082 x 115.002, 39.082 x 115.002, 39.082 x 115.002 · 3 in margin on outer edges; seam edges have 0 margin (butt joint, align REG marks)
Size per 1-800-Stencil listing/image 72 W x 224 H (governs); sheet 86 x 238, pieces n/s.
Shape TRACED FROM 1-800 IMAGE 1800-Stencil-224in-Roundabout-Arrows-Stencil-1800-108-5ME07-2.jpg incl. their bridge gaps (kept as-is). Image px 773 x 2402; aspect check +0.12%.
EDGES CLEANED (rebuild r3, 2026-11-04): contour smoothed and line-fitted (straight runs snapped to single lines, near-0/90 deg edges snapped exact, curves smoothed, burrs/notches removed) BEFORE splitting; est. trace resolution 0.65 in (smoothing level 0.25); existing spec bridges (25% stroke, min 0.5 in) kept as gaps; size unchanged.
Corners restored to match the 1-800 reference: sharp corners rebuilt as crisp vertices, rounded corners as true fillets of the reference radius.


SSS-ARW-224-03 · piece 1 of 4 (col 1, row 1 from bottom-left)

Scale 1:12 on 11x17 · blue crosses = REG marks on seams




SSS-ARW-224-03 · piece 2 of 4 (col 2, row 1 from bottom-left)

Scale 1:12 on 11x17 · blue crosses = REG marks on seams



SSS-ARW-224-03 · piece 3 of 4 (col 1, row 2 from bottom-left)

Scale 1:12 on 11x17 · blue crosses = REG marks on seams



SSS-ARW-224-03 · piece 4 of 4 (col 2, row 2 from bottom-left)

Scale 1:12 on 11x17 · blue crosses = REG marks on seams

