SSS-NEW-071

SSS-NEW-071 216" Oklahoma DOT Lane Drop Stencil - matched to 1-800-Stencil image, 69 W x 224 H

Scale 1:24 when printed on 11x17 (tabloid) at 100% · units: inches · black = cut opening, blue = bridge, dashed = blank



Pieces: 4 (2 x 2); blanks (in): 37.5 x 115, 37.5 x 115, 37.5 x 115, 37.5 x 115 · 3 in margin on outer edges; seam edges have 0 margin (butt joint, align REG marks)
Size per 1-800-Stencil listing 69 W x 224 H (governs); overall 69.00 x 224.00; sheet .
Shape TRACED FROM 1-800 IMAGE 1800-5OK33-224in-Oklahoma-DOT-Lane-Drop-Arrow-Stencil-1.jpg; aspect check -0.35%.
EDGES CLEANED (rebuild r2, 2026-11-04): contour smoothed and line-fitted (straight runs snapped to single lines, near-0/90 deg edges snapped exact, curves smoothed, burrs/notches removed) BEFORE splitting; est. trace resolution 0.17 in (smoothing level 1); existing spec bridges (25% stroke, min 0.5 in) kept as gaps; size unchanged.

SSS-NEW-071 · piece 1 of 4 (col 1, row 1 from bottom-left)

Scale 1:12 on 11x17 · blue crosses = REG marks on seams



SSS-NEW-071 · piece 2 of 4 (col 2, row 1 from bottom-left)

Scale 1:12 on 11x17 · blue crosses = REG marks on seams



SSS-NEW-071 · piece 3 of 4 (col 1, row 2 from bottom-left)

Scale 1:12 on 11x17 · blue crosses = REG marks on seams



SSS-NEW-071 · piece 4 of 4 (col 2, row 2 from bottom-left)

Scale 1:12 on 11x17 · blue crosses = REG marks on seams