
SSS-WRD-096-41

SSS-WRD-096-41 96" DRIVE Stencil - matched to 1-800-Stencil image, 150 W x 96 H


Scale 1:24 when printed on 11x17 (tabloid) at 100% · units: inches · black = cut opening, blue = bridge, dashed = blank



Pieces: 4 (4 x 1); blanks (in): 40.5 x 102, 37.5 x 102, 37.5 x 102, 40.5 x 102 · 3 in margin on outer edges; seam edges have 0 margin (butt joint, align REG marks)
Size per 1-800-Stencil listing 150 W x 96 H (governs); overall 150.00 x 96.00; sheet 162 x 110.
Shape TRACED FROM 1-800 IMAGE 1-800-Stencil-96-inch-DRIVE-STENCIL-1800-108-79607-1.jpg; aspect check +0.02%.
EDGES CLEANED (rebuild r3, 2026-11-04): contour smoothed and line-fitted (straight runs snapped to single lines, near-0/90 deg edges snapped exact, curves smoothed, burrs/notches removed) BEFORE splitting; est. trace resolution 0.60 in (smoothing level 0.25); existing spec bridges (25% stroke, min 0.5 in) kept as gaps; size unchanged.
Corners restored to match the 1-800 reference: sharp corners rebuilt as crisp vertices, rounded corners as true fillets of the reference radius.


SSS-WRD-096-41 · piece 1 of 4 (col 1, row 1 from bottom-left)

Scale 1:10 on 11x17 · blue crosses = REG marks on seams




SSS-WRD-096-41 · piece 2 of 4 (col 2, row 1 from bottom-left)

Scale 1:10 on 11x17 · blue crosses = REG marks on seams



SSS-WRD-096-41 · piece 3 of 4 (col 3, row 1 from bottom-left)

Scale 1:10 on 11x17 · blue crosses = REG marks on seams



SSS-WRD-096-41 · piece 4 of 4 (col 4, row 1 from bottom-left)

Scale 1:10 on 11x17 · blue crosses = REG marks on seams

