SSS-ARW-120-01

120" California DOT Type IV 10'-0" straight arrow, Caltrans 2026 Std Plans, sized to 1-800-Stencil 42 x 120

Scale 1:16 when printed on 11x17 (tabloid) at 100% · units: inches · black with red outline = CUT layer exactly as in the DXF (bridges = white gaps); grey with red outline = material sheet, its outline is cut



Pieces: 3 (1 x 3); blanks (in): 52 x 45, 52 x 40, 52 x 45 · 3 in margin on outer edges; seam edges have 0 margin (butt joint, align REG marks)
Size per 1-800-Stencil listing 42 W x 120 H, stroke 12 (governs).
Shape: Caltrans 2026 vector outline sheet p45; drawing aspect 0.3499 vs listing 0.3500 (-0.02%). Scale x 1.0673, y 1.0671 in/pt.
Measured shaft crossings at 15%/25% height (in): [12.0, 12.0].
SHEET (2026-11-04): material outline cut on CUT layer; published sheet 52 x 130 in (ref_index sheet_size); border L/R/B/T 5/5/5/5 in.
SEAM BRIDGES (2026-11-04): 1 short bridges added where the 48x120 split left loose material.

SSS-ARW-120-01 · piece 1 of 3 (col 1, row 1 from bottom-left)

Scale 1:8 on 11x17 · blue crosses = REG marks on seams



SSS-ARW-120-01 · piece 2 of 3 (col 1, row 2 from bottom-left)

Scale 1:8 on 11x17 · blue crosses = REG marks on seams



SSS-ARW-120-01 · piece 3 of 3 (col 1, row 3 from bottom-left)

Scale 1:8 on 11x17 · blue crosses = REG marks on seams