
SSS-ARW-156-02

156" California DOT roundabout left arrow, Caltrans 2026 Std Plans, sized to 1-800-Stencil 88 x 156

Scale 1:20 when printed on 11x17 (tabloid) at 100% · units: inches · black with red outline = CUT layer exactly as in the DXF (bridges = white gaps); grey with red outline = material sheet, its outline is cut




Pieces: 4 (1 x 4); blanks (in): 109 x 48, 109 x 39, 109 x 39, 109 x 48 · 3 in margin on outer edges; seam edges have 0 margin (butt joint, align REG marks)
Size per 1-800-Stencil listing 88 W x 156 H, stroke 12 (governs).
Shape: Caltrans 2026 vector outline sheet p52; drawing aspect 0.5641 vs listing 0.5641 (-0.00%). Scale x 1.3339, y 1.3339 in/pt.
Measured shaft crossings at 15%/25% height (in): [12.01, 13.59].
SHEET (2026-11-04): material outline cut on CUT layer; published sheet 109 x 174 in (ref_index sheet_size); border L/R/B/T 10.5/10.5/9/9 in.
SEAM BRIDGES (2026-11-04): 3 short bridges added where the 48x120 split left loose material.

SSS-ARW-156-02 · piece 1 of 4 (col 1, row 1 from bottom-left)

Scale 1:16 on 11x17 · blue crosses = REG marks on seams


SSS-ARW-156-02 · piece 2 of 4 (col 1, row 2 from bottom-left)

Scale 1:16 on 11x17 · blue crosses = REG marks on seams



SSS-ARW-156-02 · piece 3 of 4 (col 1, row 3 from bottom-left)

Scale 1:16 on 11x17 · blue crosses = REG marks on seams



SSS-ARW-156-02 · piece 4 of 4 (col 1, row 4 from bottom-left)

Scale 1:16 on 11x17 · blue crosses = REG marks on seams

