
SSS-ARW-200-01

200" California DOT roundabout straight through, Caltrans 2026 Std Plans, sized to 1-800-Stencil 46 x 200


Scale 1:24 when printed on 11x17 (tabloid) at 100% · units: inches · black with red outline = CUT layer exactly as in the DXF (bridges = white gaps); grey with red outline = material sheet, its outline is cut



Pieces: 4 (2 x 2); blanks (in): 32 x 108, 32 x 108, 32 x 108, 32 x 108 · 3 in margin on outer edges; seam edges have 0 margin (butt joint, align REG marks)
Size per 1-800-Stencil listing 46 W x 200 H, stroke 12 (governs).
Shape: Caltrans 2026 vector outline sheet p52; drawing aspect 0.2300 vs listing 0.2300 (-0.02%). Scale x 1.3341, y 1.3339 in/pt.
Measured shaft crossings at 15%/25% height (in): [12.13, 15.73].
SHEET (2026-11-04): material outline cut on CUT layer; published sheet 64 x 216 in (ref_index sheet_size); border L/R/B/T 9/9/8/8 in.
SEAM BRIDGES (2026-11-04): 1 short bridges added where the 48x120 split left loose material.


SSS-ARW-200-01 · piece 1 of 4 (col 1, row 1 from bottom-left)

Scale 1:10 on 11x17 · blue crosses = REG marks on seams




SSS-ARW-200-01 · piece 2 of 4 (col 2, row 1 from bottom-left)

Scale 1:10 on 11x17 · blue crosses = REG marks on seams



SSS-ARW-200-01 · piece 3 of 4 (col 1, row 2 from bottom-left)

Scale 1:10 on 11x17 · blue crosses = REG marks on seams



SSS-ARW-200-01 · piece 4 of 4 (col 2, row 2 from bottom-left)

Scale 1:10 on 11x17 · blue crosses = REG marks on seams

