
SSS-STP-157-01

SSS-STP-157-01 157" Colorado DOT Preferential Lane Symbol Stencil - matched to 1-800-Stencil image, 157 W x 39 H

Scale 1:24 when printed on 11x17 (tabloid) at 100% · units: inches · black with red outline = CUT layer exactly as in the DXF (bridges = white gaps); grey with red outline = material sheet, its outline is cut




SHEET W = 13'-9" (165 in)

Pieces: 2 (2 x 1); blanks (in): 82.5 x 48, 82.5 x 48 · 3 in margin on outer edges; seam edges have 0 margin (butt joint, align REG marks)
Size per 1-800-Stencil listing 157 W x 39 H (governs); overall 157.00 x 39.00; sheet 165 x 48.
Shape TRACED FROM 1-800 IMAGE 1800-Stencil-157in-Preferential-Lane-Symbol-1800-108-5CO18-2.jpg; aspect check -0.07%.
EDGES CLEANED (rebuild r3, 2026-11-04): contour smoothed and line-fitted (straight runs snapped to single lines, near-0/90 deg edges snapped exact, curves smoothed, burrs/notches removed) BEFORE splitting; est. trace resolution 0.34 in (smoothing level 1); existing spec bridges (25% stroke, min 0.5 in) kept as gaps; size unchanged.
Corners restored to match the 1-800 reference: sharp corners rebuilt as crisp vertices, rounded corners as true fillets of the reference radius.
CORNERS REBUILT (corner triage r5, 2026-11-04): 4 corners rebuilt locally from the 1-800 reference geometry (sharp = exact vertex, rounded = true fillet of the reference radius); edges, bridges, split and size unchanged.
SHEET (2026-11-04): material outline cut on CUT layer; published sheet 165 x 48 in (ref_index sheet_size); border L/R/B/T 4/4/4.29/4.29 in.

SSS-STP-157-01 · piece 1 of 2 (col 1, row 1 from bottom-left)

Scale 1:12 on 11x17 · blue crosses = REG marks on seams



SSS-STP-157-01 · piece 2 of 2 (col 2, row 1 from bottom-left)

Scale 1:12 on 11x17 · blue crosses = REG marks on seams

