
SSS-ADA-000-20

SSS-ADA-000-20 NYSDOT 46" Accessible Icon Handicap w/ 56" Border Stencil - matched to 1-800-Stencil image, 36 W x 46 H

Scale 1:10 when printed on 11x17 (tabloid) at 100% · units: inches · black with red outline = CUT layer exactly as in the DXF (bridges = white gaps); grey with red outline = material sheet, its outline is cut




SHEET W = 5'-4" (64 in)

Pieces: 2 (1 x 2); blanks (in): 64 x 32, 64 x 32 · 3 in margin on outer edges; seam edges have 0 margin (butt joint, align REG marks)
Size per 1-800-Stencil listing 36 W x 46 H (governs, symbol only; border kept from image); overall 55.59 x 56.66; sheet 64 x 64. border outer 55.59 x 56.66 vs title border 56
Shape TRACED FROM 1-800 IMAGE 1-800-Stencil-46-inch-Accessible-Icon-Handicap-Symbol-Stencil-with-background-1800-108-35602-1.jpg; aspect check +0.03%.
EDGES CLEANED (rebuild r3, 2026-11-04): contour smoothed and line-fitted (straight runs snapped to single lines, near-0/90 deg edges snapped exact, curves smoothed, burrs/notches removed) BEFORE splitting; est. trace resolution 0.23 in (smoothing level 1); existing spec bridges (25% stroke, min 0.5 in) kept as gaps; size unchanged.
Corners restored to match the 1-800 reference: sharp corners rebuilt as crisp vertices, rounded corners as true fillets of the reference radius.
CORNERS REBUILT (corner triage r5, 2026-11-04): 28 corners rebuilt locally from the 1-800 reference geometry (sharp = exact vertex, rounded = true fillet of the reference radius); edges, bridges, split and size unchanged.
SHEET (2026-11-04): material outline cut on CUT layer; published sheet 64 x 64 in (ref_index sheet_size); border L/R/B/T 4.2/4.2/3.67/3.67 in.

SSS-ADA-000-20 · piece 1 of 2 (col 1, row 1 from bottom-left)

Scale 1:10 on 11x17 · blue crosses = REG marks on seams



SSS-ADA-000-20 · piece 2 of 2 (col 1, row 2 from bottom-left)

Scale 1:10 on 11x17 · blue crosses = REG marks on seams

