
SSS-ARW-164-03

SSS-ARW-164-03 164" Michigan DOT Left Roundabout Arrow Stencil - matched to 1-800-Stencil image, 52 W x 164 H


Scale 1:20 when printed on 11x17 (tabloid) at 100% · units: inches · black = cut opening, blue = bridge, dashed = blank



Pieces: 4 (1 x 4); blanks (in): 58.168 x 44, 58.168 x 41, 58.168 x 41, 58.168 x 44 · 3 in margin on outer edges; seam edges have 0 margin (butt joint, align REG marks)
Size per 1-800-Stencil listing/image 52 W x 164 H (governs); sheet 86 x 238, pieces n/s.
Shape TRACED FROM 1-800 IMAGE 1800-5MI28-164in-Michigan-DOT-Left-Roundabout-Arrow-Stencil-1_ce14acb7-4907-4c3a-af9f-94f943f29f4e.jpg incl. their bridge gaps (kept as-is).
Image px 401 x 1257; aspect check +0.61%.
EDGES CLEANED (rebuild r3, 2026-11-04): contour smoothed and line-fitted (straight runs snapped to single lines, near-0/90 deg edges snapped exact, curves smoothed, burrs/notches removed) BEFORE splitting; est. trace resolution 0.66 in (smoothing level 1); existing spec bridges (25% stroke, min 0.5 in) kept as gaps; size unchanged.
Corners restored to match the 1-800 reference: sharp corners rebuilt as crisp vertices, rounded corners as true fillets of the reference radius.


SSS-ARW-164-03 · piece 1 of 4 (col 1, row 1 from bottom-left)

Scale 1:10 on 11x17 · blue crosses = REG marks on seams




SSS-ARW-164-03 · piece 2 of 4 (col 1, row 2 from bottom-left)

Scale 1:10 on 11x17 · blue crosses = REG marks on seams



SSS-ARW-164-03 · piece 3 of 4 (col 1, row 3 from bottom-left)

Scale 1:10 on 11x17 · blue crosses = REG marks on seams



SSS-ARW-164-03 · piece 4 of 4 (col 1, row 4 from bottom-left)

Scale 1:10 on 11x17 · blue crosses = REG marks on seams

