
SSS-STP-096-78

SSS-STP-096-78 96" Oklahoma DOT SCHOOL Stencil - matched to 1-800-Stencil image, 116 W x 96 H


Scale 1:20 when printed on 11x17 (tabloid) at 100% · units: inches · black = cut opening, blue = bridge, dashed = blank



Pieces: 3 (3 x 1); blanks (in): 41.669 x 102, 38.669 x 102, 41.669 x 102 · 3 in margin on outer edges; seam edges have 0 margin (butt joint, align REG marks)
Size per 1-800-Stencil listing 116 W x 96 H (governs); overall 116.00 x 96.00; sheet 20 x 104.
Shape TRACED FROM 1-800 IMAGE 1800-5OK24-96in-Oklahoma-DOT-SCHOOL-Stencil-2.jpg; aspect check -1.39%.
EDGES CLEANED (rebuild r3, 2026-11-04): contour smoothed and line-fitted (straight runs snapped to single lines, near-0/90 deg edges snapped exact, curves smoothed, burrs/notches removed) BEFORE splitting; est. trace resolution 0.46 in (smoothing level 0.5); existing spec bridges (25% stroke, min 0.5 in) kept as gaps; size unchanged.
Corners restored to match the 1-800 reference: sharp corners rebuilt as crisp vertices, rounded corners as true fillets of the reference radius.


SSS-STP-096-78 · piece 1 of 3 (col 1, row 1 from bottom-left)

Scale 1:10 on 11x17 · blue crosses = REG marks on seams



SSS-STP-096-78 · piece 2 of 3 (col 2, row 1 from bottom-left)

Scale 1:10 on 11x17 · blue crosses = REG marks on seams



SSS-STP-096-78 · piece 3 of 3 (col 3, row 1 from bottom-left)

Scale 1:10 on 11x17 · blue crosses = REG marks on seams

