TigerGraph

Agentic AI: Showing the evidence behind a decision

Storyboard · frame by frame

Explainer video · Script 3 · 16:9 1920×1080 · approx. 3:03 · November 2026

TigerGraph

Look & feel

VISUAL DIRECTION

Clean white stage taken from tigergraph.com: soft TG Blue gradient panels, white product-style cards with line-icon tiles, thin glowing connectors and a subtle dot texture. The graph is the hero and lights up step by step.

MAKING IT DYNAMIC

Every scene moves in 3D: tilted UI panels, a graph plane the camera dollies and flies along, cards that spring out toward camera, light pulses racing along edges, ripples, stamps and kinetic type. Depth comes from out-of-focus foreground cards and rack-focus. Transitions are match-cuts through UI elements (card flips, zoom-throughs, whip-pans), never plain cuts.

AUDIO

AI voiceover (samples shared for approval first), premium licensed tech/ambient music, and UI sound design on every hit: clicks, ticks, whooshes, pulses, stamps.

PRODUCT DEMO

Scenes 06–11 will use the client's demo recording when it arrives, framed in this UI. The frames here show the intended layout.

BRAND COLOURS



TG Blue
#43A4DC

TG Orange
#EC6408


Black
#000000

Status only:
tick / gap flag

TYPOGRAPHY · URBANE

Bold headlines · Medium titles · Light body

LOGO & ICONS




Full-colour logo on white, white logo on dark, clear space kept. Icons follow the guideline: single-weight line icons in TG Blue + Black.

Scene list

Approx. 3:03 · 19 scenes

#	IN	LENGTH	BEAT
01	0:00	12s	02:06 · Approve rollback?
02	0:12	8s	Confidence ≠ evidence
03	0:20	4s	Can You Trust Your AI Agent with Multi-hop Decision-making Tasks?
04	0:24	20s	Black box: answer + score · Glass box: answer + path
05	0:44	4s	The model predicts. The graph proves.
06	0:48	5s	Evidence trail
07	0:53	7s	1 · Alert → Payments API → DB cluster
08	0:59	11s	2 · Config change, 1:44 a.m. · source + time on every fact
09	1:10	10s	3 · Checkout, Refunds · 12 premium accounts
10	1:20	14s	4 · Policy checked ✓
11	1:34	11s	5 · Gap flagged → human check
12	1:45	13s	Approve with evidence · Replay it later
13	1:58	14s	Similar ≠ explained
14	2:12	13s	The path is the explanation
15	2:25	10s	Guardrails with reasons
16	2:34	6s	Explainability: from best practice to requirement
17	2:41	6s	Readiness checklist
18	2:46	9s	Ready for production?
19	2:55	8s	Regular models predict. TigerGraph proves.



01

0:00 — 0:12 · 12s

VOICEOVER

If you're a developer, I've got a question for you... It's 2 a.m and your AI agent wants to roll back a change in production. Do you click approve?

ON-SCREEN TEXT


02:06 · Approve rollback?

VISUAL

Ops console in TigerGraph's product style (white UI on a blue gradient panel), 2:06 a.m. Latency spikes orange. The agent's plan pops up in an approval box: "Roll back config change." Cursor hovers over Approve.

ANIMATION / MOTION

Open on an extreme close-up of the clock flipping 02:05 → 02:06, whip-pull back to reveal the tilted console swinging into place; latency bars shoot up and turn orange; the approval card springs forward out of the screen toward camera (overshoot + soft shadow); cursor glides in and hovers, Approve button breathes.



02

0:12 – 0:20 · 8s

VOICEOVER

Most agents give you an answer and a "confidence score". But confidence isn't evidence. You can't audit a percentage.

ON-SCREEN TEXT


Confidence ≠ evidence

VISUAL

Close-up: the approval box shows only an answer and "Confidence: 92%". The 92% is hollow: nothing behind it.

ANIMATION / MOTION

Camera crashes into the card; 92% counts up 0 → 92 with a ticking SFX; on "isn't evidence" a magnifier sweeps over the number and finds nothing (empty dashed box), the % cracks and drops out of frame.



03

0:20 — 0:24 · 4s

VOICEOVER

(music sting, no VO)

ON-SCREEN TEXT

Can You Trust Your AI Agent with Multi-hop Decision-making Tasks?

VISUAL

Title card on white with the brand node texture.

ANIMATION / MOTION

Nodes fly in from depth and lock into a network behind the text; the title builds word by word with a slight 3D rotate-in; "Multi-hop" lights TG Blue as a light pulse hops across three nodes.



04

0:24 – 0:44 · 20s

VOICEOVER

So what does it take for an agent to show its evidence? A black box gives you an answer, but a glass box gives you the answer AND the path behind it: which facts it used, how they connect, which rules it checked, and in what order.

ON-SCREEN TEXT


Black box: answer + score · Glass box: answer + path

VISUAL

Two cubes face off in 3D. Left: a solid black box that only outputs an answer and a score. Right: a clear glass box with the same answer plus a visible path of linked facts inside.

ANIMATION / MOTION

Both cubes drop in and slowly rotate; the black box stays opaque and spits out a score tag; the glass box turns transparent and the path inside lights node by node on "facts… connect… rules… order", each with a soft click SFX. Camera orbits slightly between them.



05

0:44 — 0:48 · 4s

VOICEOVER

The model predicts. And the graph proves.

ON-SCREEN TEXT


The model predicts. The graph proves.

VISUAL

Kinetic typography: the line resolves on screen.

ANIMATION / MOTION

"The model predicts." types on in grey, slightly out of focus; camera racks focus down to "The graph proves." whose letters assemble from flying graph nodes; an orange underline whips across; a brief light flare passes over "graph".



06

0:48 — 0:53 · 5s

VOICEOVER

Let's open the trail behind that rollback with this readiness checklist:

ON-SCREEN TEXT

Evidence trail


VISUAL

The approval box unfolds into an evidence trail panel (animated product UI).

Client demo recording will be placed here, framed in this UI

ANIMATION / MOTION

The approval card flips 180° in 3D; its back unfolds downward like an accordion into the evidence trail; the console behind falls away into blur; a scan line sweeps the panel and step 1 starts glowing.



07

0:53 – 0:59 · 7s

VOICEOVER

Step one: The alert traces to the Payments API, which depends on one database cluster.

ON-SCREEN TEXT

1 · Alert → Payments API → DB cluster


VISUAL

Step 1 lights up: Alert → Payments API → Database cluster, on a tilted graph plane.

Client demo recording will be placed here, framed in this UI

ANIMATION / MOTION

Camera dolly-tracks left → right along the plane; the alert node pulses orange, a light pulse shoots along the edge to Payments API (whoosh), then on to the DB cluster; each node pops up out of the plane (scale 0.8 → 1 with overshoot).



08

0:59 – 1:10 · 11s

VOICEOVER

Step two: That cluster had a configuration change at 1:44 am, twenty minutes before the slowdown began. Every fact carries its source and its timestamp.

ON-SCREEN TEXT

2 · Config change, 1:44 a.m. · source + time on every fact

VISUAL

Step 2: Config change #4471, applied 1:44 a.m., drops onto the cluster. A timestamp and source tag sit beside it; a timeline shows the 20-minute gap.

Client demo recording will be placed here, framed in this UI

ANIMATION / MOTION

Config node slams down from above with a dust-ring ripple; source + timestamp tags flip open like labels; a timeline scrubber races 01:44 → 02:04 under the graph and stamps "+20 min".



09

1:10 – 1:20 · 10s

VOICEOVER

Step three: The same cluster feeds checkout and refunds, and twelve premium customers are affected. Now that's an impact, not a guess.

ON-SCREEN TEXT

3 · Checkout, Refunds · 12 premium accounts


VISUAL

Step 3: the path branches out to Checkout, Refunds and 12 premium accounts.

Client demo recording will be placed here, framed in this UI

ANIMATION / MOTION

Three branches burst out of the cluster like a shockwave (ring ripples); the camera pulls up to a top-down angle; the '12' counter rolls up on the premium node, which flares orange.



10

1:20 – 1:34 · 14s

VOICEOVER

Step four: Before acting, this agent checked your rollback policy, which lives in the graph alongside the data. The change is under an hour old. Premium customers are at risk. The rule allows it.

ON-SCREEN TEXT

4 · Policy checked ✓


VISUAL

Step 4: a policy card plugs into the path: "Auto-rollback allowed when the change is under 1 hour old and premium SLAs are at risk." A green tick.

Client demo recording will be placed here, framed in this UI

ANIMATION / MOTION

The policy card spins in from screen right and docks onto the graph like a puzzle piece; the two conditions tick one by one on the VO; a big green tick stamps with a satisfying click and a soft glow wave washes over the path.



11

1:34 – 1:45 · 11s

VOICEOVER

And step five: the agent says what it doesn't know. It found no evidence on the refunds data, so it asked a human to check.

ON-SCREEN TEXT

5 · Gap flagged → human check

VISUAL

Step 5: an amber flag on Refunds: "No evidence on whether the change touched the refunds schema. Human check recommended."

Client demo recording will be placed here, framed in this UI

ANIMATION / MOTION

The Refunds node glitches/flickers; a dashed amber ring scans around it; the flag card unfolds from the node; a human avatar slides in and the handoff arrow draws from agent to human.



12

1:45 – 1:58 · 13s

VOICEOVER

Now you're not trusting a score. You're approving a decision you can read. And six months from now, when someone asks why, the same trail is still there to replay.

ON-SCREEN TEXT


Approve with evidence · Replay it later

VISUAL

The full trail on one card; cursor clicks Approve and it locks as "signed". Then a calendar flips forward six months and an auditor replays the same trail, unchanged.

ANIMATION / MOTION

Click: ripple burst + confirm chime, a lock icon snaps shut on the trail. Whip-pan right as calendar pages tear off in a flurry (NOV → MAY); the auditor's window swings in from depth and a play scrubber replays the trail, nodes re-lighting in order.



13

1:58 – 2:12 · 14s

VOICEOVER

You might ask, "why does this need a graph?" Because vector search can only tell you which passages looked similar to the question. It can't tell you why they matter to the decision.

ON-SCREEN TEXT


Similar ≠ explained

VISUAL

Split: vector search shows three loose text chunks with similarity scores. Graph search shows the connected path.

ANIMATION / MOTION

Left: chunks drop in, scores count up, then drift apart with no links (floaty, unanchored). Right: the demo path draws itself in one continuous stroke and settles firmly. A big '≠' slams in between with a bass hit.



14

2:12 – 2:25 · 13s

VOICEOVER

In a graph search, the customers, systems, changes and rules are connected explicitly. So the path the agent followed is pretty clear. Nothing has to be reconstructed after the fact.

ON-SCREEN TEXT

The path is the explanation

VISUAL

The path from the demo, now with every connection labelled (customers, systems, changes, rules).

ANIMATION / MOTION

Low-angle camera glides along the tilted path like a fly-through; each relationship label flips up as the light pulse passes it; legend chips pop in at the end and the whole graph settles into a hero composition.



15

2:25 – 2:34 · 10s

VOICEOVER

Your policies sit in the graph too, as guardrails. So when an agent refuses to act, it can explain that as well.

ON-SCREEN TEXT

Guardrails with reasons

VISUAL

Policy cards slot into the graph as guardrails; one blocks an agent action and shows the reason.

ANIMATION / MOTION

Policy cards fly in and lock onto the graph rails with a magnetic snap; the agent's action arrow races toward the guardrail, hits it and bounces back with a shake; the 'Blocked' card expands and the reason types on.



16

2:34 – 2:41 · 6s

VOICEOVER

And in regulated industries, explaining automated decisions is becoming a requirement, not a nice-to-have.

ON-SCREEN TEXT


Explainability: from best practice to requirement

VISUAL

Montage of three regulated sectors drawn as TigerGraph-style line icons (black + TG Blue): a bank, a hospital, a government building. Each carries a small evidence-trail badge. No specific regulation is named.

ANIMATION / MOTION

Icons draw on stroke by stroke (line-reveal) in quick succession with a camera slide across; small trail badges pop under each; the cards slide into a tilted row and a blue light sweep runs across all three.



17

2:41 – 2:46 · 6s

VOICEOVER

So before you trust an agent with multi-step decisions, run this checklist.

ON-SCREEN TEXT

Readiness checklist

VISUAL

A five-item readiness checklist builds one line at a time.

ANIMATION / MOTION

The card swings in from a 3D angle and flattens; each line slides in from the right with a stagger, its tick-box drawing itself and filling TG Blue as it's named; the camera slowly pushes in.



18

2:46 – 2:55 · 9s

VOICEOVER

If you can't tick all five, the agent isn't ready for production. But TigerGraph is built to tick them all.

ON-SCREEN TEXT

Ready for production?

VISUAL

All five ticks turn green next to the TigerGraph logo.

ANIMATION / MOTION

Ticks flip to green in a fast domino cascade with rising pitch SFX; the card slides left and tilts away; the TigerGraph logo builds on the right (tiger head draws on, wordmark wipes in) with a soft blue bloom.



19

2:55 – 3:03 · 8s

VOICEOVER

Regular models predict. TigerGraph proves.

ON-SCREEN TEXT

Regular models predict. TigerGraph proves.

VISUAL

End card on white: logo, tagline, CTAs "Request a demo" and "Start free", tigergraph.com.

ANIMATION / MOTION

Network texture drifts slowly behind; logo holds centre; tagline fades up word by word; CTA buttons rise with a soft bounce. Hold clean for the last 4-5 s.