

SDS Revision Date: 05/19/2015

# 1. Identification

1.1. Product identifier

Product Identity Control Plus
Alternate Names Control Plus

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended useSee Technical Data Sheet.Application MethodSee Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet

Company Name Gurtler Industries, Inc.

15475 South LaSalle St. South Holland, IL 60473 US

**Emergency** 

**24 hour Emergency Telephone No.** (708) 331-2550

Customer Service: Gurtler Industries, Inc. INFOTRAC - (800) 535-5053

# 2. Hazard(s) identification

#### 2.1. Classification of the substance or mixture

Acute Tox. 3:H301 Toxic if swallowed.

Acute Tox. 3;H311 Toxic in contact with skin.

Acute Tox. 3;H331 Toxic if inhaled.

#### 2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.



# Danger

## [Prevention]:

P261 Avoid breathing dust / fume / gas / mist / vapors / spray.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.



SDS Revision Date: 05/19/2015

P280 Wear protective gloves / eye protection / face protection.

## [Response]:

P301+310 IF SWALLOWED: Immediately call a POISON CENTER or doctor / physician.

P302+352 IF ON SKIN: Wash with plenty of soap and water.

P304+312 IF INHALED: Call a POISON CENTER or doctor / physician if you feel unwell.

P311 Call a POISON CENTER or doctor / physician.

P321 Specific treatment (see information on this label).

P330 Rinse mouth.

P340 Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P361 Remove / Take off immediately all contaminated clothing.

P363 Wash contaminated clothing before reuse.

#### [Storage]:

P403+233 Store in a well ventilated place. Keep container tightly closed.

P405 Store locked up.

## [Disposal]:

P501 Dispose of contents / container in accordance with local / national regulations.

# 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Sodium silicofluoride CAS Number: 0016893-85-9	40-50	Acute Tox. 3;H331 Acute Tox. 3;H311 Acute Tox. 3;H301	[1]
Oxalic Acid Dihydrate CAS Number: 6153-56-6	40-50	Acute Tox. 4;H312 Acute Tox. 4;H302	[1]

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

## 4. First aid measures

## 4.1. Description of first aid measures

**General** In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

**Inhalation** Remove from exposure. If breathing has stopped, give artificial respiration. Get medical

attention.

Eyes Flush with cool water. Remove contact lenses, if applicable, and continue flushing for at

least 15 minutes. Obtain medical attention.

**Skin** Flush with cool water. Wash with soap and water. Obtain medical attention if irritation

<sup>[1]</sup> Substance classified with a health or environmental hazard.

<sup>[2]</sup> Substance with a workplace exposure limit.

<sup>[3]</sup> PBT-substance or vPvB-substance.

<sup>\*</sup>The full texts of the phrases are shown in Section 16.



SDS Revision Date: 05/19/2015

persists.

**Ingestion** Get medical attention immediately. Chemical burns must be treated promptly by a

physician. Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open, Provide a readily accessible eyewash

facility and quick-drench safety shower.

## 4.2. Most important symptoms and effects, both acute and delayed

Overview Acute Over Exposure Effects: Dust may cause irritation to eyes and respiratory tract.

Ingestion may cause vomiting, abdominal pain, diarrhea, shortness of breath, difficulty speaking, thirst, muscular weakness, convulsion, loss of consciousness or death. Kidney

injury may occur.

Routes of Entry: Inhalation, Skin

**Inhalation:** May cause irritation to the nose, throat, mucous membranes and lungs.

Coughing and difficulty breathing may occur. Repeated or prolonged exposure to excessive

concentrations of fluoride compounds may cause fluoride poisoning.

**Skin:** Contact may cause irritation and burning sensation.

**Eye:** Contact may cause severe irritation with redness and pain.

**Ingestion:** Causes gastrointestinal irritation with nausea and vomiting.

**Medical Conditions Generally Aggravated by Exposure:** Repeated exposure above PEL and TLV to fluoride dust may cause excessive calcification of ligaments of the ribs,

pelvis and spinal column. Stiffness and limitation of motion may result.

See section 2 for further details.

**Inhalation** Toxic if inhaled.

**Skin** Toxic in contact with skin.

**Ingestion** Toxic if swallowed.

# 5. Fire-fighting measures

#### 5.1. Extinguishing media

Product is non-flammable. Use extinguishing media required to control surrounding fire.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: Hydrogen fluoride gas

Avoid breathing dust / fume / gas / mist / vapors / spray.

Do not get in eyes, on skin, or on clothing.

## 5.3. Advice for fire-fighters

Firefighters should wear full protective clothing including self-contained breathing apparatus.

ERG Guide No. ----

# 6. Accidental release measures



SDS Revision Date: 05/19/2015

## 6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

#### 6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

## 6.3. Methods and material for containment and cleaning up

Keep unnecessary people away. Isolate hazard area and deny entry. Avoid breathing. With clean shovel, place material into clean, dry container and cover. Move containers from spill site.

Note: Waste is TOXIC!

# 7. Handling and storage

# 7.1. Precautions for safe handling

See section 2 for further details. - [Prevention]:

## 7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Store in original container. Do not store near food or feed since appearance is similar to salt and sugar. Segregate from strong acids.

Incompatible materials: Alkalis, cyanides, active metals (aluminum, magnesium), bleaches.

See section 2 for further details. - [Storage]:

#### 7.3. Specific end use(s)

No data available.

# 8. Exposure controls and personal protection

## 8.1. Control parameters

#### **Exposure**

CAS No.	Ingredient	Source	Value
0016893-85-9 Sodium silicofluoride	OSHA	2.5mg/m3 F	
	ACGIH	2.5mg/m3 F	
	NIOSH	2.5mg/m3 F	
	Supplier	2.5mg/m3 F	
6153-56-6 Oxalic Acid Dihydrate	OSHA	1.0 mg/m3 F TWA	
	ACGIH	1.0 mg/m3 F TWA	
	NIOSH	1.0 mg/m3 F TWA	
	Supplier	No Established Limit	

The exposure limits for nuisance dust are: OSHA PEL: 15 mg/m3 (50 mppcf\*) TWA, ACGIH 10 mg/m3.



SDS Revision Date: 05/19/2015

## **Carcinogen Data**

CAS No.	Ingredient	Source	Value		
0016893-85-9	Sodium silicofluoride	OSHA	Select Carcinogen: No		
		NTP	Known: No; Suspected: No		
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;		
6153-56-6	Oxalic Acid Dihydrate	OSHA	Select Carcinogen: No		
		NTP	Known: No; Suspected: No		
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;		

8.2. Exposure controls

**Respiratory** Use NIOSH/MSHA approved respirator, following manufacturer's recommendations when

concentrations exceed permissible exposure limits.

Eyes Chemical goggles/splash shield required.

Skin Rubber apron. Wear rubber gloves.

**Engineering Controls** Provide adequate ventilation. Where reasonably practicable this should be achieved by the

use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits

suitable respiratory protection must be worn.

using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details. - [Prevention]:

# 9. Physical and chemical properties

AppearanceWhite powderOdorOdorless

Odor threshold

pH

Not Measured

Melting point / freezing point

Initial boiling point and boiling range

Flash Point

Evaporation rate (Ether = 1)

Flammability (solid, gas)

Not determined

Not Measured

Not Measured

Not Measured

Not Applicable

Upper/lower flammability or explosive limits Lower Explosive Limit: Not Measured

**Upper Explosive Limit:** Not Measured

Vapor pressure (Pa)Not MeasuredVapor DensityNot MeasuredSpecific GravityNot Measured



SDS Revision Date: 05/19/2015

Solubility in Water

Partition coefficient n-octanol/water (Log Kow)

Auto-ignition temperature

Decomposition temperature

Viscosity (cSt)

Negligible

Not Measured

Not Measured

Not Measured

9.2. Other information

No other relevant information.

# 10. Stability and reactivity

## 10.1. Reactivity

Hazardous Polymerization will not occur.

# 10.2. Chemical stability

Stable under normal circumstances.

## 10.3. Possibility of hazardous reactions

Strong Oxidizers

#### 10.4. Conditions to avoid

Extreme heat and high energy sources of ignition.

# 10.5. Incompatible materials

Alkalis, cyanides, active metals (aluminum, magnesium), bleaches.

## 10.6. Hazardous decomposition products

Hydrogen fluoride gas

# 11. Toxicological information

## **Acute toxicity**

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Sodium silicofluoride - (16893-85-9)	125.00, Rabbit - Category: 3	No data available	No data available	No data available	No data available
Oxalic Acid Dihydrate (6153-56-6)	7500 mg/kg Rat	500 mg/24 hours Rabbit	No data available	No data available	No data available

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Classification	Category	Hazard Description
Acute toxicity (oral)	3	Toxic if swallowed.



SDS Revision Date:

05/19/2015

Acute toxicity (dermal)	3	Toxic in contact with skin.
Acute toxicity (inhalation)	3	Toxic if inhaled.
Skin corrosion/irritation		Not Applicable
Serious eye damage/irritation		Not Applicable
Respiratory sensitization		Not Applicable
Skin sensitization		Not Applicable
Germ cell mutagenicity		Not Applicable
Carcinogenicity		Not Applicable
Reproductive toxicity		Not Applicable
STOT-single exposure		Not Applicable
STOT-repeated exposure		Not Applicable
Aspiration hazard		Not Applicable

# 12. Ecological information

## 12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

# **Aquatic Ecotoxicity**

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Sodium silicofluoride - (16893-85-9)	Not Available	Not Available	Not Available
Oxalic Acid Dihydrate (6153-56-6)	Not Available	Not Available	Not Available

## 12.2. Persistence and degradability

There is no data available on the preparation itself.

## 12.3. Bioaccumulative potential

Not Measured

## 12.4. Mobility in soil

No data available.

# 12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

## 12.6. Other adverse effects

No data available.

# 13. Disposal considerations

## 13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.



SDS Revision Date: 05/19/2015

# 14. Transport information

**DOT (Domestic Surface** 

Transportation)

**14.1. UN number** UN2674

**14.2. UN proper** UN2674, Sodium fluorosilicate,

**shipping name** mixture, 6.1, III

14.3. Transport hazard DOT Hazard Class: 6.1

class(es)

14.4. Packing group

14.5. Environmental hazards

**IMDG** Marine Pollutant: No

14.6. Special precautions for user

No further information

IMO / IMDG (Ocean Transportation)

Sub Class: 6.1

Ш

UN2674 UN2674

Sodium fluorosilicate, Sodium fluorosilicate, mixture, 6.1, III mixture, 6.1, III

ICAO/IATA

Air Class: 6.1

IMDG: 6.1

III

# 15. Regulatory information

**Regulatory Overview** The regulatory data in Section 15 is not intended to be all-inclusive, only selected

regulations are represented.

Toxic Substance

Control Act (TSCA)

All components of this material are either listed or exempt from listing on the TSCA

Inventory.

US EPA Tier II Hazards Fire: No

Sudden Release of Pressure: No

Reactive: No

Immediate (Acute): Yes Delayed (Chronic): No

### EPCRA 311/312 Chemicals and RQs:

Oxalic Acid Dihydrate (6153-56-6) - Immediate health hazard; Chronic health hazard

#### **EPCRA 302 Extremely Hazardous:**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

## **EPCRA 313 Toxic Chemicals:**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **Proposition 65 - Developmental Toxins (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **Proposition 65 - Female Repro Toxins (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **New Jersey RTK Substances (>1%):**



SDS Revision Date: 05/19/2015

Sodium silicofluoride (16893-85-9)

Pennsylvania RTK Substances (>1%):

Oxalic Acid Dihydrate (6153-56-6)

# 16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H301 Toxic if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage

H318 Causes serious eye damage

H331 Toxic if inhaled.

# This is the first version in the GHS SDS format. Listings of changes from previous versions in other formats are not applicable.

Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

End of Document