

SDS Revision Date: 05/06/2015

### 1. Identification

1.1. Product identifier

Product Identity Mint Disinfectant Plus
Alternate Names Mint Disinfectant Plus

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use Disinfectant/Sanitizer

Application Method See Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet

Company Name Gurtler Industries, Inc.

15475 South LaSalle St. South Holland, IL 60473 US

**Emergency** 

**24 hour Emergency Telephone No.** (708) 331-2550

Customer Service: Gurtler Industries, Inc. INFOTRAC - (800) 535-5053

## 2. Hazard(s) identification

#### 2.1. Classification of the substance or mixture

Skin Irrit. 2;H315 Causes skin irritation.

Eye Dam. 1;H318 Causes serious eye damage.

#### 2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.



H315 Causes skin irritation.

H318 Causes serious eye damage.

#### [Prevention]:

P264 Wash thoroughly after handling.

P280 Wear protective gloves / eye protection / face protection.



05/06/2015 **SDS Revision Date:** 

#### [Response]:

P302+352 IF ON SKIN: Wash with plenty of soap and water.

P305+351+338 IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.

P310 Immediately call a POISON CENTER or doctor / physician.

P321 Specific treatment (see information on this label).

P332+313 If skin irritation occurs: Get medical advice / attention.

P362 Take off contaminated clothing and wash before reuse.

#### [Storage]:

No GHS storage statements

#### [Disposal]:

No GHS disposal statements

## 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Water CAS Number: 7732-18-5	80-90	No Data available; no phrases apply	
Ethoxylated Alcohols CAS Number: 0068131-39-5	1.0-5.0	Skin Irrit. 2;H315 Eye Dam. 1;H318 Aquatic Acute 1;H400	[1]
Ethanol CAS Number: 0000064-17-5	0.5-1.50	Flam. Liq. 2;H225	[1][2]
Quaternary ammonium compounds, di-C8-C10- alkyldimethyl, chlorides CAS Number: 68424-95-3	1.0-5.0	Eye Irrit. 2A:H319 Skin Irrit: 1B: H314 Acute Tox 4: H302	[1]
Quaternary ammonium compounds, benzyl-C12- alkyldimethyl, chlorides CAS Number: 68424-85-1	1.0-5.0	Eye Irrit. 2A:H319 Skin Irrit: 1B: H314 Acute Tox 4: H302	[1]

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

#### 4. First aid measures

#### 4.1. Description of first aid measures

General In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

Inhalation If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.

<sup>[1]</sup> Substance classified with a health or environmental hazard.

<sup>[2]</sup> Substance with a workplace exposure limit.

<sup>[3]</sup> PBT-substance or vPvB-substance.
\*The full texts of the phrases are shown in Section 16.



SDS Revision Date: 05/06/2015

Eyes Flush with cool water. Remove contact lenses, if applicable, and continue flushing. Obtain

medical attention if irritation persists.

**Skin** Flush with cool water. Wash with soap and water. Obtain medical attention if irritation

persists.

**Ingestion** Do not induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk

of aspiration. Never give anything by mouth if victim is unconscious, or is convulsing.

Obtain medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

**Overview** Symptoms may include redness, edema, drying, defatting and cracking of the skin.

Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with

eyes and skin. Keep out of reach of children.

Chronic effects: Prolonged or repeated exposure can cause drying, defatting and

dermatitis.

See section 2 for further details.

**Eyes** Causes serious eye damage.

**Skin** Causes skin irritation.

### 5. Fire-fighting measures

#### 5.1. Extinguishing media

Dry Powder, Water Spray, Foam

#### 5.2. Special hazards arising from the substance or mixture

Heating or fire can release toxic gas.

#### 5.3. Advice for fire-fighters

Firefighters should wear full protective clothing including self-contained breathing apparatus.

#### 6. Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Use respirator when performing operations involving potential ex-posure to vapour of the product.

#### 6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

#### 6.3. Methods and material for containment and cleaning up

Personal precautions: Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing



SDS Revision Date: 05/06/2015

appropriate protective space clothing. Keep people away from and upwind of spill/leak.

Environmental precautions: Do not discharge into lakes, streams, ponds or public waters.

Methods for containment: Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements or confined areas.

Methods for cleaning up: Before attempting clean up, refer to hazard data given above. Small spills may be absorbed with non-reactive absorbent and placed in suitable, covered, labelled containers. Prevent large spills from entering sewers or waterways. Contact emergency services and supplier for advice. Never return spills to original containers for re-use.

### 7. Handling and storage

#### 7.1. Precautions for safe handling

Avoid contact with eyes.

Avoid contact with skin and clothing.

Ensure adequate ventilation.

Avoid breathing vapors or mists of this product.

Use good industrial hygiene practices in handling this material.

Wash thoroughly after handling.

When using do not eat or drink.

Keep container tightly closed.

See section 2 for further details. - [Prevention]:

#### 7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Incompatible materials: Acids, oxidizers, reducing agents

See section 2 for further details. - [Storage]:

#### 7.3. Specific end use(s)

No data available.

## 8. Exposure controls and personal protection

#### 8.1. Control parameters

#### **Exposure**

CAS No.	Ingredient	Source	Value
0000064-17-5	Ethanol	OSHA	TWA 1000 ppm (1900 mg/m3)
		ACGIH	STEL: 1000 ppm Revised 2009,
		NIOSH	TWA 1000 ppm (1900 mg/m3)
		Supplier	No Established Limit

#### 8.2. Exposure controls

Respiratory

If workers are exposed to concentrations above the exposure limit they must use the



SDS Revision Date: 05/06/2015

appropriate, certified respirators.

**Eyes** Tightly fitting safety goggles.

**Skin** Wear suitable gloves.

**Engineering Controls** Provide adequate ventilation. Where reasonably practicable this should be achieved by the

use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits

suitable respiratory protection must be worn.

Other Work Practices Use good personal hygiene practices. Wash hands before eating, drinking, smoking or

using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details. - [Prevention]:

## 9. Physical and chemical properties

**Appearance** Clear, Green Liquid

Odor Characteristic
Odor threshold Not Measured

**pH** 12.4

Melting point / freezing point

Initial boiling point and boiling range

Flash Point

Not Measured
>93.34C

Evaporation rate (Ether = 1) Not Measured Flammability (solid, gas) Not Applicable

Upper/lower flammability or explosive limits Lower Explosive Limit: Not Measured

Upper Explosive Limit: Not Measured

Vapor pressure (Pa)Not MeasuredVapor DensityNot MeasuredSpecific GravityNot Measured

Solubility in Water Soluble

Partition coefficient n-octanol/water (Log Kow)Not MeasuredAuto-ignition temperatureNot MeasuredDecomposition temperatureNot MeasuredViscosity (cSt)Not Measured

9.2. Other information

No other relevant information.

## 10. Stability and reactivity

#### 10.1. Reactivity

Stable under recommended storage conditions

#### 10.2. Chemical stability

Stable under normal circumstances.



SDS Revision Date: 05/06/2015

10.3. Possibility of hazardous reactions

None known. Stable

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

Thermal decomposition can lead to release of irritating gases and vapours.

## 11. Toxicological information

#### **Acute toxicity**

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Quaternary ammonium compounds, benzyl-C12-alkyldimethyl, chlorides (68424-85-1)	344 mg/kg Rat	3,340 mg/kg rabbit (24 h)	No data available	No data available	No data available
Ethanol - (64-17-5)	7,060.00, Rat - Category: NA	20,000.00, Rabbit - Category: NA	124.70, Rat - Category: NA	No data available	No data available

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Classification	Category	Hazard Description
Acute toxicity (oral)		Not Applicable
Acute toxicity (dermal)		Not Applicable
Acute toxicity (inhalation)		Not Applicable
Skin corrosion/irritation	2	Causes skin irritation.
Serious eye damage/irritation	1	Causes serious eye damage.
Respiratory sensitization		Not Applicable
Skin sensitization		Not Applicable
Germ cell mutagenicity		Not Applicable
Carcinogenicity		Not Applicable
Reproductive toxicity		Not Applicable
STOT-single exposure		Not Applicable
STOT-repeated exposure		Not Applicable
Aspiration hazard		Not Applicable

## 12. Ecological information



SDS Revision Date: 05/06/2015

12.1. Toxicity

No Data Available

**Aquatic Ecotoxicity** 

No Data Available

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

Not Measured

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This product contains PBT/vPvB chemicals.

12.6. Other adverse effects

No data available.

### 13. Disposal considerations

#### 13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

## 14. Transport information

 14.1. UN number
 N/A
 N/A
 N/A

 14.2. UN proper shipping
 N/A
 N/A
 N/A

name

14.3. Transport hazard DOT Hazard Class: N/A IMDG: N/A Air Class: N/A

class(es) Sub Class: Not Applicable

 14.4. Packing group
 N/A
 N/A
 N/A

 14.1. UN number
 N/A
 N/A
 N/A

14.5. Environmental hazards

**IMDG** Marine Pollutant: No

14.6. Special precautions for user

No further information

### 15. Regulatory information

Regulatory Overview The regulatory data in Section 15 is not intended to be all-inclusive, only selected

regulations are represented.

**Toxic Substance** All components of this material are either listed or exempt from listing on the TSCA



SDS Revision Date: 05/06/2015

Control Act (TSCA) Inventory.

US EPA Tier II Hazards Fire: No

Sudden Release of Pressure: No

Reactive: No

Immediate (Acute): Yes
Delayed (Chronic): No

#### EPCRA 311/312 Chemicals and RQs:

Acute Health Hazard

#### **EPCRA 302 Extremely Hazardous:**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **EPCRA 313 Toxic Chemicals:**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **Proposition 65 - Developmental Toxins (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **Proposition 65 - Female Repro Toxins (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **New Jersey RTK Substances (>1%):**

Ehtanol (64-17-5)

#### Pennsylvania RTK Substances (>1%):

Ehtanol (64-17-5)

#### 16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

## This is the first version in the GHS SDS format. Listings of changes from previous versions in other formats are not applicable.

Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

End of Document