[Ø39]



Double Robe Hook

Specialty Accessories

MasterFormat Section 10 28 13





Scan for Information





Sustainability/LEED

MR 4.1 (1) MR 6 (1) EQ 4.2 (1) MR 4.2 (1) EQ 4.1 (1) EQ 4.4 (1)









NOTE: ALL DIM'S INCH [MM]
ILLUSTRATION FOR REF ONLY AND NTS

PRODUCT OVERVIEW

Two hooks, set apart at 90° on center, extend 2-3/8" [60] from wall or door. Suitable for robes, clothing or small bags. Satin finish stainless steel.

KEY FEATURES & SPECIFICATIONS

- Double Hook
- Type 304 Stainless Steel Satin Finish
- 22 Gauge Post
- 19 Gauge Mounting Cup

Saw Mill River Road, Yonkers, NY American Specialties, Inc. 10701 (914)476-9000 www.americanspecialties.com Model: #7312 Revision: R2 Issued: 11/1/2021 Revised: 7/24/2024

CSI:10 28 13 Toilet Accessories

Page: 1 of 2



0	PERATION	&	M_{AIN}	TENANCE

Hook is suitable for robes or clothing and small carry bags.

TECHNICAL INFORMATION / PRODUCT PROPERTIES

Property	Value
Dimensions	1-15/16" x 1-15/16" x 2-3/8" [49 x 49 x 60]
Construction	Type 304 Stainless Steel - Satin Finish
Mounting	Surface Mounted
Capacity	N/A

INSTALLATION

Surface mount unit to door back or finished wall with two (2) M4x39 (#6 x 1-1/2") pan head self-threading screws (provided) through holes provided in mounting cup into plastic wall anchors (provided) or other suitably prepared mountings (by others) or other suitable mounting hardware (by others) to suit door or wall conditions. Clip flange onto mounting cup and tighten setscrew (provided) to lock it in place. For compliance with 2010 ADA Accessibility Standards install unit with top of hook 48" [1219] maximum Above Finished Floor (AFF) if clear floor reach is provided. For general utility install hook with centerline of mounting cup 68" [1727] AFF.

ADDITIONAL INFORMATION

WARRANTY

One (1) Year from date of Invoice

American Specialties, Inc. | 441 Saw Mill River Road, Yonkers, NY 10701 | (914) 476-9000 | www.americanspecialties.com

Model:#7312 Revision: R2 Issued: 11/1/2021 Revised: 7/24/2024