

# **EVO Lite Enterprise Series Firmware & App Update**

| Release Date              | 2025-05-12 |
|---------------------------|------------|
| Арр                       | 1.4.228    |
| Aircraft Firmware         | 1.0.3.71   |
| Smart Controller Firmware | 1.6.3.65   |
| SE V2 Controller Firmware | 1.0.3.65   |
|                           |            |

#### **New Features**

- Added Aloft Air Control for automatic flight record imports and live telemetry
- Added Night Mode feature
- Added UOM reporting feature (China region only)
- Added six new languages: Lithuanian, Estonian, Latvian, and three others
- Added double confirmation for physical takeoff button

### **Bug Fixes and Optimizations**

- Optimized Remote ID functionality
- Fixed screen gray-out and flickering issues
- Fixed compass calibration failure in GPS-denied environments
- Fixed parsing errors for Directional Photography settings in waypoint missions.
- Fixed other known issues



#### **Note**

- This update includes significant changes with new features, bug fixes, and optimizations. It is strongly recommended to update before the next flight.
- The EVO Lite Enterprise firmware can be updated either via OTA (Over-The-Air) or manually. For manual update instructions, please visit the EVO Lite Enterprise download page under the Firmware & Release Notes section. If you encounter any update issues or if the RC and aircraft fail to pair, please contact our customer support at +1 (844) 692-8835 or email us at <a href="mailto:support@autelrobotics.com">support@autelrobotics.com</a>.

#### **Update Tips**

- 1. Power on the remote controller and aircraft. Make sure that the aircraft and remote controller are well paired, both have a battery level of more than 50%, and the network connection of the remote controller is normal.
- 2. Open the Autel Enterprise App. If there is a version update available, you will receive a pop-up notification on the main interface of the App or you can manually select the update in the settings of the App.
- 3. Click "**Update All**", and the Autel Enterprise App will automatically download and update the firmware for the remote controller and aircraft.
- 4. After the update is complete, follow the pop-up instructions to restart the remote controller and aircraft.

#### Reminder

- During the update process, do not power off the aircraft and keep it connected to the RC.
- The update process takes about 20 minutes (depending on the network of RC).



## Firmware Version Table

| COMPONENT                    | EVO LITE ENTERPRISE SERIES |
|------------------------------|----------------------------|
| Арр                          | 1.4.228                    |
| Aircraft                     | 1.0.3.71                   |
| Camera                       | 1.0.3.71                   |
| Image Transmission           | 1.0.3.71                   |
| Flight Control               | 12.0.0.69 / 11.0.0.69      |
| ESC                          | 4.0.1.0                    |
| Remote (SE / SC)             | 1.0.3.65 / 1.6.3.65        |
| Image Transmission (SE / SC) | 1.0.3.65 / 1.6.3.65        |
| Remote Control (SE / SC)     | 10.0.4.0 / 6.0.5.0         |
| Android System (SE / SC)     | 1.0.3.65 / 1.6.3.65        |
| Gimbal (640T / 6K)           | 1.4.0.21 / 1.0.0.17        |
| Battery                      | 0.1.11.0                   |