

# STAN-TONE HCC-35270 CHARCOAL DOTP FR

Version Number 1.0 Page 1 of 16 Revision Date 01/26/2015 Print Date 01/27/2015

# SAFETY DATA SHEET

### STAN-TONE HCC-35270 CHARCOAL DOTP FR

# **Section 1. Identification**

GHS product identifier : STAN-TONE HCC-35270 CHARCOAL DOTP FR

Chemical name: MixtureCAS number: MixtureOther means of identification: FO20034354Product type: liquid

Relevant identified uses of the substance or mixture and uses advised against

**Product use** : Industrial applications. Plastics.

Supplier's details : POLYONE CORPORATION

33587 Walker Road, Avon Lake, OH 44012

1 (440) 930-1000 or 1 (866) POLYONE

**Emergency telephone number** (with hours of operation)

CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire,

exposure or accident).

### Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status : This material is considered hazardous by the OSHA Hazard

Communication Standard (29 CFR 1910.1200).

Classification of the substance or

mixture

CARCINOGENICITY - Category 2

**Supplemental label elements** : None known. **Hazards not otherwise classified** : None known.



## STAN-TONE HCC-35270 CHARCOAL DOTP FR

Version Number 1.0 Page 2 of 16 Revision Date 01/26/2015 Print Date 01/27/2015

# Section 3. Composition/information on ingredients

Substance/mixture : Mixture Chemical name : Mixture Other means of identification : FO20034354

### CAS number/other identifiers

| Ingredient name   | %      | CAS number |
|-------------------|--------|------------|
| Antimony trioxide | 5 - 10 | 1309-64-4  |
|                   |        |            |
|                   |        |            |
| Carbon black      | 1 - 5  | 1333-86-4  |
|                   |        |            |
|                   |        |            |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

# Section 4. First aid measures

# Description of necessary first aid measures

| Eye contact  | : | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.  |
|--------------|---|--|
| Inhalation   | : | Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |
| Skin contact | : | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.   |
| Ingestion    | : | Wash out mouth with water. Remove dentures if any. Remove victim   |



# STAN-TONE HCC-35270 CHARCOAL DOTP FR

Version Number 1.0 Page 3 of 16 Revision Date 01/26/2015 Print Date 01/27/2015

to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

### Most important symptoms/effects, acute and delayed

#### Potential acute health effects

Eye contact: No known significant effects or critical hazards.Inhalation: No known significant effects or critical hazards.Skin contact: No known significant effects or critical hazards.Ingestion: No known significant effects or critical hazards.

#### Over-exposure signs/symptoms

Eye contact: No specific data.Inhalation: No specific data.Skin contact: No specific data.Ingestion: No specific data.

### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : Treat symptomatically. Contact poison treatment specialist

immediately if large quantities have been ingested or inhaled.

**Specific treatments** : No specific treatment.

**Protection of first-aiders**: No action shall be taken involving any personal risk or without

suitable training. It may be dangerous to the person providing aid to

give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

# **Section 5. Fire-fighting measures**

### **Extinguishing media**

Suitable extinguishing media : In case of fire, use water spray (fog), foam, dry chemical or CO<sub>2</sub>.



## STAN-TONE HCC-35270 CHARCOAL DOTP FR

Version Number 1.0 Page 4 of 16 Revision Date 01/26/2015 Print Date 01/27/2015

**Unsuitable extinguishing media** : None known.

Specific hazards arising from the chemical

Hazardous thermal decomposition products

: In a fire or if heated, a pressure increase will occur and the container may burst.

Decomposition products may include the following materials:

carbon dioxide carbon monoxide sulfur oxides metal oxide/oxides

Special protective actions for firefighters

Special protective equipment for fire-fighters

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : No action shall be taken involving any personal risk or without

suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is

inadequate. Put on appropriate personal protective equipment.

**For emergency responders**: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See

also the information in "For non-emergency personnel".

**Environmental precautions**: Avoid dispersal of spilled material and runoff and contact with soil,

waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil

or air).

#### Methods and materials for containment and cleaning up

Small spill : Stop leak if without risk. Move containers from spill area. Dilute with

water and mop up if water-soluble. Alternatively, or if water-

insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal

contractor.

Large spill : Stop leak if without risk. Move containers from spill area. Approach

release from upwind. Prevent entry into sewers, water courses,



## STAN-TONE HCC-35270 CHARCOAL DOTP FR

Version Number 1.0 Revision Date 01/26/2015 Page 5 of 16 Print Date 01/27/2015

basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

# Section 7. Handling and storage

### Precautions for safe handling

**Protective measures** 

Put on appropriate personal protective equipment (see Section 8). Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store in a well-ventilated place. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

# Section 8. Exposure controls/personal protection

#### **Control parameters**

#### Occupational exposure limits



# STAN-TONE HCC-35270 CHARCOAL DOTP FR

Version Number 1.0 Revision Date 01/26/2015 Page 6 of 16 Print Date 01/27/2015

| Ingredient name                  |   | Exposure limits  |
|----------------------------------|---|--|
| Antimony trioxide                |   | OSHA PEL (1993-06-30) Calculated as Sb   |
|                                  |   | PEL: Permissible Exposure Level 0.5 mg/m3  |
|                                  |   | NIOSH REL (1994-06-01) Calculated as Sb  |
|                                  |   | Time Weighted Average (TWA) 0.5 mg/m3  |
|                                  |   | OSHA PEL 1989 (1989-03-01) Calculated as Sb  |
|                                  |   | PEL: Permissible Exposure Level 0.5 mg/m3  |
|                                  |   | ACGIH TLV (1994-09-01)   |
|                                  |   |  |
| Carbon black                     |   | OSHA PEL 1989 (1989-03-01)   |
| Carbon black                     |   | PEL: Permissible Exposure Level 3.5 mg/m3  |
|                                  |   | OSHA PEL (1993-06-30)  |
|                                  |   | PEL: Permissible Exposure Level 3.5 mg/m3  |
|                                  |   | NIOSH REL (1994-06-01)   |
|                                  |   | Time Weighted Average (TWA) 3.5 mg/m3  |
|                                  |   | Time Weighted Average (TWA)  |
|                                  |   | ACGIH TLV (2010-12-06)   |
|                                  |   | TLV-TWA: Threshold Limit Value - Time weighted average PEL:  |
|                                  |   | Permissible Exposure Level 3 mg/m3 Form: Inhalable fraction  |
|                                  |   | Termissione Exposure Bever's mg/ms Termi minutaire muchon  |
| Appropriate engineering controls | : | If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.   |
| Environmental exposure controls  | : | Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.                 |
| Individual protection measures   |   |  |
| Hygiene measures                 | : | Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety |
| Eye/face protection              | : | showers are close to the workstation location.  Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a |



# STAN-TONE HCC-35270 CHARCOAL DOTP FR

Version Number 1.0 Revision Date 01/26/2015 Page 7 of 16 Print Date 01/27/2015

higher degree of protection: safety glasses with side-shields.

### Skin protection

**Hand protection**: Chemical-resistant, impervious gloves complying with an approved

standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves

cannot be accurately estimated.

**Body protection**: Personal protective equipment for the body should be selected based

on the task being performed and the risks involved and should be

approved by a specialist before handling this product.

Other skin protection : Appropriate footwear and any additional skin protection measures

should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this

product.

**Respiratory protection**: Use a properly fitted, air-purifying or air-fed respirator complying

with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits

of the selected respirator.

# Section 9. Physical and chemical properties

#### **Appearance**

Physical state : liquid [Paste.]

Color : GREY

Odor : Not available.
Odor threshold : Not available.
pH : Not available.

pH : Not available.

Melting point : Not available.

Boiling point : Not available.

Flash point : Not available.

Burning time: Not available.Burning rate: Not available.Evaporation rate: Not available.Flammability (solid, gas): Not available.

Lower and upper explosive : Lower: Not available. (flammable) limits : Upper: Not available.

Vapor pressure : Not available.



## STAN-TONE HCC-35270 CHARCOAL DOTP FR

Version Number 1.0 Page 8 of 16 Revision Date 01/26/2015 Print Date 01/27/2015

Vapor densityNot available.Relative densityNot available.SolubilityNot available.Solubility in waterNot available.Partition coefficient: n-Not available.

octanol/water

Auto-ignition temperature: Not available.Decomposition temperature: Not available.SADT: Not available.

Viscosity : Dynamic: Not available.

Kinematic: Not available.

# Section 10. Stability and reactivity

**Reactivity** : No specific test data related to reactivity available for this product or

its ingredients.

Chemical stability : Stable under recommended storage and handling conditions (see

Section 7).

Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reactions will

not occur.

**Conditions to avoid** : Keep away from extreme heat and oxidizing agents.

**Incompatible materials** : Keep away from strong acids.

Oxidizer.

**Hazardous decomposition**: Under normal conditions of storage and use, hazardous decomposition

products should not be produced.

# Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

### **Information on toxicological effects**

#### **Acute toxicity**

products

| Product/ingredient name | Result    | Species | Dose         | Exposure |
|-------------------------|-----------|---------|--------------|----------|
| Antimony trioxide       |           |         |              |          |
|                         | LD50 Oral | Rat     | 34,000 mg/kg | -        |
| Carbon black            |           |         |              |          |
|                         | LD50 Oral | Rat     | 15,400 mg/kg | -        |

**Conclusion/Summary** : Mixture.Not fully tested.

### **Irritation/Corrosion**



# STAN-TONE HCC-35270 CHARCOAL DOTP FR

Version Number 1.0 Page 9 of 16 Revision Date 01/26/2015 Print Date 01/27/2015

| Product/ingredient name | Result      | Species | Score | Exposure | Observation |
|-------------------------|-------------|---------|-------|----------|-------------|
| Antimony trioxide       | Eyes - Mild | Rabbit  |       |          | -           |
|                         | irritant    |         |       |          |             |

Conclusion/Summary

Skin: Mixture.Not fully tested.Eyes: Mixture.Not fully tested.Respiratory: Mixture.Not fully tested.

**Sensitization** 

Conclusion/Summary

Skin: Mixture.Not fully tested.Respiratory: Mixture.Not fully tested.

**Mutagenicity** 

Conclusion/Summary : Mixture.Not fully tested.

Carcinogenicity

**Conclusion/Summary** : Mixture.Not fully tested.

Classification

| CIMBBILICATION          |      |      |     |
|-------------------------|------|------|-----|
| Product/ingredient name | OSHA | IARC | NTP |
| Antimony trioxide       |      | 2B   |     |
| Carbon black            |      | 2B   |     |

#### **Reproductive toxicity**

**Conclusion/Summary** : Mixture.Not fully tested.

**Teratogenicity** 

**Conclusion/Summary** : Mixture.Not fully tested.

### **Specific target organ toxicity (single exposure)**

Not available.

### Specific target organ toxicity (repeated exposure)

Not available.

#### **Aspiration hazard**

Not available.

**Information on the likely routes of** : Not available.



### STAN-TONE HCC-35270 CHARCOAL DOTP FR

Version Number 1.0 Page 10 of 16 Revision Date 01/26/2015 Print Date 01/27/2015

#### exposure

### Potential acute health effects

Eye contact: No known significant effects or critical hazards.Inhalation: No known significant effects or critical hazards.Skin contact: No known significant effects or critical hazards.Ingestion: No known significant effects or critical hazards.

#### Symptoms related to the physical, chemical and toxicological characteristics

Eye contact: No specific data.Inhalation: No specific data.Skin contact: No specific data.Ingestion: No specific data.

#### Delayed and immediate effects and also chronic effects from short and long term exposure

### **Short term exposure**

Potential immediate effects : Not available.
Potential delayed effects : Not available.

#### Long term exposure

Potential immediate effects : Not available.
Potential delayed effects : Not available.

### Potential chronic health effects

**Conclusion/Summary** : Mixture.Not fully tested.

**General** : No known significant effects or critical hazards.

Carcinogenicity : Suspected of causing cancer. Risk of cancer depends on duration and

level of exposure.

Mutagenicity: No known significant effects or critical hazards.Teratogenicity: No known significant effects or critical hazards.Developmental effects: No known significant effects or critical hazards.Fertility effects: No known significant effects or critical hazards.

#### **Numerical measures of toxicity**

### **Acute toxicity estimates**

Not available.



## STAN-TONE HCC-35270 CHARCOAL DOTP FR

Version Number 1.0 Revision Date 01/26/2015 Page 11 of 16 Print Date 01/27/2015

# Section 12. Ecological information

### **Toxicity**

| Product/ingredient name | Result                           | Species                 | Exposure |
|-------------------------|----------------------------------|-------------------------|----------|
| Antimony trioxide       |                                  |                         |          |
|                         | Acute LC50 80,000 µg/l Fresh     | Fish - Fathead minnow   | 96 h     |
|                         | water                            |                         |          |
|                         | Acute LC50 530 mg/l Fresh water  | Fish - Bluegill         | 96 h     |
|                         | Acute LC50 1,000,000 μg/l Marine | Fish - Mummichog        | 96 h     |
|                         | water                            |                         |          |
|                         | Acute EC50 423,450 μg/l Fresh    | Aquatic invertebrates.  | 48 h     |
|                         | water                            | Water flea              |          |
|                         | Acute EC50 730 µg/l Fresh water  | Aquatic plants - Green  | 72 h     |
|                         |                                  | algae                   |          |
|                         | Acute EC50 4.15 mg/l Marine      | Aquatic plants - Diatom | 72 h     |
|                         | water                            |                         |          |
|                         | Acute EC50 4.15 mg/l Marine      | Aquatic plants - Diatom | 96 h     |
|                         | water                            |                         |          |
|                         | Acute EC50 760 µg/l Fresh water  | Aquatic plants - Green  | 96 h     |
|                         |                                  | algae                   |          |
|                         | Acute EC50 740 µg/l Fresh water  | Aquatic plants - Green  | 96 h     |
|                         |                                  | algae                   |          |

**Conclusion/Summary** : Not available.

Persistence and degradability

**Conclusion/Summary** : Not available.

Bioaccumulative potential Mobility in soil

Soil/water partition coefficient

(KOC)

: Not available.

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

**Disposal methods** : The generation of waste should be avoided or minimized wherever



## STAN-TONE HCC-35270 CHARCOAL DOTP FR

Version Number 1.0
Revision Date 01/26/2015

Page 12 of 16 Print Date 01/27/2015

possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

# Section 14. Transport information

U.S. DOT Classification : Not regulated for transportation.

ICAO/IATA : Consult mode specific transport rules

IMO/IMDG (maritime) : Consult mode specific transport rules

# **Section 15. Regulatory information**

U.S. Federal regulations : United States - TSCA 12(b) - Chemical export notification: None of the components are listed.

of the components are listed.

United States - TSCA 4(2) -

United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a) 2 Final size (f)

United States - TSCA 5(a)2 - Final significant new use rules: Not

listed

United States - TSCA 5(a)2 - Proposed significant new use rules:

Not listed

United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Listed

Lead

United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed



### STAN-TONE HCC-35270 CHARCOAL DOTP FR

Version Number 1.0 Revision Date 01/26/2015 Page 13 of 16 Print Date 01/27/2015

United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not

determined

United States - TSCA 8(c) - Significant adverse reaction (SAR):

Not listed

United States - TSCA 8(d) - Health and safety studies: Not listed

United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Preliminary assessment report

(PAIR): Not listed

United States - EPA Clean water act (CWA) section 307 - Priority

pollutants: Listed Zinc sulfide

Antimony trioxide

Arsenic Lead

United States - EPA Clean water act (CWA) section 311 -

Hazardous substances: Listed

United States - EPA Clean air act (CAA) section 112 - Accidental

release prevention - Flammable substances: Not listed

United States - EPA Clean air act (CAA) section 112 - Accidental

release prevention - Toxic substances: Not listed

**United States - Department of commerce - Precursor chemical:** 

Not listed

Clean Air Act Section 112(b)

Hazardous Air Pollutants (HAPs)

Clean Air Act Section 602 Class I

**Substances** 

Clean Air Act Section 602 Class II

**Substances** 

**DEA List I Chemicals (Precursor** 

Chemicals)

**DEA List II Chemicals (Essential** 

Chemicals)

Listed

Not listed

140t Hstea

Not listed

Not listed

Not listed

### US. EPA CERCLA Hazardous Substances (40 CFR 302)

| Chemical Name     | CAS-No.   | RQ for component |
|-------------------|-----------|------------------|
| Arsenic           | 7440-38-2 | 1 lb(s)          |
|                   |           | 0.454 kg         |
|                   |           |                  |
| Antimony trioxide | 1309-64-4 | 1,000 lb(s)      |
|                   |           | 454 kg           |
|                   |           |                  |



## STAN-TONE HCC-35270 CHARCOAL DOTP FR

Version Number 1.0 Page 14 of 16 Revision Date 01/26/2015 Print Date 01/27/2015

### **SARA 311/312**

Classification : Delayed (chronic) health hazard

#### **Composition/information on ingredients**

| Name              | %      | Classification |
|-------------------|--------|----------------|
| Antimony trioxide | 5 - 10 | АН, СН         |
| Carbon black      | 1 - 5  | СН             |

#### **SARA 313**

|                       | Product name      | CAS number | % |
|-----------------------|-------------------|------------|---|
| Form R - Reporting    | Zinc sulfide      | 1314-98-3  | 0 |
| requirements          |                   |            |   |
|                       | Antimony trioxide | 1309-64-4  | 0 |
| Supplier notification | Zinc sulfide      | 1314-98-3  | 0 |
|                       | Antimony trioxide | 1309-64-4  | 0 |

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

**State regulations** 

Massachusetts : The following components are listed:

Antimony trioxide Carbon black

**New York** : The following components are listed:

Antimony trioxide

**New Jersey** : The following components are listed:

Zinc sulfide Antimony trioxide Carbon black

**Pennsylvania** : The following components are listed:

Zinc sulfide

Antimony trioxide

Carbon black

California Prop. 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

United States inventory (TSCA 8b) : All components are listed or exempted.



## STAN-TONE HCC-35270 CHARCOAL DOTP FR

Version Number 1.0 Page 15 of 16 Revision Date 01/26/2015 Print Date 01/27/2015

**Canada inventory** : All components are listed or exempted.

**International regulations** 

International lists : Australia inventory (AICS): All components are listed or exempted.

Taiwan inventory (CSNN): Not determined.

Malaysia Inventory (EHS Register): Not determined. EINECS: All components are listed or exempted.

Japan inventory: Not determined.

**China inventory (IECSC):** All components are listed or exempted.

**Korea inventory:** All components are listed or exempted.

New Zealand Inventory of Chemicals (NZIoC): All components

are listed or exempted.

Philippines inventory (PICCS): All components are listed or

exempted.

**Chemical Weapons Convention** 

**List Schedule I Chemicals** 

**Chemical Weapons Convention** 

List Schedule II Chemicals Chemical Weapons Convention

**List Schedule III Chemicals** 

Not listed

Not listed

Not listed

# **Section 16. Other information**

**History** 

Date of printing: 01/27/2015Date of issue/Date of revision: 01/26/2015Date of previous issue: 00/00/0000

Version : 1.0

**Key to abbreviations** : ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of

Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine

pollution)

UN = United Nations

**References** : Not available.

Notice to reader



## STAN-TONE HCC-35270 CHARCOAL DOTP FR

Version Number 1.0 Revision Date 01/26/2015 Page 16 of 16 Print Date 01/27/2015

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.