

# **AQUAMIX 1298**

Version Number 1.0 Page 1 of 16 Revision Date 08/04/2014 Print Date 08/05/2014

# SAFETY DATA SHEET

### **AQUAMIX 1298**

# **Section 1. Identification**

**GHS** product identifier **AQUAMIX 1298** 

Chemical name Mixture CAS number Mixture FO20033464 Other means of identification **Product type** liquid

Relevant identified uses of the substance or mixture and uses advised against

**Product use** Industrial applications. Plastics.

Supplier's details POLYONE CORPORATION

33587 Walker Road, Avon Lake, OH 44012

1 (440) 930-1000 or 1 (866) POLYONE

**Emergency telephone number** 

(with hours of operation)

CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire,

exposure or accident).

# Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

**OSHA/HCS** status This material is considered hazardous by the OSHA Hazard

Communication Standard (29 CFR 1910.1200).

Classification of the substance or

mixture

SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2B

Not applicable.

Supplemental label elements None known. Hazards not otherwise classified None known.



# **AQUAMIX 1298**

Version Number 1.0 Page 2 of 16 Revision Date 08/04/2014 Print Date 08/05/2014

# Section 3. Composition/information on ingredients

Substance/mixture: MixtureChemical name: MixtureOther means of identification: FO20033464

#### CAS number/other identifiers

| Ingredient name                 | %       | CAS number |
|---------------------------------|---------|------------|
| Zinc oxide                      | 30 - 60 | 1314-13-2  |
|                                 |         |            |
|                                 |         |            |
| Zinc bis dibutyldithiocarbamate | 1 - 5   | 136-23-2   |
|                                 |         |            |
|                                 |         |            |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

# Section 4. First aid measures

#### Description of necessary first aid measures

**Eye contact**: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses.

Continue to rinse for at least 10 minutes. If irritation persists, get

medical attention.

**Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable

for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.



# **AQUAMIX 1298**

Version Number 1.0 Page 3 of 16 Revision Date 08/04/2014 Print Date 08/05/2014

**Skin contact**: Flush contaminated skin with plenty of water. Remove contaminated

clothing and shoes. Get medical attention if symptoms occur. Wash

clothing before reuse. Clean shoes thoroughly before reuse.

Ingestion : Wash out mouth with water. Remove dentures if any. Remove victim

to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie,

belt or waistband.

#### Most important symptoms/effects, acute and delayed

#### Potential acute health effects

**Eye contact** : Causes eye irritation.

**Inhalation** : Exposure to decomposition products may cause a health hazard.

Serious effects may be delayed following exposure.

Skin contact
Ingestion
No known significant effects or critical hazards.
May be irritating to mouth, throat and stomach.

Over-exposure signs/symptoms

**Eye contact** : Adverse symptoms may include the following:

irritation watering redness

Inhalation: No specific data.Skin contact: No specific data.Ingestion: No specific data.

## Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : In case of inhalation of decomposition products in a fire, symptoms

may be delayed. The exposed person may need to be kept under

medical surveillance for 48 hours.

**Specific treatments** : No specific treatment.

**Protection of first-aiders**: No action shall be taken involving any personal risk or without

suitable training. It may be dangerous to the person providing aid to



# **AQUAMIX 1298**

Version Number 1.0 Revision Date 08/04/2014 Page 4 of 16 Print Date 08/05/2014

give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

# **Section 5. Fire-fighting measures**

#### Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media In case of fire, use water spray (fog), foam, dry chemical or  $CO_2$ .

None known.

Specific hazards arising from the chemical

Hazardous thermal decomposition products

In a fire or if heated, a pressure increase will occur and the container

may burst.

: Decomposition products may include the following materials:

carbon dioxide carbon monoxide nitrogen oxides sulfur oxides metal oxide/oxides

Special protective actions for firefighters

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any

personal risk or without suitable training.

Special protective equipment for fire-fighters

For emergency responders

Fire-fighters should wear appropriate protective equipment and selfcontained breathing apparatus (SCBA) with a full face-piece operated

in positive pressure mode.

# Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : No action shall be taken involving any personal risk or without

suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is

inadequate. Put on appropriate personal protective equipment.

: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See

also the information in "For non-emergency personnel".

**Environmental precautions**: Avoid dispersal of spilled material and runoff and contact with soil,

waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil



### **AQUAMIX 1298**

Version Number 1.0 Revision Date 08/04/2014

Page 5 of 16 Print Date 08/05/2014

or air).

## Methods and materials for containment and cleaning up

Small spill Stop leak if without risk. Move containers from spill area. Dilute with

> water and mop up if water-soluble. Alternatively, or if waterinsoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal

Large spill Stop leak if without risk. Move containers from spill area. Approach

> release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with noncombustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency

contact information and Section 13 for waste disposal.

# Section 7. Handling and storage

### Precautions for safe handling

Put on appropriate personal protective equipment (see Section 8). Do **Protective measures** 

> not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when

not in use. Empty containers retain product residue and can be

hazardous. Do not reuse container.

hygiene

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands

and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See

also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities

Advice on general occupational

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area,

away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use

appropriate containment to avoid environmental contamination.



# **AQUAMIX 1298**

Version Number 1.0 Revision Date 08/04/2014 Page 6 of 16 Print Date 08/05/2014

# Section 8. Exposure controls/personal protection

#### **Control parameters**

#### Occupational exposure limits

| Ingredient name | Exposure limits   |  |  |  |
|-----------------|---|--|--|--|
| Zinc oxide      | OSHA PEL 1989 (1989-03-01)                                      |  |  |  |
|                 | PEL: Permissible Exposure Level 5 mg/m3 Form: Fume              |  |  |  |
|                 | Short Term Exposure Limit 10 mg/m3 Form: Fume                   |  |  |  |
|                 | PEL: Permissible Exposure Level 10 mg/m3 Form: Total dust       |  |  |  |
|                 | <b>PEL: Permissible Exposure Level</b> 5 mg/m3 Form: Respirable |  |  |  |
|                 | fraction  |  |  |  |
|                 | OSHA PEL (1993-06-30)   |  |  |  |
|                 | PEL: Permissible Exposure Level 5 mg/m3 Form: Fume              |  |  |  |
|                 | PEL: Permissible Exposure Level 15 mg/m3 Form: Total dust       |  |  |  |
|                 | <b>PEL: Permissible Exposure Level</b> 5 mg/m3 Form: Respirable |  |  |  |
|                 | fraction  |  |  |  |
|                 | NIOSH REL (1994-06-01)  |  |  |  |
|                 | Time Weighted Average (TWA) 5 mg/m3 Form: Dust and fumes        |  |  |  |
|                 | Short Term Exposure Limit 10 mg/m3 Form: Fume                   |  |  |  |
|                 | Ceiling 15 mg/m3 Form: Dust                                     |  |  |  |
|                 | ACGIH TLV (2003-01-01)  |  |  |  |
|                 | TLV-TWA: Threshold Limit Value - Time weighted average PEL:     |  |  |  |
|                 | Permissible Exposure Level 2 mg/m3 Form: Respirable fraction    |  |  |  |
|                 | TLV-STEL: Threshold Limit Value - Short Time Exposure Level     |  |  |  |
|                 | 10 mg/m3 Form: Respirable fraction                              |  |  |  |
|                 |   |  |  |  |

**Appropriate engineering controls** 

Good general ventilation should be sufficient to control worker

exposure to airborne contaminants.

**Environmental exposure controls** 

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

#### **Individual protection measures**

Hygiene measures

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety



#### **AQUAMIX 1298**

Version Number 1.0 Revision Date 08/04/2014 Page 7 of 16 Print Date 08/05/2014

showers are close to the workstation location.

Eye/face protection

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

#### Skin protection

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

**Body protection** 

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Respiratory protection** 

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

# Section 9. Physical and chemical properties

#### **Appearance**

Physical state liquid [liquid] Color **NO PIGMENT** Not available. Odor **Odor threshold** Not available. Not available. pН **Melting point** Not available. **Boiling point** Not available. Flash point Not available. **Burning time** Not available. **Burning rate** Not available.



# **AQUAMIX 1298**

Version Number 1.0 Page 8 of 16 Revision Date 08/04/2014 Print Date 08/05/2014

**Evaporation rate** : Not available. **Flammability (solid, gas)** : Not available.

Lower and upper explosive : Lower: Not available. (flammable) limits : Upper: Not available.

Vapor pressureNot available.Vapor densityNot available.Relative densityNot available.SolubilityNot available.Solubility in waterNot available.Partition coefficient: n-Not available.

octanol/water

Auto-ignition temperature: Not available.Decomposition temperature: Not available.SADT: Not available.

Viscosity : Dynamic: Not available.

Kinematic: Not available.

# Section 10. Stability and reactivity

**Reactivity**: No specific test data related to reactivity available for this product or

its ingredients.

Chemical stability : Stable under recommended storage and handling conditions (see

Section 7).

Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reactions will

not occur.

**Conditions to avoid** : Keep away from extreme heat and oxidizing agents.

**Incompatible materials** : Keep away from strong acids.

Oxidizer.

Hazardous decomposition : Under normal conditions of storage and use, hazardous decomposition

products should not be produced.

# Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### **Information on toxicological effects**

#### **Acute toxicity**

products

| Product/ingredient name         | Result    | Species | Dose        | Exposure |
|---------------------------------|-----------|---------|-------------|----------|
| Zinc bis dibutyldithiocarbamate |           |         |             |          |
|                                 | LD50 Oral | Rat     | 5,000 mg/kg | -        |

**Conclusion/Summary**: Mixture.Not fully tested.



# **AQUAMIX 1298**

Version Number 1.0 Revision Date 08/04/2014 Page 9 of 16 Print Date 08/05/2014

#### **Irritation/Corrosion**

| Product/ingredient name | Result      | Species | Score | Exposure | Observation |
|-------------------------|-------------|---------|-------|----------|-------------|
| Zinc oxide              | Eyes - Mild | Rabbit  |       | 24 hrs   | -           |
|                         | irritant    |         |       |          |             |
|                         | Skin - Mild | Rabbit  |       | 24 hrs   | =           |
|                         | irritant    |         |       |          |             |
| Zinc bis                | Eyes - Mild | Rabbit  |       |          | =           |
| dibutyldithiocarbamate  | irritant    |         |       |          |             |
|                         | Skin - Mild | Rabbit  |       |          | -           |
|                         | irritant    |         |       |          |             |

Conclusion/Summary

Skin:Mixture.Not fully tested.Eyes:Mixture.Not fully tested.Respiratory:Mixture.Not fully tested.

**Sensitization** 

**Conclusion/Summary** 

Skin: Mixture.Not fully tested.Respiratory: Mixture.Not fully tested.

**Mutagenicity** 

**Conclusion/Summary**: Mixture.Not fully tested.

**Carcinogenicity** 

Conclusion/Summary : Mixture.Not fully tested.

Classification

| Product/ingredient name | OSHA | IARC | NTP |
|-------------------------|------|------|-----|
| Zinc oxide              |      |      |     |
| Zinc bis                |      |      |     |
| dibutyldithiocarbamate  |      |      |     |

#### **Reproductive toxicity**

**Conclusion/Summary**: Mixture.Not fully tested.

**Teratogenicity** 

**Conclusion/Summary** : Mixture.Not fully tested.

#### Specific target organ toxicity (single exposure)



# **AQUAMIX 1298**

Version Number 1.0 Page 10 of 16 Revision Date 08/04/2014 Print Date 08/05/2014

Not available.

#### **Specific target organ toxicity (repeated exposure)**

Not available.

#### **Aspiration hazard**

Not available.

Information on the likely routes of :

exposure

Not available.

#### Potential acute health effects

**Eye contact** : Causes eye irritation.

**Inhalation** : Exposure to decomposition products may cause a health hazard.

Serious effects may be delayed following exposure.

Skin contact: No known significant effects or critical hazards.Ingestion: May be irritating to mouth, throat and stomach.

## Symptoms related to the physical, chemical and toxicological characteristics

**Eye contact** : Adverse symptoms may include the following:

irritation watering redness

Inhalation: No specific data.Skin contact: No specific data.Ingestion: No specific data.

#### Delayed and immediate effects and also chronic effects from short and long term exposure

#### **Short term exposure**

Potential immediate effects : Not available.
Potential delayed effects : Not available.

#### Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

#### Potential chronic health effects

**Conclusion/Summary** : Mixture.Not fully tested.



# **AQUAMIX 1298**

Version Number 1.0 Revision Date 08/04/2014 Page 11 of 16 Print Date 08/05/2014

General:No known significant effects or critical hazards.Carcinogenicity:No known significant effects or critical hazards.Mutagenicity:No known significant effects or critical hazards.Teratogenicity:No known significant effects or critical hazards.Developmental effects:No known significant effects or critical hazards.Fertility effects:No known significant effects or critical hazards.

#### Numerical measures of toxicity

#### **Acute toxicity estimates**

Not available.

# Section 12. Ecological information

#### **Toxicity**

| Product/ingredient name | Result                          | Species                | Exposure |
|-------------------------|---------------------------------|------------------------|----------|
| Zinc oxide              |                                 |                        |          |
|                         | Acute LC50 2,246,000 μg/l Fresh | Fish - Fathead minnow  | 96 h     |
|                         | water                           |                        |          |
|                         | Acute LC50 320 mg/l Fresh water | Fish - Bluegill        | 96 h     |
|                         | Acute LC50 1.1 mg/l Fresh water | Fish - Rainbow         | 96 h     |
|                         |                                 | trout,donaldson trout  |          |
|                         | Acute LC50 24,600 µg/l Fresh    | Aquatic invertebrates. | 48 h     |
|                         | water                           | Water flea             |          |
|                         | Acute LC50 7.1 mg/l Fresh water | Aquatic invertebrates. | 48 h     |
|                         |                                 | Water flea             |          |
|                         | Acute LC50 98 µg/l Fresh water  | Aquatic invertebrates. | 48 h     |
|                         |                                 | Water flea             |          |
|                         | Acute EC50 1 mg/l Fresh water   | Aquatic invertebrates. | 48 h     |
|                         |                                 | Water flea             |          |
|                         | Acute LC50 2.6 mg/l Fresh water | Aquatic invertebrates. | 48 h     |
|                         |                                 | Water flea             |          |
|                         | Acute EC50 0.042 mg/l Fresh     | Aquatic plants - Green | 72 h     |
|                         | water                           | algae                  |          |
|                         | Acute IC50 44 µg/l Fresh water  | Aquatic plants - Green | 72 h     |
|                         |                                 | algae                  |          |
|                         | Acute IC50 46 µg/l Fresh water  | Aquatic plants - Green | 72 h     |
|                         |                                 | algae                  |          |
|                         | Acute IC50 49 µg/l Fresh water  | Aquatic plants - Green | 72 h     |
|                         |                                 | algae                  |          |



## **AQUAMIX 1298**

Version Number 1.0 Revision Date 08/04/2014 Page 12 of 16 Print Date 08/05/2014

Acute IC50 63 μg/l Fresh water Aquatic plants - Green algae 72 h

**Conclusion/Summary** : Not available.

Persistence and degradability

**Conclusion/Summary** : Not available.

**Bioaccumulative potential** 

| Product/ingredient name | LogPow | BCF       | Potential |
|-------------------------|--------|-----------|-----------|
| Zinc oxide              |        | 60,960.00 | high      |

#### Mobility in soil

Soil/water partition coefficient

(KOC)

Other adverse effects

Not available.

No known significant effects or critical hazards.

# Section 13. Disposal considerations

**Disposal methods** 

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

# **Section 14. Transport information**



## **AQUAMIX 1298**

Version Number 1.0 Page 13 of 16 Revision Date 08/04/2014 Print Date 08/05/2014

U.S. DOT Classification : Not regulated for transportation.

ICAO/IATA : Consult mode specific transport rules

IMO/IMDG (maritime) : Consult mode specific transport rules

# **Section 15. Regulatory information**

U.S. Federal regulations

**United States - TSCA 12(b) - Chemical export notification:** None

of the components are listed.

United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed

United States - TSCA 5(a)2 - Final significant new use rules: Not

listed

United States - TSCA 5(a)2 - Proposed significant new use rules:

Not listed

United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not

United States - TSCA 8(a) - Preliminary assessment report

(**PAIR**): Not listed

**United States - TSCA 8(c) - Significant adverse reaction (SAR):** 

Not listed

determined

United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority

pollutants: Listed Zinc oxideZinc bis dibutyldithiocarbamate

United States - EPA Clean water act (CWA) section 311 -

Hazardous substances: Listed

United States - EPA Clean air act (CAA) section 112 - Accidental

release prevention - Flammable substances: Not listed

United States - EPA Clean air act (CAA) section 112 - Accidental

release prevention - Toxic substances: Not listed

**United States - Department of commerce - Precursor chemical:** 

Not listed

Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs) Not listed



# **AQUAMIX 1298**

 Version Number 1.0
 Page 14 of 16

 Revision Date 08/04/2014
 Print Date 08/05/2014

Clean Air Act Section 602 Class I : Not listed

**Substances** 

Clean Air Act Section 602 Class II : Not listed

**Substances** 

**DEA List I Chemicals (Precursor**: Not listed

Chemicals)

**DEA List II Chemicals (Essential**: Not listed

**Chemicals**)

#### US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

**SARA 311/312** 

Classification : Immediate (acute) health hazard

# Composition/information on ingredients

| Name                            | %       | Classification |
|---------------------------------|---------|----------------|
| Zinc oxide                      | 30 - 60 | F, AH          |
| Zinc bis dibutyldithiocarbamate | 1 - 5   | АН             |

#### **SARA 313**

|                       | Product name           | CAS number | % |  |
|-----------------------|------------------------|------------|---|--|
| Form R - Reporting    | Zinc oxide             | 1314-13-2  | 0 |  |
| requirements          |                        |            |   |  |
|                       | Zinc bis               | 136-23-2   | 0 |  |
|                       | dibutyldithiocarbamate |            |   |  |
| Supplier notification | Zinc oxide             | 1314-13-2  | 0 |  |
|                       | Zinc bis               | 136-23-2   | 0 |  |
|                       | dibutyldithiocarbamate |            |   |  |

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

**State regulations** 

Massachusetts : The following components are listed:

Zinc oxide Sulfur

New York : None of the components are listed.
New Jersey : The following components are listed:

Zinc oxide



# **AQUAMIX 1298**

Version Number 1.0 Revision Date 08/04/2014

Page 15 of 16 Print Date 08/05/2014

Sulfur

Zinc bis dibutyldithiocarbamate The following components are listed:

Zinc oxide

Sulfur

Zinc bis dibutyldithiocarbamate

#### California Prop. 65

Pennsylvania

This PolyOne product does not contain any chemical known to the State of California to cause cancer, or birth defects or other reproductive harm, in concentrations that require a warning notice under California's Proposition 65. This statement relies in part on information provided by the buyer of this PolyOne product. PolyOne does not control or have complete knowledge of the end uses to which that buyer or any other entity in the chain of distribution and marketing may put this PolyOne product. Therefore, the buyer of this PolyOne product, each entity that uses this PolyOne product in formulating another product, and each entity in the chain of distribution and marketing of any product that includes the material in this PolyOne product must make its own decision as to giving a Proposition 65 warning.

**United States inventory (TSCA 8b)**: All components are listed or exempted.

Canada inventory All components are listed or exempted.

**International regulations** 

International lists Australia inventory (AICS): Not determined.

Taiwan inventory (CSNN): Not determined.

Malaysia Inventory (EHS Register): Not determined.

**EINECS:** All components are listed or exempted.

Japan inventory: Not determined.

China inventory (IECSC): Not determined.

Korea inventory: Not determined.

New Zealand Inventory of Chemicals (NZIoC): Not determined.

Philippines inventory (PICCS): Not determined.

**Chemical Weapons Convention** 

**List Schedule I Chemicals** 

Not listed

**Chemical Weapons Convention** 

**List Schedule II Chemicals** 

Not listed

**Chemical Weapons Convention List Schedule III Chemicals** 

Not listed

# **Section 16. Other information**

**History** 

Date of printing 08/05/2014



# **AQUAMIX 1298**

Version Number 1.0 Page 16 of 16 Print Date 08/05/2014 Revision Date 08/04/2014

Date of issue/Date of revision 08/04/2014 Date of previous issue 00/00/0000

Version 1.0

ATE = Acute Toxicity Estimate **Key to abbreviations** 

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of

Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine

pollution)

UN = United Nations

References Not available.

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.