# TESA INDUSTRIES

#### SAFETY DATA SHEET

# **RED STAIN 201 (2)**

Version Number 1.1 Page 1 of 21 Revision Date 07/21/2020 Print Date 07/22/2020

# SAFETY DATA SHEET

#### **RED STAIN 201 (2)**

# **Section 1. Identification**

**GHS product identifier** : RED STAIN 201 (2)

Chemical name: MixtureCAS number: MixtureOther means of identification: CC10301023Product type: liquid

#### Relevant identified uses of the substance or mixture and uses advised against

Product use : Industrial applications. Plastics.

Supplier's details : Mesa Industries

230 N 48th Avenue Phoenix, AZ 85043

(602) 269-3199

Emergency telephone number

(with hours of operation)

CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or

accident).

## Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. Some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status : This material is considered hazardous by the OSHA Hazard

Communication Standard (29 CFR 1910.1200).

Classification of the substance or

mixture

: SKIN IRRITATION - Category 2

SERIOUS EYE DAMAGE - Category 1 SKIN SENSITIZATION - Category 1 CARCINOGENICITY - Category 2

#### **GHS label elements**



# **RED STAIN 201 (2)**

Version Number 1.1 Page 2 of 21 Revision Date 07/21/2020 Print Date 07/22/2020

Hazard pictograms

Signal word : Danger

Hazard statements : Causes serious eye damage.

Causes skin irritation.

May cause an allergic skin reaction. Suspected of causing cancer.

#### **Precautionary statements**

**General** : Not applicable.

**Prevention**: Obtain special instructions before use. Do not handle until all safety

precautions have been read and understood. Wear protective gloves. Wear eye or face protection. Wear protective clothing. Avoid

breathing vapor. Wash hands thoroughly after handling. Contaminated

work clothing must not be allowed out of the workplace.

**Response** : IF exposed or concerned: Get medical attention. IF ON SKIN: Wash

with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER or physician.

**Storage** : Store locked up.

**Disposal** : Dispose of contents and container in accordance with all local,

regional, national and international regulations.

**Supplemental label elements** : None known. **Hazards not otherwise classified** : None known.

Not available.

# Section 3. Composition/information on ingredients

Substance/mixture:MixtureChemical name:MixtureOther means of identification:CC10301023

#### CAS number/other identifiers

Ingredient name	%	CAS number
Titanium dioxide	10 - 25	13463-67-7



# **RED STAIN 201 (2)**

 Version Number 1.1
 Page 3 of 21

 Revision Date 07/21/2020
 Print Date 07/22/2020

Proprietary Hazardous Compounds	3 - 5	Not available.
1-Methyl-2-pyrrolidone	1 - 3	872-50-4
Talc	1 - 3	14807-96-6
Poly(oxy-1,2-ethanediyl), .alpha[(2Z)-3-carboxy-1-oxo-2-propen-1-yl]omegahydroxy-, C9-11-alkyl ethers	1 - 3	709014-50-6

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

# Section 4. First aid measures

# **Description of necessary first aid measures**

**Eve contact** 

Lyc contact	·	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician.
Inhalation	:	Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	:	Get medical attention immediately. Call a poison center or physician.

Get medical attention immediately. Call a poison center or physician.





# **RED STAIN 201 (2)**

Version Number 1.1 Page 4 of 21 Revision Date 07/21/2020 Print Date 07/22/2020

Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.

**Ingestion** : Get medical attention immediately. Call a poison center or physician.

Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or

waistband.

#### Most important symptoms/effects, acute and delayed

#### Potential acute health effects

**Eye contact** : Causes serious eye damage.

**Inhalation** : No known significant effects or critical hazards.

**Skin contact**: Causes skin irritation. May cause an allergic skin reaction.

**Ingestion** : No known significant effects or critical hazards.

#### Over-exposure signs/symptoms

**Eye contact**: Adverse symptoms may include the following:

pain watering redness

**Inhalation** : No specific data.

**Skin contact**: Adverse symptoms may include the following:

pain or irritation

redness

blistering may occur

**Ingestion**: Adverse symptoms may include the following:

stomach pains

#### Indication of immediate medical attention and special treatment needed, if necessary



# **RED STAIN 201 (2)**

Version Number 1.1 Page 5 of 21 Revision Date 07/21/2020 Print Date 07/22/2020

**Notes to physician** : In case of inhalation of decomposition products in a fire, symptoms

may be delayed. The exposed person may need to be kept under

medical surveillance for 48 hours.

**Specific treatments** : No specific treatment.

**Protection of first-aiders** : No action shall be taken involving any personal risk or without

suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

# Section 5. Firefighting measures

#### **Extinguishing media**

Suitable extinguishing media Unsuitable extinguishing media In case of fire, use water spray (fog), foam, dry chemical or  $CO_2$ .

None known.

Specific hazards arising from the chemical

Hazardous thermal decomposition products

: In a fire or if heated, a pressure increase will occur and the container

may burst.

Decomposition products may include the following materials:

carbon dioxide carbon monoxide nitrogen oxides sulfur oxides metal oxide/oxides

Special protective actions for firefighters Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any

personal risk or without suitable training.

Special protective equipment for fire-fighters

**01** 

Fire-fighters should wear appropriate protective equipment and selfcontained breathing apparatus (SCBA) with a full face-piece operated

in positive pressure mode.

# Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : No action shall be taken involving any personal risk or without

suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through





# **RED STAIN 201 (2)**

Version Number 1.1 Revision Date 07/21/2020 Page 6 of 21 Print Date 07/22/2020

For emergency responders

**Environmental precautions** 

spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil

or air).

#### Methods and materials for containment and cleaning up

Small spill : Stop leak if without risk. Move containers from spill area. Dilute with

water and mop up if water-soluble. Alternatively, or if waterinsoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal

contractor.

Large spill : Stop leak if without risk. Move containers from spill area. Approach

release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency

contact information and Section 13 for waste disposal.

# Section 7. Handling and storage

#### Precautions for safe handling

**Protective measures** : Put on appropriate personal protective equipment (see Section 8).

Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse

# TIESA INDUSTRIES

#### SAFETY DATA SHEET

# **RED STAIN 201 (2)**

Version Number 1.1 Revision Date 07/21/2020 Page 7 of 21 Print Date 07/22/2020

# Advice on general occupational hygiene

container.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

# Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store in a well-ventilated place. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

# Section 8. Exposure controls/personal protection

#### **Control parameters**

#### Occupational exposure limits

Ingredient name	Exposure limits
Titanium dioxide	OSHA PEL 1989 (1989-03-01) TWA 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust ACGIH TLV (1996-05-18) TWA 10 mg/m3
Proprietary Hazardous Compounds	None.
Poly(oxy-1,2-ethanediyl), .alpha[(2Z)-3-carboxy-1-oxo-2-propen-1-yl]omegahydroxy-, C9-11-alkyl ethers	None.
Talc	OSHA PEL Z3 (1997-09-03) TWA 20 million particles per 1 cubic foot Form: not/asb OSHA PEL Z3 (1997-09-03) STEL 1 fiber/cm3: refers to respirable fibers having a diameter of < 3 µm (micrometers) and a fiber length > 5 µm (micrometers), and the length/diameter ratio \geq /= 3/1 Form: not/asb TWA 0.1 fiber/cm3: refers to respirable fibers having a diameter of <



# **RED STAIN 201 (2)**

Version Number 1.1 Revision Date 07/21/2020 Page 8 of 21 Print Date 07/22/2020

	3 μm (micrometers) and a fiber length > 5 μm (micrometers), and the length/diameter ratio ≥/= 3/1 Form: con/asb  STEL 1 fiber/cm3: refers to respirable fibers having a diameter of < 3 μm (micrometers) and a fiber length > 5 μm (micrometers), and the length/diameter ratio ≥/= 3/1 Form: con/asb  ACGIH TLV (1996-05-18)  TWA 2 mg/m3 Form: Respirable fraction  ACGIH TLV (1998-09-01)  TWA 0.1 fiber/cm3: refers to respirable fibers having a diameter of < 3 μm (micrometers) and a fiber length > 5 μm (micrometers), and the length/diameter ratio ≥/= 3/1 Form: respiratble fibre  NIOSH REL (1994-06-01)  TWA 2 mg/m3 Form: Respirable fraction  OSHA PEL 1989 (1989-03-01)  TWA 2 mg/m3 Form: Respirable dust  NIOSH REL (1994-06-01)  TWA 6 mg/m3 Form: Total  TWA 3 mg/m3 Form: Respirable fraction
1-Methyl-2-pyrrolidone	AIHA WEEL (1999-01-01) Absorbed through skin. TWA 10 ppm

**Appropriate engineering controls** 

If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

**Environmental exposure controls** 

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

#### **Individual protection measures**

Hygiene measures

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

**Eye/face protection** 

Safety eyewear complying with an approved standard should be used





# **RED STAIN 201 (2)**

Version Number 1.1 Revision Date 07/21/2020 Page 9 of 21 Print Date 07/22/2020

when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/or face shield. If inhalation hazards exist, a full-face respirator may be required instead.

#### **Skin protection**

**Hand protection** 

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

**Body protection** 

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Respiratory protection** 

Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

# Section 9. Physical and chemical properties

#### **Appearance**

Physical state : liquid [liquid]

Color : RED

Odor Not available. **Odor threshold** Not available. Not available. Hq **Melting point** Not available. **Boiling point** Not available. Flash point Not available. **Burning time** Not available. Not available. **Burning rate Evaporation rate** Not available.

# TIESA INDUSTRIES

#### SAFETY DATA SHEET

# **RED STAIN 201 (2)**

 Version Number 1.1
 Page 10 of 21

 Revision Date 07/21/2020
 Print Date 07/22/2020

Flammability (solid, gas) : Not available.

Lower and upper explosive : Lower: Not available. (flammable) limits : Upper: Not available.

Vapor pressureNot available.Vapor densityNot available.Relative densityNot available.SolubilityNot available.Solubility in waterNot available.Partition coefficient: n-Not available.

octanol/water

Auto-ignition temperature: Not available.Decomposition temperature: Not available.SADT: Not available.

Viscosity : Dynamic: Not available.

Kinematic: Not available.

#### Aerosol product

**Heat of combustion** : Not available.

**Ignition distance** : Not available. **Enclosed space ignition - Time** : Not available.

equivalent

products

**Enclosed space ignition -** : Not available.

**Deflagration density** 

Flame height : Not available.
Flame duration : Not available.

# Section 10. Stability and reactivity

**Reactivity**: No specific test data related to reactivity available for this product or

its ingredients.

Chemical stability : Stable under recommended storage and handling conditions (see

Section 7).

Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reactions will

not occur.

**Conditions to avoid** : Keep away from extreme heat and oxidizing agents.

**Incompatible materials** : Keep away from strong acids.

Oxidizer.

**Hazardous decomposition** : Under normal conditions of storage and use, hazardous decomposition

products should not be produced.

# Section 11. Toxicological information



## **SAFETY DATA SHEET**

# **RED STAIN 201 (2)**

Version Number 1.1 Revision Date 07/21/2020 Page 11 of 21 Print Date 07/22/2020

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### **Information on toxicological effects**

#### **Acute toxicity**

Product/ingredient name	Result	Species	Dose	Exposure		
1-Methyl-2-pyrrolidone						
	LD50 Oral	Rat	3,914 mg/kg	=		
Remarks - Inhalation:	No applicable toxic	o applicable toxicity data				
	LD50 Dermal	D50 Dermal Rabbit 8,000 mg/kg -				
Talc						
Remarks - Oral:	No applicable toxic	city data				
Remarks - Inhalation:	No applicable toxic	city data				
Remarks - Dermal:	No applicable toxic	city data				
Poly(oxy-1,2-ethanediyl), .alpl	na[(2Z)-3-carboxy-	1-oxo-2-propen-1-	yl]omegahydroxy-, C	9-11-alkyl ethers		
Remarks - Oral:	No applicable toxic	city data				
Remarks - Inhalation:	No applicable toxic	city data				
Remarks - Dermal:	No applicable toxic	city data				
Proprietary Hazardous Compo	unds					
Remarks - Oral:	No applicable toxic	No applicable toxicity data				
Remarks - Inhalation:	No applicable toxic	city data				
Remarks - Dermal:	No applicable toxic	city data				
Titanium dioxide						
Remarks - Oral:	No applicable toxic	city data				
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h		
	LD50 Dermal Rabbit > 5,000 mg/kg -					
C/C	3.4	Not full-, tooted				

**Conclusion/Summary**: Mixture.Not fully tested.

#### **Irritation/Corrosion**

Product/ingredient name	Result	Species	Score	Exposure	Observation
1-Methyl-2-pyrrolidone	Eyes -	Rabbit			-
	Moderate				
	irritant				
Talc	Skin - Mild	Human		72 hrs	-
	irritant				
Titanium dioxide	Skin - Mild	Human		72 hrs	-
	irritant				

Conclusion/Summary

Skin:Mixture.Not fully tested.Eyes:Mixture.Not fully tested.Respiratory:Mixture.Not fully tested.



# TESA INDUSTRIES

# **RED STAIN 201 (2)**

 Version Number 1.1
 Page 12 of 21

 Revision Date 07/21/2020
 Print Date 07/22/2020

**Sensitization** 

Conclusion/Summary

Skin: Mixture.Not fully tested.Respiratory: Mixture.Not fully tested.

**Mutagenicity** 

**Conclusion/Summary**: Mixture.Not fully tested.

Carcinogenicity

**Conclusion/Summary**: Mixture.Not fully tested.

Classification

Product/ingredient name	OSHA	IARC	NTP
Talc	-	132B	-
Titanium dioxide	-	2B	-

#### **Reproductive toxicity**

**Conclusion/Summary**: Mixture.Not fully tested.

**Teratogenicity** 

Conclusion/Summary : Mixture.Not fully tested.

**Specific target organ toxicity (single exposure)** 

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

**Aspiration hazard** 

Not available.

Information on likely routes of

exposure

Not available.

Potential acute health effects

**Eye contact** : Causes serious eye damage.

**Inhalation** : No known significant effects or critical hazards.

**Skin contact**: Causes skin irritation. May cause an allergic skin reaction.

12/21



#### SAFETY DATA SHEET

# **RED STAIN 201 (2)**

 Version Number 1.1
 Page 13 of 21

 Revision Date 07/21/2020
 Print Date 07/22/2020

**Ingestion** : No known significant effects or critical hazards.

#### Symptoms related to the physical, chemical and toxicological characteristics

**Eye contact** : Adverse symptoms may include the following: pain, watering, redness

**Inhalation** : No specific data.

**Skin contact**: Adverse symptoms may include the following: pain or irritation,

redness, blistering may occur

**Ingestion**: Adverse symptoms may include the following: stomach pains

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

#### **Short term exposure**

Potential immediate effects : Not available.

Potential delayed effects : Not available.

#### Long term exposure

Potential immediate effects: Not available.Potential delayed effects: Not available.

#### **Potential chronic health effects**

Conclusion/Summary : Mixture.Not fully tested.

General : Once sensitized, a severe allergic reaction may occur when

subsequently exposed to very low levels.

Carcinogenicity : Suspected of causing cancer. Risk of cancer depends on duration and

level of exposure.

Mutagenicity: No known significant effects or critical hazards.Teratogenicity: No known significant effects or critical hazards.Developmental effects: No known significant effects or critical hazards.Fertility effects: No known significant effects or critical hazards.

#### Numerical measures of toxicity

#### **Acute toxicity estimates**

Route	ATE value
Oral	10,489.6 mg/kg
Route	ATE value
Dermal	24,043.7 mg/kg
Route	ATE value



# **SAFETY DATA SHEET**

# **RED STAIN 201 (2)**

Version Number 1.1 Revision Date 07/21/2020 Page 14 of 21 Print Date 07/22/2020

	32.79 mg/l
--	------------

# Section 12. Ecological information

## **Toxicity**

Product/ingredient name	Result	Species	Exposure			
1-Methyl-2-pyrrolidone			_			
	Acute LC50 832 Mg/l Fresh water	Fish - Fish	96 h			
Remarks - Acute - Fish:	Acute					
	Acute LC50 1.23 Mg/l Fresh water	Aquatic invertebrates.  Daphnia	48 h			
Remarks - Acute - Aquatic	Acute					
invertebrates.:						
Remarks - Acute - Aquatic	No applicable toxicity data					
plants:						
Remarks - Chronic - Fish:	No applicable toxicity data					
Remarks - Chronic -	No applicable toxicity data					
Aquatic invertebrates.:						
Talc						
Remarks - Acute - Fish:	No applicable toxicity data					
Remarks - Acute - Aquatic	No applicable toxicity data					
invertebrates.:						
Remarks - Acute - Aquatic	No applicable toxicity data					
plants:						
Remarks - Chronic - Fish:	No applicable toxicity data					
Remarks - Chronic -	No applicable toxicity data					
	Aquatic invertebrates.:					
	na[(2Z)-3-carboxy-1-oxo-2-propen-1	-yl]omegahydroxy-, C9	-11-alkyl ethers			
Remarks - Acute - Fish:	No applicable toxicity data					
Remarks - Acute - Aquatic	No applicable toxicity data					
invertebrates.:						
Remarks - Acute - Aquatic	No applicable toxicity data					
plants:						
Remarks - Chronic - Fish:	No applicable toxicity data					
Remarks - Chronic -	No applicable toxicity data					
Aquatic invertebrates.:						
Proprietary Hazardous Compo						
Remarks - Acute - Fish:	No applicable toxicity data					
Remarks - Acute - Aquatic	No applicable toxicity data					
invertebrates.:						
	4.4/04					



## **SAFETY DATA SHEET**

# **RED STAIN 201 (2)**

Version Number 1.1 Revision Date 07/21/2020 Page 15 of 21 Print Date 07/22/2020

Remarks - Acute - Aquatic	No applicable toxicity data		
plants:	Two applicable toxicity data		
1	No applicable torrigity data		
Remarks - Chronic - Fish:	No applicable toxicity data		
Remarks - Chronic -	No applicable toxicity data		
Aquatic invertebrates.:			
Titanium dioxide			
	Acute LC50 > 1,000 Mg/l Marine	Fish - Fish	96 h
	water		
Remarks - Acute - Fish:	Acute		
	Acute LC50 3 Mg/l Fresh water	Aquatic invertebrates.	48 h
		Crustaceans	
Remarks - Acute - Aquatic	Acute		
invertebrates.:			
		A .: 1 .	48 h
	Acute LC50 6.5 Mg/l Fresh water	Aquatic invertebrates.	40 11
	Acute LC50 6.5 Mg/l Fresh water	Aquatic invertebrates.  Daphnia	40 11
Remarks - Acute - Aquatic	Acute LC50 6.5 Mg/l Fresh water  Acute		40 11
Remarks - Acute - Aquatic invertebrates.:	Ç		40 11
_	Ç		40 11
invertebrates.:	Acute		40 11
invertebrates.: Remarks - Acute - Aquatic	Acute		40 11
invertebrates.:  Remarks - Acute - Aquatic plants:	Acute  No applicable toxicity data		40 11
invertebrates.:  Remarks - Acute - Aquatic plants:  Remarks - Chronic - Fish:	Acute  No applicable toxicity data  No applicable toxicity data		40 11

**Conclusion/Summary** : Not available.

Persistence and degradability

Conclusion/Summary : Not available.

#### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
1-Methyl-2-pyrrolidone	-0.46	-	low

#### **Mobility in soil**

Soil/water partition coefficient

(KOC)

Not available.

Other adverse effects : No known significant effects or critical hazards.

# Section 13. Disposal considerations



# **RED STAIN 201 (2)**

Version Number 1.1 Page 16 of 21 Revision Date 07/21/2020 Print Date 07/22/2020

**Disposal methods** 

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

# Section 14. Transport information

U.S.DOT 49CFR : Not regulated for transportation.

Ground/Air/Water

International Air ICAO/IATA

: Consult mode specific transport rules

**International Water** 

IMO/IMDG

Consult mode specific transport rules

# Section 15. Regulatory information

U.S. Federal regulations United States - TSCA 12(b) - Chemical export notification: None

of the components are listed.

United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a)2 - Final significant new use rules: Not

listed

United States - TSCA 5(a)2 - Proposed significant new use rules:





# **RED STAIN 201 (2)**

Version Number 1.1 Revision Date 07/21/2020

Page 17 of 21 Print Date 07/22/2020

Not listed

United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined

United States - TSCA 8(a) - Preliminary assessment report (PAIR): Listed Poly(oxy-1,2-ethanediyl), .alpha.-(4nonvlphenyl)-.omega.-hvdroxv-,branched

United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed

United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Zinc oxide

United States - EPA Clean water act (CWA) section 311 -

Hazardous substances: Listed

United States - EPA Clean air act (CAA) section 112 - Accidental

release prevention - Flammable substances: Not listed

United States - EPA Clean air act (CAA) section 112 - Accidental

release prevention - Toxic substances: Not listed

**United States - Department of commerce - Precursor chemical:** 

Not listed

Not listed

Not listed

Not listed

Not listed

Listed

Clean Air Act Section 112(b)

Hazardous Air Pollutants (HAPs)

Clean Air Act Section 602 Class I

**Substances** 

Clean Air Act Section 602 Class II

**Substances** 

**DEA List I Chemicals (Precursor** 

Chemicals)

**DEA List II Chemicals (Essential** 

Chemicals)

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

**SARA 311/312** 

Classification SKIN IRRITATION - Category 2

> SERIOUS EYE DAMAGE - Category 1 SKIN SENSITIZATION - Category 1





# **RED STAIN 201 (2)**

Version Number 1.1 Revision Date 07/21/2020 Page 18 of 21 Print Date 07/22/2020

#### CARCINOGENICITY - Category 2

#### **Composition/information on ingredients**

Name	%	Classification
Proprietary Hazardous	>= 3 - < 5	FLAMMABLE LIQUIDS - Category 4
Compounds		ACUTE TOXICITY - oral - Category 4
		ACUTE TOXICITY - dermal - Category 4
		ACUTE TOXICITY - inhalation - Category 4
		SKIN CORROSION - Category 1B
		SERIOUS EYE DAMAGE - Category 1
		SKIN SENSITIZATION - Category 1A
Titanium dioxide	>= 10 - <= 25	CARCINOGENICITY - Category 2
Talc	>= 1 - <= 3	CARCINOGENICITY - Category 2
1-Methyl-2-pyrrolidone	>= 1 - <= 3	FLAMMABLE LIQUIDS - Category 4
		EYE IRRITATION - Category 2A
Poly(oxy-1,2-ethanediyl),	>= 1 - <= 3	SKIN SENSITIZATION - Category 1
.alpha[(2Z)-3-carboxy-1-		
oxo-2-propen-1-yl]omega		
hydroxy-, C9-11-alkyl		
ethers		

#### **SARA 313**

#### Form R - Reporting requirements

Product name	CAS number	%
1-Methyl-2-pyrrolidone	872-50-4	>= 1 - <= 3
Proprietary Hazardous Compounds	-	>= 3 - < 5

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

**State regulations** 

Massachusetts : The following components are listed:
Proprietary Hazardous Compounds



#### SAFETY DATA SHEET

# **RED STAIN 201 (2)**

 Version Number 1.1
 Page 19 of 21

 Revision Date 07/21/2020
 Print Date 07/22/2020

New York : None of the components are listed.

New Jersey : The following components are listed:

1-Methyl-2-pyrrolidone

Talc

Titanium dioxide Iron oxide Barium sulfate

Proprietary Hazardous Compounds The following components are listed:

Pennsylvania : The following components are li

Titanium dioxide

Iron oxide

Barium sulfate

Proprietary Hazardous Compounds

Talc

1-Methyl-2-pyrrolidone

#### California Prop. 65

WARNING: This product can expose you to chemicals including Titanium dioxide, Talc, Oil mist, mineral, which are known to the State of California to cause cancer, and 1-Methyl-2-pyrrolidone, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable
		dosage level
Titanium dioxide	-	-
Talc	-	-
1-Methyl-2-pyrrolidone	-	Yes.
Oil mist, mineral	-	-

**United States inventory (TSCA 8b)** : All components are active or exempted.

Canada inventory : Not determined.

**International regulations** 

**Inventory list** 

Australia : Not determined.

Canada : Not determined.

Not determined.

# TIESA INDUSTRIES

#### SAFETY DATA SHEET

# **RED STAIN 201 (2)**

 Version Number 1.1
 Page 20 of 21

 Revision Date 07/21/2020
 Print Date 07/22/2020

Not determined. China **Europe inventory** Not determined. Japan Not determined. **New Zealand** Not determined. **Philippines** Not determined. Republic of Korea Not determined. Taiwan Not determined. **Turkey** Not determined.

United States : All components are active or exempted.

# Section 16. Other information

#### **Hazardous Material Information System (U.S.A.)**

Health	*	3
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

#### **History**

References

Date of printing: 07/22/2020Date of issue/Date of revision: 07/21/2020Date of previous issue: 04/05/2019

Version : 1.

**Key to abbreviations** : ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of

Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

 $IMDG = International \ Maritime \ Dangerous \ Goods$ 

LogPow = logarithm of the octanol/water partition coefficient

 $MARPOL = International \ Convention \ for \ the \ Prevention \ of \ Pollution \ From$ 

Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine

pollution)

UN = United Nations Not available.



#### **SAFETY DATA SHEET**

# **RED STAIN 201 (2)**

 Version Number 1.1
 Page 21 of 21

 Revision Date 07/21/2020
 Print Date 07/22/2020

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.