

STAN-TONE MB- BLUE RSNX5216

Version Number 1.1 Revision Date 03/26/2018 Page 1 of 17 Print Date 04/25/2018

SAFETY DATA SHEET

STAN-TONE MB- BLUE RSNX5216

Section 1. Identification

GHS product identifier : STAN-TONE MB- BLUE RSNX5216

Chemical name: MixtureCAS number: MixtureOther means of identification: FO20039741Product type: liquid

Relevant identified uses of the substance or mixture and uses advised against

Product use : Industrial applications. Plastics.

Supplier's details : POLYONE CORPORATION

1675 Navarre Road SW, Massillon,

Ohio USA 44646

1 330 837 8679

Emergency telephone number (with hours of operation)

CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or

accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. Some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status : This material is considered hazardous by the OSHA Hazard

Communication Standard (29 CFR 1910.1200).

Classification of the substance or

mixture

EYE IRRITATION - Category 2A

GHS label elements



STAN-TONE MB- BLUE RSNX5216

Version Number 1.1 Page 2 of 17 Revision Date 03/26/2018 Print Date 04/25/2018

Hazard pictograms

 \diamondsuit

Signal word : Warning

Hazard statements : Causes serious eye irritation.

Precautionary statements

General : Not applicable.

Prevention : Wear eye or face protection. Wash hands thoroughly after handling. **Response** : IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. If

eye irritation persists: Get medical attention.

Storage:Not applicable.Disposal:Not applicable.Supplemental label elements:None known.Hazards not otherwise classified:None known.

Section 3. Composition/information on ingredients

Substance/mixture: MixtureChemical name: MixtureOther means of identification: FO20039741

CAS number/other identifiers

%	CAS number
25 - 50	143-29-3
25 - 50	13463-67-7
1 - 3	112-34-5
	25 - 50 25 - 50

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.



STAN-TONE MB- BLUE RSNX5216

 Version Number 1.1
 Page 3 of 17

 Revision Date 03/26/2018
 Print Date 04/25/2018

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact: Immediately flush eyes with plenty of water, occasionally lifting the

upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.

Inhalation : Remove victim to fresh air and keep at rest in a position comfortable

for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical

surveillance for 48 hours.

Skin contact : Flush contaminated skin with plenty of water. Remove contaminated

clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Ingestion: Wash out mouth with water. Remove dentures if any. Remove victim

to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie,

belt or waistband.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact : Causes serious eye irritation.

Inhalation: No known significant effects or critical hazards.Skin contact: No known significant effects or critical hazards.Ingestion: No known significant effects or critical hazards.



STAN-TONE MB- BLUE RSNX5216

Version Number 1.1 Revision Date 03/26/2018 Page 4 of 17 Print Date 04/25/2018

Over-exposure signs/symptoms

Eye contact : Adverse symptoms may include the following:

pain or irritation

watering redness

Inhalation: No specific data.Skin contact: No specific data.Ingestion: No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : In case of inhalation of decomposition products in a fire, symptoms

may be delayed. The exposed person may need to be kept under

medical surveillance for 48 hours.

Specific treatments : No specific treatment.

Protection of first-aiders : No action shall be taken involving any personal risk or without

suitable training. It may be dangerous to the person providing aid to

give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

Section 5. Firefighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media In case of fire, use water spray (fog), foam, dry chemical or CO_2 .

: None known.

Specific hazards arising from the chemical

In a fire or if heated, a pressure increase will occur and the container

may burst.

Hazardous thermal decomposition products

: Decomposition products may include the following materials:

carbon dioxide carbon monoxide nitrogen oxides

halogenated compounds metal oxide/oxides

Special protective actions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity

of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for :

Fire-fighters should wear appropriate protective equipment and self-



STAN-TONE MB- BLUE RSNX5216

Version Number 1.1 Revision Date 03/26/2018 Page 5 of 17 Print Date 04/25/2018

fire-fighters

contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : No action shall be taken involving any personal risk or without

suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is

inadequate. Put on appropriate personal protective equipment.

For emergency responders

inadequate. Put on appropriate personal protective equipment.

if specialized clothing is required to deal with the spillage, tak

: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials.

See also the information in "For non-emergency personnel".

Environmental precautions : Avoid dispersal of spilled material and runoff and contact with soil,

waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil

or air).

Methods and materials for containment and cleaning up

Small spill : Stop leak if without risk. Move containers from spill area. Dilute with

water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate

waste disposal container. Dispose of via a licensed waste disposal

contractor.

Large spill : Stop leak if without risk. Move containers from spill area. Approach

release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency

contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling



STAN-TONE MB- BLUE RSNX5216

Version Number 1.1 Revision Date 03/26/2018 Page 6 of 17 Print Date 04/25/2018

Protective measures

Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Diethylene glycol monobutyl ether	ACGIH TLV (2012-03-05) TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 10 ppmForm: Inhalable fraction and vapor
Bis(2-(2-butoxyethoxy)ethoxy)methane	
Titanium dioxide	OSHA PEL 1989 (1989-03-01) PEL: Permissible Exposure Level 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) PEL: Permissible Exposure Level 15 mg/m3 Form: Total dust NIOSH REL (1994-06-01) ACGIH TLV (1996-05-18) TLV-TWA: Threshold Limit Value - Time weighted average PEL:



STAN-TONE MB- BLUE RSNX5216

Version Number 1.1 Revision Date 03/26/2018

Page 7 of 17 Print Date 04/25/2018

	Permissible Exposure Level 10 mg/m3
Appropriate engineering controls	: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures	
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves
Body protection	 cannot be accurately estimated. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	 Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	Based on the hazard and potential for exposure, select a respirator that



STAN-TONE MB- BLUE RSNX5216

Version Number 1.1 Revision Date 03/26/2018 Page 8 of 17 Print Date 04/25/2018

meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

Physical state : liquid [Paste.]

Color : BLUE

Not available. Odor **Odor threshold** Not available. pН Not available. **Melting point** Not available. **Boiling point** Not available. Flash point Not available. **Burning time** Not available. **Burning rate** Not available. **Evaporation rate** Not available. Flammability (solid, gas) Not available.

Lower and upper explosive : Lower: Not available. (flammable) limits : Upper: Not available.

Vapor pressureNot available.Vapor densityNot available.Relative densityNot available.SolubilityNot available.Solubility in waterNot available.Partition coefficient: n-Not available.

octanol/water

Auto-ignition temperature: Not available.Decomposition temperature: Not available.SADT: Not available.

Viscosity : Dynamic: Not available.

Kinematic: Not available.

Section 10. Stability and reactivity

Reactivity : No specific test data related to reactivity available for this product or

its ingredients.

Chemical stability : Stable under recommended storage and handling conditions (see

Section 7).

Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reactions will

not occur.

Conditions to avoid : Keep away from extreme heat and oxidizing agents.



Page 9 of 17

STAN-TONE MB- BLUE RSNX5216

Version Number 1.1 Print Date 04/25/2018 Revision Date 03/26/2018

Incompatible materials Keep away from strong acids.

Oxidizer.

Under normal conditions of storage and use, hazardous decomposition **Hazardous decomposition**

products should not be produced. products

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure	
Bis(2-(2-butoxyethoxy)ethoxy	(2-butoxyethoxy)ethoxy)methane				
	LD50 Oral	Rat	1,746 mg/kg	-	
Remarks - Inhalation:	No applicable toxicity data				
Remarks - Dermal:	No applicable toxicity data				
Titanium dioxide					
Remarks - Oral:	No applicable toxicity data				
	LC50 Inhalation Rat - Male 6.82 Mg/l 4 h				
	LD50 Dermal Rabbit > 5,000 mg/kg -				
Diethylene glycol monobutyl e	Diethylene glycol monobutyl ether				
	LD50 Oral	Rat	4,500 mg/kg	-	
Remarks - Inhalation:	No applicable toxicity data				
	LD50 Dermal	Rabbit	2,700 mg/kg	-	

Conclusion/Summary Mixture.Not fully tested.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Bis(2-(2-	Eyes - Mild	Rabbit			-
butoxyethoxy)ethoxy)metha	irritant				
ne					
Titanium dioxide	Skin - Mild	Human		72 hrs	-
	irritant				
Diethylene glycol	Eyes -	Rabbit		24 hrs	-
monobutyl ether	Moderate				
	irritant				
	Eyes - Severe	Rabbit			-
	irritant				

Conclusion/Summary

Mixture.Not fully tested. Skin



STAN-TONE MB- BLUE RSNX5216

Version Number 1.1 Page 10 of 17 Revision Date 03/26/2018 Print Date 04/25/2018

Eyes : Mixture.Not fully tested. **Respiratory** : Mixture.Not fully tested.

Sensitization

Conclusion/Summary

Skin: Mixture.Not fully tested.Respiratory: Mixture.Not fully tested.

Mutagenicity

Conclusion/Summary : Mixture.Not fully tested.

Carcinogenicity

Conclusion/Summary : Mixture.Not fully tested.

Classification

Product/ingredient	OSHA	IARC	NTP
name			
Titanium dioxide		2B	

Reproductive toxicity

Conclusion/Summary : Mixture.Not fully tested.

Teratogenicity

Conclusion/Summary : Mixture.Not fully tested.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on likely routes of

Not available.

exposure

Potential acute health effects

Eye contact : Causes serious eye irritation.

Inhalation: No known significant effects or critical hazards.Skin contact: No known significant effects or critical hazards.

10/17



STAN-TONE MB- BLUE RSNX5216

Version Number 1.1 Page 11 of 17 Revision Date 03/26/2018 Print Date 04/25/2018

Ingestion: No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : Adverse symptoms may include the following:

pain or irritation

watering redness

Inhalation: No specific data.Skin contact: No specific data.Ingestion: No specific data.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

Conclusion/Summary : Mixture.Not fully tested.

General:No known significant effects or critical hazards.Carcinogenicity:No known significant effects or critical hazards.Mutagenicity:No known significant effects or critical hazards.Teratogenicity:No known significant effects or critical hazards.Developmental effects:No known significant effects or critical hazards.Fertility effects:No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Route	ATE value
Oral	4,539.5 mg/kg
Route	ATE value
Dermal	145,983.6 mg/kg



STAN-TONE MB- BLUE RSNX5216

Version Number 1.1 Revision Date 03/26/2018 Page 12 of 17 Print Date 04/25/2018

Section 12. Ecological information

Toxicity

Bis(2-(2-butoxyethoxy)methane Remarks - Acute - Fish: Remarks - Acute - Aquatic invertebrates.: Remarks - Acute - Aquatic plants: Remarks - Chronic - Fish: Aquatic invertebrates.: Titanium dioxide Remarks - Acute - Fish: Acute LC50 > 1,000 Mg/l Marine water Acute LC50 3 Mg/l Fresh water Acute invertebrates.: Remarks - Acute - Aquatic invertebrates.: Remarks - Chronic - Fish: No applicable toxicity data Remarks - Chronic - Aquatic invertebrates.: Diethylene glycol monobutyl ether	Product/ingredient name	Result	Species	Exposure
Remarks - Acute - Aquatic invertebrates.: Remarks - Acute - Aquatic plants: Remarks - Chronic - Fish: Remarks - Chronic - Fish: Remarks - Chronic - Special plants: Titanium dioxide Acute LC50 > 1,000 Mg/l Marine water Remarks - Acute - Fish: Acute LC50 3 Mg/l Fresh water Acute LC50 3 Mg/l Fresh water Remarks - Acute - Aquatic invertebrates.: Acute LC50 6.5 Mg/l Fresh water Acute LC50 6.5 Mg/l Fresh water Acute LC50 6.5 Mg/l Fresh water Remarks - Acute - Aquatic invertebrates. Remarks - Acute - Aquatic invertebrates. Remarks - Acute - Aquatic invertebrates.: Remarks - Acute - Aquatic invertebrates.: Remarks - Acute - Aquatic invertebrates.: Remarks - Chronic - Fish: Remarks - Chronic - Fish: Remarks - Chronic - Aquatic invertebrates.: Diethylene glycol monobutyl ether Acute LC50 1,300 Mg/l Fresh Fish - Fish 96 h)methane	<u> </u>	•
Remarks - Acute - Aquatic plants: No applicable toxicity data No applicable toxicity data	Remarks - Acute - Fish:	No applicable toxicity data		
Remarks - Acute - Aquatic plants: No applicable toxicity data		No applicable toxicity data		
Remarks - Chronic - Fish: Remarks - Chronic - Aquatic invertebrates: Titanium dioxide Acute LC50 > 1,000 Mg/l Marine water Remarks - Acute - Fish: Acute LC50 3 Mg/l Fresh water Acute LC50 3 Mg/l Fresh water Acute LC50 6.5 Mg/l Fresh water Acute Aquatic invertebrates. Remarks - Acute - Aquatic invertebrates. Acute A	invertebrates.:			
Remarks - Chronic - Fish: No applicable toxicity data Remarks - Chronic - Aquatic invertebrates.: No applicable toxicity data Titanium dioxide Acute LC50 > 1,000 Mg/l Marine water Fish - Fish 96 h Remarks - Acute - Fish: Acute LC50 3 Mg/l Fresh water Aquatic invertebrates. Crustaceans 48 h Remarks - Acute - Aquatic invertebrates.: Acute LC50 6.5 Mg/l Fresh water Aquatic invertebrates. Daphnia 48 h Remarks - Acute - Aquatic invertebrates.: No applicable toxicity data Remarks - Acute - Aquatic plants: No applicable toxicity data Remarks - Chronic - Aquatic invertebrates.: No applicable toxicity data Diethylene glycol monobutyl ether Fish - Fish 96 h	-	No applicable toxicity data		
Remarks - Chronic - Aquatic invertebrates.: Titanium dioxide Acute LC50 > 1,000 Mg/l Marine water Remarks - Acute - Fish: Acute Acute LC50 3 Mg/l Fresh water Acute LC50 3 Mg/l Fresh water Remarks - Acute - Aquatic invertebrates.: Acute LC50 6.5 Mg/l Fresh water Acute invertebrates.: Remarks - Acute - Aquatic invertebrates. Invertebrates.: Remarks - Acute - Aquatic invertebrates. Remarks - Chronic - Fish: Acute LC50 6.5 Mg/l Fresh water Acute LC50 6.5 Mg/l Fresh water Acute invertebrates. Boaphnia Acute Acute Brish - Fish Acute Acute Acute Brish - Fish Acute Acute Acute Acute Brish - Fish Acute Acute Brish - Fish Acute Brish - Fish Brish - Fish Brish - Fish	*			
Aquatic invertebrates.: Titanium dioxide Acute LC50 > 1,000 Mg/l Marine water Remarks - Acute - Fish: Acute Acute LC50 3 Mg/l Fresh water Acute LC50 3 Mg/l Fresh water Acute LC50 3 Mg/l Fresh water Acute LC50 6.5 Mg/l Fresh water Acute Remarks - Acute - Aquatic invertebrates. Acute Remarks - Acute - Aquatic invertebrates. No applicable toxicity data Remarks - Chronic - Fish: No applicable toxicity data Remarks - Chronic - Aquatic invertebrates.: Diethylene glycol monobutyl ether Acute LC50 1,300 Mg/l Fresh Fish - Fish 96 h				
Titanium dioxide Acute LC50 > 1,000 Mg/l Marine water Remarks - Acute - Fish: Acute Acute LC50 3 Mg/l Fresh water Acute LC50 3 Mg/l Fresh water Acute LC50 6.5 Mg/l Fresh water Acute LC50 6.5 Mg/l Fresh water Acute LC50 6.5 Mg/l Fresh water Acute invertebrates. Acute Remarks - Acute - Aquatic invertebrates. Daphnia Acute Remarks - Acute - Aquatic invertebrates. No applicable toxicity data Remarks - Chronic - Fish: Remarks - Chronic - Aquatic invertebrates.: Diethylene glycol monobutyl ether Acute LC50 1,300 Mg/l Fresh Fish - Fish 96 h		No applicable toxicity data		
Acute LC50 > 1,000 Mg/l Marine water Fish - Fish 96 h				
Remarks - Acute - Fish: Acute Acute LC50 3 Mg/l Fresh water Aquatic invertebrates. 48 h	1 Itanium dioxide	A cuto I C50 > 1 000 Mg/l Moring	Eigh Eigh	06 h
Remarks - Acute - Fish: Acute Acute LC50 3 Mg/l Fresh water Aquatic invertebrates. 48 h			FISH - FISH	90 11
Acute LC50 3 Mg/l Fresh water Aquatic invertebrates. 48 h	Pamarks - Acuta Fish			
Remarks - Acute - Aquatic invertebrates.: Acute LC50 6.5 Mg/l Fresh water Aquatic invertebrates. Daphnia Remarks - Acute - Aquatic invertebrates. Acute Remarks - Acute - Aquatic invertebrates. No applicable toxicity data Remarks - Chronic - Fish: No applicable toxicity data Remarks - Chronic - Aquatic invertebrates.: No applicable toxicity data Remarks - Chronic - Aquatic invertebrates.: No applicable toxicity data Remarks - Chronic - Aquatic invertebrates.: No applicable toxicity data Acute LC50 1,300 Mg/l Fresh Fish 96 h	Acute - Fish.		Aquatic invertebrates	48 h
Remarks - Acute - Aquatic invertebrates.: Acute LC50 6.5 Mg/l Fresh water invertebrates. Aquatic invertebrates. Daphnia 48 h Remarks - Acute - Aquatic invertebrates.: Acute Remarks - Acute - Aquatic plants: No applicable toxicity data Remarks - Chronic - Fish: No applicable toxicity data Remarks - Chronic - Aquatic invertebrates.: No applicable toxicity data Diethylene glycol monobutyl ether Acute LC50 1,300 Mg/l Fresh Fish - Fish 96 h		Tieute Eeso s Night fresh water		10 11
invertebrates.: Acute LC50 6.5 Mg/l Fresh water Aquatic invertebrates. Daphnia Remarks - Acute - Aquatic invertebrates.: Remarks - Acute - Aquatic plants: Remarks - Chronic - Fish: No applicable toxicity data Remarks - Chronic - Aquatic invertebrates.: Diethylene glycol monobutyl ether Acute LC50 1,300 Mg/l Fresh Fish 96 h	Remarks - Acute - Aquatic	Acute		
Remarks - Acute - Aquatic invertebrates.: Remarks - Acute - Aquatic plants: Remarks - Chronic - Fish: Remarks - Chronic - Aquatic invertebrates.: Diethylene glycol monobutyl ether Acute LC50 1,300 Mg/l Fresh Daphnia Daphnia Daphnia Daphnia	-			
Remarks - Acute - Aquatic invertebrates.: Remarks - Acute - Aquatic plants: Remarks - Chronic - Fish: Remarks - Chronic - Mo applicable toxicity data Remarks - Chronic - Aquatic invertebrates.: Diethylene glycol monobutyl ether Acute LC50 1,300 Mg/l Fresh Fish - Fish 96 h		Acute LC50 6.5 Mg/l Fresh water	Aquatic invertebrates.	48 h
invertebrates.: Remarks - Acute - Aquatic plants: Remarks - Chronic - Fish: Remarks - Chronic - Aquatic invertebrates.: Diethylene glycol monobutyl ether Acute LC50 1,300 Mg/l Fresh Fish - Fish 96 h			Daphnia	
Remarks - Acute - Aquatic plants: Remarks - Chronic - Fish: No applicable toxicity data Remarks - Chronic - No applicable toxicity data No applicable toxicity data Aquatic invertebrates.: Diethylene glycol monobutyl ether Acute LC50 1,300 Mg/l Fresh Fish 96 h	-	Acute		
plants: No applicable toxicity data Remarks - Chronic - Aquatic invertebrates.: No applicable toxicity data Diethylene glycol monobutyl ether Acute LC50 1,300 Mg/l Fresh Fish - Fish 96 h				
Remarks - Chronic - Fish: Remarks - Chronic - Aquatic invertebrates.: Diethylene glycol monobutyl ether Acute LC50 1,300 Mg/l Fresh Fish - Fish 96 h		No applicable toxicity data		
Remarks - Chronic - Aquatic invertebrates.: Diethylene glycol monobutyl ether Acute LC50 1,300 Mg/l Fresh Fish 96 h				
Aquatic invertebrates.: Diethylene glycol monobutyl ether Acute LC50 1,300 Mg/l Fresh Fish 96 h				
Diethylene glycol monobutyl ether Acute LC50 1,300 Mg/l Fresh Fish - Fish 96 h		No applicable toxicity data		
Acute LC50 1,300 Mg/l Fresh Fish - Fish 96 h		thor		
	Diethylene grycor monobutyr e		Fich Fich	06 h
water		water	1 1511 - 1 1511	90 II
Remarks - Acute - Fish: Acute	Remarks - Acute - Fish:			1
Remarks - Acute - Aquatic No applicable toxicity data				
invertebrates.:		FF		
Remarks - Acute - Aquatic No applicable toxicity data		No applicable toxicity data		
plants:	_			
Remarks - Chronic - Fish: No applicable toxicity data				
Remarks - Chronic - No applicable toxicity data		No applicable toxicity data		
Aquatic invertebrates.:	Aquatic invertebrates.:			



STAN-TONE MB- BLUE RSNX5216

Version Number 1.1 Page 13 of 17 Revision Date 03/26/2018 Print Date 04/25/2018

Conclusion/Summary : Not available.

Persistence and degradability

Conclusion/Summary : Not available.

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Ethanol, 2-(2-butoxyethoxy)-	1	-	low

Mobility in soil

Soil/water partition coefficient

(KOC)

Not available.

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information



STAN-TONE MB- BLUE RSNX5216

Version Number 1.1 Page 14 of 17 Revision Date 03/26/2018 Print Date 04/25/2018

U.S.DOT 49CFR Ground/Air/Water : Not regulated for transportation.

International Air ICAO/IATA

: Consult mode specific transport rules

International Water IMO/IMDG

: Consult mode specific transport rules

Section 15. Regulatory information

U.S. Federal regulations

: United States - TSCA 12(b) - Chemical export notification: None of the components are listed.

United States - TSCA 4(a) - Final Test Rules: Not listed
United States - TSCA 4(a) - ITC Priority list: Not listed
United States - TSCA 4(a) - Proposed test rules: Not listed
United States - TSCA 4(f) - Priority risk review: Not listed
United States - TSCA 5(a)2 - Final significant new use rules: Not

listed

United States - TSCA 5(a)2 - Proposed significant new use rules:

Not listed

United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined

United States - TSCA 8(a) - Preliminary assessment report

(PAIR): Not listed

United States - TSCA 8(c) - Significant adverse reaction (SAR):

Not listed

United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Copper phthalocyanine monochloride

United States - EPA Clean water act (CWA) section 311 -

Hazardous substances: Listed

United States - EPA Clean air act (CAA) section 112 - Accidental

release prevention - Flammable substances: Not listed

United States - EPA Clean air act (CAA) section 112 - Accidental

release prevention - Toxic substances: Not listed

United States - Department of commerce - Precursor chemical:



STAN-TONE MB- BLUE RSNX5216

 Version Number 1.1
 Page 15 of 17

 Revision Date 03/26/2018
 Print Date 04/25/2018

Not listed

Clean Air Act Section 112(b) : Listed

Hazardous Air Pollutants (HAPs)

Clean Air Act Section 602 Class I : Not listed

Substances

Clean Air Act Section 602 Class II : Not listed

Substances

DEA List I Chemicals (Precursor : Not listed

Chemicals)

DEA List II Chemicals (Essential: Not listed

Chemicals)

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification : Immediate (acute) health hazard

Composition/information on ingredients

Name	0/0	Classification
Bis(2-(2-	25 - 50	AH
butoxyethoxy)ethoxy)methane		
Titanium dioxide	25 - 50	СН
Diethylene glycol monobutyl ether	1 - 3	F, AH

SARA 313

	Product name	CAS number	%
Form R - Reporting	Diethylene glycol	112-34-5	1 - 3
requirements	monobutyl ether		
Supplier notification	Diethylene glycol	112-34-5	1 - 3
	monobutyl ether		

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations

Massachusetts: None of the components are listed.New York: None of the components are listed.New Jersey: The following components are listed:



STAN-TONE MB- BLUE RSNX5216

Version Number 1.1 Revision Date 03/26/2018 Page 16 of 17 Print Date 04/25/2018

Diethylene glycol monobutyl ether Copper phthalocyanine monochloride

Titanium dioxide

Pennsylvania: The following components are listed:

Titanium dioxide

Aluminum hydroxide

Copper phthalocyanine monochloride

Silica, amorphous

California Prop. 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

United States inventory (TSCA 8b) : All components are listed or exempted.

Canada inventory : All components are listed or exempted.

International regulations

Inventory list

Australia : All components are listed or exempted.

Canada : All components are listed or exempted.

China : All components are listed or exempted.

Europe inventory : All components are listed or exempted.

Japan : Not determined.

New Zealand : All components are listed or exempted.

Philippines : Not determined.

Republic of Korea: All components are listed or exempted.Taiwan: All components are listed or exempted.

Turkey : Not determined.

United States : All components are listed or exempted.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	2
Flammability		0
Physical hazards		0



STAN-TONE MB- BLUE RSNX5216

Version Number 1.1 Revision Date 03/26/2018 Page 17 of 17 Print Date 04/25/2018

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

History

Date of printing: 04/25/2018Date of issue/Date of revision: 03/25/2018Date of previous issue: 10/19/2016

Version : 1.1

Key to abbreviations: ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of

Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine

pollution)

UN = United Nations

References : Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.