

#### SAFETY DATA SHEET

#### **GEON LR210 EXT RECYCLE**

Version Number 1.9 Revision Date 06/11/2020 Page 1 of 18 Print Date 06/12/2020

# SAFETY DATA SHEET

#### **GEON LR210 EXT RECYCLE**

## **Section 1. Identification**

GHS product identifier : GEON LR210 EXT RECYCLE

**Chemical name** : Mixture **CAS number** : Mixture

Other means of identification : LR21000A0000

**Product type** : solid

Relevant identified uses of the substance or mixture and uses advised against

**Product use** : Industrial applications. Plastics.

Supplier's details : GEON Performance Solutions LLC

33587 Walker Road, Avon Lake, OH 44012

1-800-GET-GEON or 1-800-438-4366

**Emergency telephone number** (with hours of operation)

CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or

accident).

# Section 2. Hazards identification

This mixture has not been evaluated as a whole for health effects. All ingredients are bound in a PVC polymer matrix and potential for hazardous exposure as shipped is minimal. PVC resin is manufactured from Vinyl Chloride Monomer (VCM). PVC resin manufacturers take special efforts to strip residual VCM from their resins. Residual VCM in the resin is typically below 8.5 ppm. However, VCM is a known carcinogen. The end-user (fabricator) should take necessary precautions (mechanical ventilation, local exhaust, respiratory protection, etc.) to protect employees from exposure to any vapors or dusts that may be released during heating or fabrication. See Sections 8 and 11 for special precautions. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status : While this material is not considered hazardous by the OSHA Hazard

Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and

other users of this product.

Classification of the substance or

mixture

Not classified.

#### **GHS** label elements



## SAFETY DATA SHEET

## **GEON LR210 EXT RECYCLE**

Version Number 1.9 Revision Date 06/11/2020 Page 2 of 18 Print Date 06/12/2020

Signal word : No signal word.

**Hazard statements** : No known significant effects or critical hazards.

#### **Precautionary statements**

General : Not applicable.
Prevention : Not applicable.
Response : Not applicable.
Storage : Not applicable.
Disposal : Not applicable.
Supplemental label elements : None known.
Hazards not otherwise classified : None known.
Not available.

# Section 3. Composition/information on ingredients

Substance/mixture : Mixture Chemical name : Mixture

Other means of identification : LR21000A0000

### CAS number/other identifiers

Ingredient name	0/0	CAS number
Antimony	1 - 3	7440-36-0
Miscellaneous Organotin Compounds	1 - 3	Not available.
Di(2-ethylhexyl)phthalate	1 - 3	117-81-7

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

# Section 4. First aid measures



#### SAFETY DATA SHEET

### **GEON LR210 EXT RECYCLE**

Version Number 1.9 Page 3 of 18 Revision Date 06/11/2020 Print Date 06/12/2020

#### **Description of necessary first aid measures**

**Eye contact**: Immediately flush eyes with plenty of water, occasionally lifting the

upper and lower eyelids. Check for and remove any contact lenses.

Get medical attention if irritation occurs.

**Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable

for breathing. Get medical attention if symptoms occur.

**Skin contact** : Flush contaminated skin with plenty of water. Remove contaminated

clothing and shoes. Get medical attention if symptoms occur.

**Ingestion**: Wash out mouth with water. Remove victim to fresh air and keep at

rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by

medical personnel. Get medical attention if symptoms occur.

#### Most important symptoms/effects, acute and delayed

#### Potential acute health effects

Eye contactNo known significant effects or critical hazards.InhalationNo known significant effects or critical hazards.Skin contactNo known significant effects or critical hazards.IngestionNo known significant effects or critical hazards.

#### **Over-exposure signs/symptoms**

Eye contact: No specific data.Inhalation: No specific data.Skin contact: No specific data.Ingestion: No specific data.

#### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : Treat symptomatically. Contact poison treatment specialist

immediately if large quantities have been ingested or inhaled.

**Specific treatments** : No specific treatment.

**Protection of first-aiders** : No action shall be taken involving any personal risk or without

suitable training.

See toxicological information (Section 11)

# **Section 5. Firefighting measures**



#### SAFETY DATA SHEET

### **GEON LR210 EXT RECYCLE**

 Version Number 1.9
 Page 4 of 18

 Revision Date 06/11/2020
 Print Date 06/12/2020

#### **Extinguishing media**

Suitable extinguishing media Unsuitable extinguishing media : In case of fire, use water spray (fog), foam, dry chemical or  $CO_2$ .

None known.

Specific hazards arising from the chemical

: No specific fire or explosion hazard.

Hazardous thermal decomposition products

: May emit Hydrogen Chloride (HCl).

Decomposition products may include the following materials:

carbon dioxide carbon monoxide halogenated compounds metal oxide/oxides

Special protective actions for firefighters Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any

personal risk or without suitable training.

Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective equipment and selfcontained breathing apparatus (SCBA) with a full face-piece operated

in positive pressure mode.

# Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

**For non-emergency personnel** : No action shall be taken involving any personal risk or without

suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

For emergency responders : If specialized clothing is required to deal with the spillage, take note

of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

**Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil,

waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil

or air).

#### Methods and materials for containment and cleaning up

Small spill : Move containers from spill area. Vacuum or sweep up material and

place in a designated, labeled waste container. Dispose of via a

licensed waste disposal contractor.

Large spill : Move containers from spill area. Prevent entry into sewers, water

courses, basements or confined areas. Vacuum or sweep up material



# SAFETY DATA SHEET GEON LR210 EXT RECYCLE

Version Number 1.9 Revision Date 06/11/2020 Page 5 of 18 Print Date 06/12/2020

and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

# Section 7. Handling and storage

#### Precautions for safe handling

Protective measures Advice on general occupational hygiene

- Put on appropriate personal protective equipment (see Section 8).
  - Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

# Section 8. Exposure controls/personal protection

#### **Control parameters**

#### Occupational exposure limits

Ingredient name	Exposure limits
Di(2-ethylhexyl)phthalate	OSHA PEL 1989 (1989-03-01) TWA 5 mg/m3 STEL 10 mg/m3 OSHA PEL (1993-06-30) TWA 5 mg/m3 NIOSH REL (1994-06-01) TWA 5 mg/m3 STEL 10 mg/m3 ACGIH TLV (1999-03-01) TWA 5 mg/m3
Miscellaneous Organotin Compounds	None.



# SAFETY DATA SHEET GEON LR210 EXT RECYCLE

Version Number 1.9 Revision Date 06/11/2020 Page 6 of 18 Print Date 06/12/2020

Antimony	OSHA PEL (1993-06-30)
	TWA 0.5 mg/m3 (as antimony)
	NIOSH REL (1994-06-01)
	TWA 0.5 mg/m3
	OSHA PEL 1989 (1989-03-01)
	TWA 0.5 mg/m3 (as antimony)
	ACGIH TLV (1994-09-01)
	TWA 0.5 mg/m3 (as antimony)

**Appropriate engineering controls** 

Good general ventilation should be sufficient to control worker

exposure to airborne contaminants.

**Environmental exposure controls** 

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

#### **Individual protection measures**

**Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical

products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety

showers are close to the workstation location.

**Eye/face protection** : Safety eyewear complying with an approved standard should be used

when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a

higher degree of protection: safety glasses with side-shields.

#### **Skin protection**

**Hand protection**: Chemical-resistant, impervious gloves complying with an approved

standard should be worn at all times when handling chemical products

if a risk assessment indicates this is necessary.

**Body protection**: Personal protective equipment for the body should be selected based

on the task being performed and the risks involved and should be

approved by a specialist before handling this product.

Other skin protection : Appropriate footwear and any additional skin protection measures

should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this

product.

**Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that



#### SAFETY DATA SHEET

#### **GEON LR210 EXT RECYCLE**

Version Number 1.9 Revision Date 06/11/2020 Page 7 of 18 Print Date 06/12/2020

meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

# Section 9. Physical and chemical properties

#### **Appearance**

Physical state : solid

NO PIGMENT Color Odor Not available. **Odor threshold** Not available. Not available. рH **Melting point** Not available. **Boiling point** Not available. Flash point Not available. **Burning time** Not available. **Burning rate** Not available. **Evaporation rate** Not available. Flammability (solid, gas) Not available.

Lower and upper explosive : Lower: Not available. (flammable) limits : Upper: Not available.

Vapor pressureNot available.Vapor densityNot available.Relative densityNot available.SolubilityNot available.Solubility in waterNot available.Partition coefficient: n-Not available.

octanol/water

Auto-ignition temperature: Not available.Decomposition temperature: Not available.SADT: Not available.

Viscosity : Dynamic: Not available.

Kinematic: Not available.

#### Aerosol product

**Heat of combustion** : Not available.

**Ignition distance** : Not available. **Enclosed space ignition - Time** : Not available.

equivalent

**Enclosed space ignition -** Not available.

**Deflagration density** 

Flame height : Not available.



# SAFETY DATA SHEET

**GEON LR210 EXT RECYCLE** 

Version Number 1.9 Revision Date 06/11/2020 Page 8 of 18 Print Date 06/12/2020

Flame duration : Not available.

# Section 10. Stability and reactivity

**Reactivity** : No specific test data related to reactivity available for this product or

its ingredients.

Chemical stability : Stable under recommended storage and handling conditions (see

Section 7).

**Possibility of hazardous reactions**: Under normal conditions of storage and use, hazardous reactions will

not occur.

**Conditions to avoid** : Keep away from extreme heat and oxidizing agents.

**Incompatible materials** : Avoid contact with acetal homopolymers and acetyl homopolymers

during processing.

**Hazardous decomposition**: Under normal conditions of storage and use, hazardous decomposition

products should not be produced.

# Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### **Information on toxicological effects**

#### Acute toxicity

products

Product/ingredient name	Result	Species	Dose	Exposure		
Antimony						
	LD50 Oral	Rat	100 mg/kg	=		
Remarks - Inhalation:	No applicable toxi	No applicable toxicity data				
Remarks - Dermal:	No applicable toxicity data					
Miscellaneous Organotin Com	pounds					
	LD50 Oral	Rat	45 mg/kg	=		
Remarks - Inhalation:	No applicable toxicity data					
Remarks - Dermal:	No applicable toxicity data					
Di(2-ethylhexyl)phthalate						
	LD50 Oral	Rat	30,000 mg/kg	=		
Remarks - Inhalation:	No applicable toxicity data					
	LD50 Dermal	Rabbit	25,000 mg/kg	-		

Conclusion/Summary : Mixture.Not fully tested.

#### Irritation/Corrosion

	Product/ingredient name	Result	Species	Score	Exposure	Observation
--	-------------------------	--------	---------	-------	----------	-------------



#### SAFETY DATA SHEET

## **GEON LR210 EXT RECYCLE**

Version Number 1.9 Page 9 of 18 Revision Date 06/11/2020 Print Date 06/12/2020

Miscellaneous Organotin	Eyes - Severe	Rabbit		-
Compounds	irritant			
	Skin - Mild	Rabbit	24 hrs	-
	irritant			
Di(2-ethylhexyl)phthalate	Eyes - Mild	Rabbit	24 hrs	-
	irritant			
	Skin - Mild	Rabbit	24 hrs	-
	irritant			
	Eyes - Mild	Rabbit		-
	irritant			

Conclusion/Summary

Skin: Mixture.Not fully tested.Eyes: Mixture.Not fully tested.Respiratory: Mixture.Not fully tested.

#### **Sensitization**

Conclusion/Summary

Skin: Mixture.Not fully tested.Respiratory: Mixture.Not fully tested.

**Mutagenicity** 

**Conclusion/Summary**: Mixture.Not fully tested.

**Carcinogenicity** 

**Conclusion/Summary**: Mixture.Not fully tested.

#### Classification

Product/ingredient name	OSHA	IARC	NTP
Di(2-ethylhexyl)phthalate	-	2B	Reasonably anticipated to be a human carcinogen.

#### **Reproductive toxicity**

**Conclusion/Summary** : Mixture. Not fully tested.

**Teratogenicity** 

Conclusion/Summary : Mixture.Not fully tested.

#### Specific target organ toxicity (single exposure)

Not available.

#### Specific target organ toxicity (repeated exposure)



#### SAFETY DATA SHEET

## **GEON LR210 EXT RECYCLE**

 Version Number 1.9
 Page 10 of 18

 Revision Date 06/11/2020
 Print Date 06/12/2020

Not available.

#### **Aspiration hazard**

Not available.

Information on likely routes of

exposure

Not available.

#### Potential acute health effects

Eye contact: No known significant effects or critical hazards.Inhalation: No known significant effects or critical hazards.Skin contact: No known significant effects or critical hazards.Ingestion: No known significant effects or critical hazards.

#### Symptoms related to the physical, chemical and toxicological characteristics

Eye contact: No specific data.Inhalation: No specific data.Skin contact: No specific data.Ingestion: No specific data.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

#### Short term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

#### Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

#### **Potential chronic health effects**

**Conclusion/Summary** : Mixture.Not fully tested.

General:No known significant effects or critical hazards.Carcinogenicity:No known significant effects or critical hazards.Mutagenicity:No known significant effects or critical hazards.Teratogenicity:No known significant effects or critical hazards.Developmental effects:No known significant effects or critical hazards.Fertility effects:No known significant effects or critical hazards.



# **SAFETY DATA SHEET**

# **GEON LR210 EXT RECYCLE**

Version Number 1.9 Revision Date 06/11/2020 Page 11 of 18 Print Date 06/12/2020

#### **Numerical measures of toxicity**

## **Acute toxicity estimates**

Not available.

# Section 12. Ecological information

#### **Toxicity**

Product/ingredient name	Result	Species	Exposure				
Antimony							
	Acute LC50 22 Mg/l Fresh water	Fish - Fish	96 h				
Remarks - Acute - Fish:	Acute						
	Acute LC50 18 Mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h				
Remarks - Acute - Aquatic invertebrates.:	Acute						
Remarks - Acute - Aquatic plants:	No applicable toxicity data						
Remarks - Chronic - Fish:	No applicable toxicity data						
Remarks - Chronic - Aquatic invertebrates.:	No applicable toxicity data	11 ,					
Miscellaneous Organotin Com	pounds						
Remarks - Acute - Fish:	No applicable toxicity data						
Remarks - Acute - Aquatic	No applicable toxicity data						
invertebrates.:							
Remarks - Acute - Aquatic	No applicable toxicity data						
plants:							
Remarks - Chronic - Fish:	No applicable toxicity data						
Remarks - Chronic -	No applicable toxicity data						
Aquatic invertebrates.:							
Di(2-ethylhexyl)phthalate		T	T =				
	Acute LC50 1,106.2 Mg/l Fresh water	Fish - Fish	96 h				
Remarks - Acute - Fish:	Acute						
	Acute EC50 0.000133 Mg/l Fresh water	Aquatic invertebrates.  Daphnia	48 h				
Remarks - Acute - Aquatic invertebrates.:	Acute						
	Acute EC50 31 Mg/l Marine water	Aquatic plants - Algae	96 h				
Remarks - Acute - Aquatic	Acute						



#### SAFETY DATA SHEET

# **GEON LR210 EXT RECYCLE**

Version Number 1.9 Revision Date 06/11/2020 Page 12 of 18 Print Date 06/12/2020

plants:			
-	Acute NOEC 0.076 Mg/l Marine water	Aquatic plants - Algae	72 h
Remarks - Acute - Aquatic plants:	Chronic		
	Chronic NOEC 0.012 Mg/l Fresh water	Fish - Fish	28 d
Remarks - Chronic - Fish:	Chronic		
	Chronic NOEC 0.109 Mg/l Fresh water	Aquatic invertebrates. Crustaceans	21 d
Remarks - Chronic - Aquatic invertebrates.:	Chronic		
	Chronic NOEC 0.077 Mg/l Fresh water	Aquatic invertebrates.  Daphnia	21 d
Remarks - Chronic - Aquatic invertebrates.:	Chronic		
GEON LR210 EXT RECYCL	E		
Remarks - Acute - Aquatic invertebrates.:	Chemicals are not readily available a	as they are bound within the	e polymer matrix.

**Conclusion/Summary** 

Chemicals are not readily available as they are bound within the polymer matrix.

Persistence and degradability

**Conclusion/Summary** 

: Chemicals are not readily available as they are bound within the polymer matrix.

#### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
Di(2-ethylhexyl)phthalate	7.6	1,380.00	high

#### **Mobility in soil**

Soil/water partition coefficient

(KOC)

Not available.

Other adverse effects : No known significant effects or critical hazards.

# **Section 13. Disposal considerations**

**Disposal methods** : The generation of waste should be avoided or minimized wherever

possible. Disposal of this product, solutions and any by-products

12/18



# SAFETY DATA SHEET GEON LR210 EXT RECYCLE

Version Number 1.9 Revision Date 06/11/2020 Page 13 of 18 Print Date 06/12/2020

should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Listed

Ingredient	CAS#	Status	Reference number
Di(2-ethylhexyl)phthalate	117-81-7	Listed	

# **Section 14. Transport information**

U.S.DOT 49CFR Ground/Air/Water : Not regulated for transportation.

International Air ICAO/IATA

: Consult mode specific transport rules

International Water IMO/IMDG

: Consult mode specific transport rules

# Section 15. Regulatory information

U.S. Federal regulations : United States - TSCA 12(b) - Chemical export notification: None

of the components are listed.

United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a)2 - Final significant new use rules: Not

United States - 18CA 5(a)2 - Final significant new use rule

isted

United States -  $TSCA\ 5(a)2$  - Proposed significant new use rules:

Not listed

United States - TSCA 5(e) - Substances consent order: Not listed



#### SAFETY DATA SHEET

#### **GEON LR210 EXT RECYCLE**

Version Number 1.9 Revision Date 06/11/2020

Page 14 of 18 Print Date 06/12/2020

United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined

United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed

United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed

United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Miscellaneous Zinc Compounds

Vinyl chloride monomer

Antimony

Miscellaneous Zinc Compounds

Miscellaneous Chromium Compounds (Cr II & III)

Di(2-ethylhexyl)phthalate

United States - EPA Clean water act (CWA) section 311 -

Hazardous substances: Not listed

United States - EPA Clean air act (CAA) section 112 - Accidental

release prevention - Flammable substances: Not listed

United States - EPA Clean air act (CAA) section 112 - Accidental

release prevention - Toxic substances: Not listed

**United States - Department of commerce - Precursor chemical:** 

Not listed

Clean Air Act Section 112(b)

Hazardous Air Pollutants (HAPs)

Clean Air Act Section 602 Class I

**Substances** 

Clean Air Act Section 602 Class II **Substances** 

**DEA List I Chemicals (Precursor** 

Chemicals)

**DEA List II Chemicals (Essential** 

Chemicals)

Listed

Not listed

Not listed

Not listed

Not listed

# US. EPA CERCLA Hazardous Substances (40 CFR 302)

Chemical Name	CAS-No.	RQ for component
Di(2-ethylhexyl)phthalate	117-81-7	100 lb(s)
		45.4 kg



#### SAFETY DATA SHEET

# **GEON LR210 EXT RECYCLE**

Version Number 1.9 Revision Date 06/11/2020 Page 15 of 18 Print Date 06/12/2020

#### **SARA 311/312**

**Classification** : Not applicable.

#### **Composition/information on ingredients**

No products were found.

Name	%	Classification
Antimony	>= 1 - <= 3	ACUTE TOXICITY - oral - Category 3
Miscellaneous Organotin Compounds	>= 1 - <= 3	COMBUSTIBLE DUSTS ACUTE TOXICITY - oral - Category 2 EYE IRRITATION - Category 2A
Di(2-ethylhexyl)phthalate	>= 1 - <= 3	EYE IRRITATION - Category 2B CARCINOGENICITY - Category 2

#### **SARA 313**

#### Form R - Reporting requirements

Product name	CAS number	%
Di(2-ethylhexyl)phthalate	117-81-7	>= 1 - <= 3
Miscellaneous Barium Compounds	-	>= 1 - <= 3
Miscellaneous Chromium Compounds (Cr II & III)	-	>= 1 - <= 3
Miscellaneous Zinc Compounds	-	>= 1 - <= 3
Antimony	7440-36-0	>= 1 - <= 3

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

**State regulations** 

Massachusetts : The following components are listed:

Miscellaneous Chromium Compounds (Cr II & III)

Miscellaneous Zinc Compounds
Miscellaneous Barium Compounds

**New York** : The following components are listed:

15/18



#### SAFETY DATA SHEET

## **GEON LR210 EXT RECYCLE**

Version Number 1.9 Page 16 of 18 Revision Date 06/11/2020 Print Date 06/12/2020

Di(2-ethylhexyl)phthalate

Antimony

**New Jersey** : The following components are listed:

Miscellaneous Barium Compounds

Miscellaneous Chromium Compounds (Cr II & III)

Di(2-ethylhexyl)phthalate Ethene, chloro-, homopolymer Miscellaneous Zinc Compounds

Antimony

**Pennsylvania** : The following components are listed:

Di(2-ethylhexyl)phthalate

Miscellaneous Barium Compounds

Miscellaneous Chromium Compounds (Cr II & III)

Miscellaneous Zinc Compounds

Antimony

#### California Prop. 65

WARNING: This product can expose you to Di(2-ethylhexyl)phthalate, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable	
		dosage level	
Di(2-ethylhexyl)phthalate	Yes.	Yes.	

United States inventory (TSCA 8b) : All components are active or exempted.

**Canada inventory** : Not determined.

#### **International regulations**

#### **Inventory list**

Not determined. Australia Canada Not determined. China Not determined. **Europe inventory** Not determined. Japan Not determined. **New Zealand** Not determined. **Philippines** Not determined. Republic of Korea Not determined.



#### SAFETY DATA SHEET

#### **GEON LR210 EXT RECYCLE**

Version Number 1.9 Page 17 of 18 Revision Date 06/11/2020 Print Date 06/12/2020

Taiwan : Not determined.
Turkey : Not determined.

United States : All components are active or exempted.

# Section 16. Other information

#### Hazardous Material Information System (U.S.A.)

Health	/	0
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

#### **History**

Date of printing: 06/12/2020Date of issue/Date of revision: 06/11/2020Date of previous issue: 04/16/2015

Version : 1.9

**Key to abbreviations**: ATE = Acute Toxicity Estimate
BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of

Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine

pollution)

UN = United Nations

**References** : Not available.

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution.



# **SAFETY DATA SHEET**

# **GEON LR210 EXT RECYCLE**

Version Number 1.9 Revision Date 06/11/2020 Page 18 of 18 Print Date 06/12/2020

Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.