

Safety data sheet

Page: 1/12

BASF Safety data sheet

Date / Revised: 29.08.2025 Version: 8.0

Product: Kaurit® Powder 287

(30034918/SDS_GEN_PH/EN)

Date of print: 21.10.2025

1. Substance/preparation and manufacturer/supplier identification

Product name:

Kaurit® Powder 287

Use: Chemical

Recommended use: Chemical, for industrial and professional users

Manufacturer/supplier:

BASF Philippines, Inc.
Upper Penthouse CTP ASEAN Tower
Asean Drive, Spectrum District
Filinvest Corporate City, Alabang,
Muntinlupa City, 1781, Metro Manila
PHILIPPINES

Telephone: +63 2 8811-8001 E-mail address: psr.ph@basf.com

Emergency information:

National emergency number:

+63 2 8831 5576

International emergency number: Telephone: +49 180 2273-112

2. Hazard identification

Classification of the substance and mixture:

Skin irritation: Cat.3 Skin sensitization: Cat.1 Carcinogenicity: Cat.1B

Label elements and precautionary statement:

Product: Kaurit® Powder 287

(30034918/SDS_GEN_PH/EN)

Date of print: 21.10.2025





Signal Word:

Danger

Hazard Statement:

H316 Causes mild skin irritation.

H317 May cause an allergic skin reaction.

H350 May cause cancer.

Precautionary Statements (Prevention):

P280 Wear protective gloves, protective clothing and eye protection or face

protection.

P201 Obtain special instructions before use.

P261 Avoid breathing dust or fume.

P202 Do not handle until all safety precautions have been read and

understood.

P272 Contaminated work clothing should not be allowed out of the workplace.

Precautionary Statements (Response):

P308 + P313 IF exposed or concerned: Get medical attention.
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P333 + P313 If skin irritation or rash occurs: Get medical attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

P332 + P313 If skin irritation occurs: Get medical attention.

Precautionary Statements (Storage): P405 Store locked up.

Precautionary Statements (Disposal):

P501 Dispose of contents and container to hazardous or special waste

collection point.

Other hazards which do not result in classification:

No specific dangers known, if the regulations/notes for storage and handling are considered. If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

3. Composition/information on ingredients

Chemical nature

Substance nature: mixture

Condensate based on: formaldehyde, urea

Hazardous ingredients

Product: Kaurit® Powder 287

(30034918/SDS_GEN_PH/EN)

Date of print: 21.10.2025

formaldehyde

Content (W/W): >= 0.3 % - < 1 % Flam. Liq.: Cat. 4

CAS Number: 50-00-0 Acute Tox.: Cat. 2 (Inhalation - vapour)

Acute Tox.: Cat. 3 (oral) Acute Tox.: Cat. 3 (dermal)

Skin Corr.: Cat. 1B Eye Dam.: Cat. 1 Skin Sens.: Cat. 1A Carc.: Cat. 1B Aquatic Acute: Cat. 2

4. First-Aid Measures

General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Immediately wash thoroughly with soap and water, seek medical attention.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Note to physician:

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Hazards: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11. (Further) symptoms and / or effects are not known so far

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Suitable extinguishing media: water spray, foam, carbon dioxide, dry powder

Unsuitable extinguishing media for safety reasons: water jet

Specific hazards:

formaldehyde, harmful vapours

Product: Kaurit® Powder 287

(30034918/SDS_GEN_PH/EN)

Date of print: 21.10.2025

Dust explosion hazard.

Further information:

Fire debris must be disposed of in accordance with offical regulations. In case of combustion evolution of toxic gases/vapours possible. Do not allow to enter drains or waterways. Forms slippery surfaces with water.

6. Accidental Release Measures

Personal precautions:

Avoid contact with the skin, eyes and clothing. Handle in accordance with good industrial hygiene and safety practice. Information regarding personal protective measures, see section 8.

Environmental precautions:

Do not allow to enter soil, waterways or waste water channels. Prevent entry into drains and surface waters. Ensure compliance with local regulations before discharging into effluent treatment plants.

Methods for cleaning up or taking up:

For small amounts: Sweep/shovel up. For large amounts: Sweep/shovel up.

7. Handling and Storage

Handling

Handle in accordance with good industrial hygiene and safety practice. Inform workers about possible hazards caused by the release of formaldehyde during processing.

Protection against fire and explosion:

Avoid dust formation. The product is capable of dust explosion. Sources of ignition should be kept well clear. Take precautionary measures against static discharges.

Storage

Suitable materials for containers: Low density polyethylene (LDPE), Paper/Fibreboard, High density polyethylene (HDPE), Aluminium

Further information on storage conditions: Keep in a cool place. Keep container dry.

8. Exposure controls and personal protection

Components with occupational exposure limits

formaldehyde, 50-00-0;

STEL value 0.3 ppm (ACGIHTLV) TWA value 0.1 ppm (ACGIHTLV) CLV 6 mg/m3; 5 ppm (OEL (PH))

Product: Kaurit® Powder 287

(30034918/SDS_GEN_PH/EN)

Date of print: 21.10.2025

Personal protective equipment

Respiratory protection:

Breathing protection if dusts are formed. (Particle filter EN 143 P2 or FFP2)

Hand protection:

Chemical resistant protective gloves

Suitable materials also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): e.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), polyvinylchloride (0.7 mm) and of

e.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), polyvinylchloride (0.7 mm) and other Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing. Manufacturer's directions for use should be observed because of great diversity of types.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures:

Do not breathe dust. Do not breathe vapour/spray. No eating, drinking, smoking or tobacco use at the place of work. Wash contaminated clothing before reuse.

9. Physical and Chemical Properties

Form: powder Colour: white

Odour: almost odourless
Odour threshold: No data available.

pH value: approx. 7 (DIN ISO 976)

(660 g/l, 20 °C)

Melting point: approx. 120 °C

approx. 120 °C

Boiling point:

not applicable

Flash point:

not applicable, the product is a solid

Evaporation rate:

The product is a non-volatile solid.

Flammability (solid/gas): not readily ignited (other)

Lower explosion limit: 125 g/m3 (DIN EN 14034-3)

(20 - 24 °C, 1013 hPa)

The lower explosion limit of dust has

been determined.

Product: Kaurit® Powder 287

(30034918/SDS_GEN_PH/EN)

Date of print: 21.10.2025

Upper explosion limit:

For solids not relevant for classification and labelling.

Ignition temperature: approx. 460 °C (VDI 2263, sheet 1, 2.6 (May

1990))

Thermal decomposition: > 250 °C

No decomposition if correctly stored

and handled.

Self ignition: Temperature: > 350 °C (Method: VDI 2263, sheet 1,

1.4.1 (May 1990))

Self heating ability: It is not a substance capable of

spontaneous heating according to UN transport regulations class 4.2.

SADT: > 75 °C

Heat accumulation / Dewar 500 ml (SADT, UN-Test H.4, 28.4.4)

Minimum ignition energy: 650 mJ

(DIN EN 13821)

Grain size distribution: 3 µm

1.3 J

(DIN EN 13821)

Grain size distribution: 100 µm Explosion hazard: Product is not explosive, however a

dust explosion could result from an

air / dust mixture.

Fire promoting properties: not fire-propagating

Vapour pressure:

not applicable

Density:

No information is available for the absolute density. Instead the bulk density was determined as a more

relevant value.

Relative density:

not determined

Bulk density: approx. 600 kg/m3

(DIN ISO 697)

Relative vapour density (air):

The product is a non-volatile solid.

Solubility in water: The product has not been tested.

The statement has been derived from substances/products of a similar

structure or composition.

> 2 g/l

Partitioning coefficient n-octanol/water (log Pow): < 1.0

The statements are based on the properties of the individual

components.

Viscosity, dynamic:

not applicable, the product is a solid

Viscosity, kinematic:

not applicable, the product is a solid

Product: Kaurit® Powder 287

(30034918/SDS_GEN_PH/EN)

Date of print: 21.10.2025

Other Information:

none

Particle characteristics

Particle size distribution: 33.53 - 77.79 µm (D50, Volumetric Distribution,

measured)

fine particles -

10. Stability and Reactivity

Conditions to avoid:

> 30 °C

Avoid heat. Avoid humidity. Avoid dust formation.

Thermal > 250 °C

decomposition: No decomposition if correctly stored and handled.

Substances to avoid:

Organic Peroxides, strong bases, strong acids, acid anhydrides

Hazardous reactions:

During processing with acids, water and / or heat formaldehyde will be released, which may act as a sensitizer.

formaldehyde

Chemical stability:

The product is chemically stable.

Reactivity:

No hazardous reactions if stored and handled as prescribed/indicated.

11. Toxicological Information

Routes of exposure

Acute oral toxicity

Experimental/calculated data: LD50rat (oral): > 10,000 mg/kg

Acute inhalation toxicity

rat (by inhalation): 8 h (IRT)

No mortality within the stated exposition time as shown in animal studies.

Assessment of acute toxicity

Virtually nontoxic after a single ingestion. The inhalation of a highly enriched/saturated vapor-air-mixture represents an unlikely acute hazard.

Symptoms

Product: Kaurit® Powder 287

(30034918/SDS_GEN_PH/EN)

Date of print: 21.10.2025

Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11. (Further) symptoms and / or effects are not known so far

Irritation

Assessment of irritating effects:

Skin contact causes slight irritation. Not irritating to the eyes.

Experimental/calculated data:

Skin corrosion/irritation rabbit: non-irritant (BASF-Test)

Serious eye damage/irritation rabbit: non-irritant (BASF-Test)

Respiratory/Skin sensitization

Assessment of sensitization:

Sensitization after skin contact possible.

Information on: formaldehyde Assessment of sensitization:

Caused skin sensitization in animal studies. Caused sensitization in humans.

Germ cell mutagenicity

Assessment of mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity

Assessment of carcinogenicity:

The substance caused cancer in animal studies.

Information on: formaldehyde Assessment of carcinogenicity:

After lifelong inhalation exposure to concentrations that were severely damaging to the nasal epithelium, nasal tumors were induced in rats; in other species these findings were not found or were considerably less pronounced. The International Agency for Research on Cancer (IARC) has classified formaldehyde as a Group 1 (known) human carcinogen based on epidemiological evidence linking formaldehyde exposure to occurrence of nasopharyngeal cancer and leukemia. No adverse health effects are anticipated if recommended personal protective equipment and industrial hygiene practices are used.

Reproductive toxicity

Assessment of reproduction toxicity: Not classified, due to lack of data.

Developmental toxicity

Assessment of teratogenicity: Not classified, due to lack of data.

Product: Kaurit® Powder 287

(30034918/SDS_GEN_PH/EN)

Date of print: 21.10.2025

Specific target organ toxicity (single exposure)

The available information is not sufficient for the evaluation of specific target organ toxicity.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The information available on the product provides no indication of toxicity on target organs after repeated exposure.

Information on: formaldehyde

Assessment of repeated dose toxicity:

After repeated exposure the prominent effect is local irritation.

Aspiration hazard

not applicable

Other relevant toxicity information

The product has not been tested. The statements on toxicology have been derived from the properties of the individual components.

12. Ecological Information

Ecotoxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

Toxicity to fish:

LC50 (96 h) > 500 mg/l, Leuciscus idus (DIN 38412 Part 15, static)

Nominal concentration.

Microorganisms/Effect on activated sludge:

Inhibition of degradation activity in activated sludge is not to be anticipated during correct introduction of low concentrations.

Mobility

Assessment transport between environmental compartments:

The substance will not evaporate into the atmosphere from the water surface.

Persistence and degradability

Product: Kaurit® Powder 287

(30034918/SDS_GEN_PH/EN)

Date of print: 21.10.2025

Elimination information: No data available.

Bioaccumulation potential

Assessment bioaccumulation potential:

Based on its structural properties, the polymer is not biologically available. Accumulation in organisms is not to be expected.

Additional information

Other ecotoxicological advice:

Do not release untreated into natural waters. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. Inhibition of degradation activity in activated sludge is not to be anticipated during correct introduction of low concentrations.

13. Disposal Considerations

Incinerate in suitable incineration plant, observing local authority regulations.

14. Transport Information

Domestic transport:

Not classified as a dangerous good under transport regulations

UN number or ID number Not applicable UN proper shipping name: Not applicable Not applicable Transport hazard class(es): Packing group: Not applicable Not applicable Environmental hazards:

Special precautions for

user

None known

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

UN number or ID number: Not applicable Not applicable UN proper shipping name: Transport hazard class(es): Not applicable Packing group: Not applicable Environmental hazards: Not applicable

Marine pollutant: no

Special precautions for

user

None known

Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

UN number or ID number

Not applicable

Product: Kaurit® Powder 287

(30034918/SDS_GEN_PH/EN)

Date of print: 21.10.2025

Proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

15. Regulatory Information

Other regulations

- 1. Joint DTI-DENR-DA-DOF-DOH-DILG-DOLE-DOTC Administrative Order No. 01 Series of 2009 on "The Adoption and Implementation of the Globally Harmonized System of Classification and Labeling of Chemicals (GHS)"
- 2. DAO 2015-09 "Rules and Procedures for the Implementation of the Globally Harmonized System (GHS) of Classification and Labelling of Chemicals in Prepration of Safety Data Sheet (SDS) and Labelling Requirements of Toxic Chemical Substances"
- 3. Republic Act No. 6969, "Toxic Substances and Hazardous and Nuclear Wastes Control Act of 1990"

The regulatory information is not intended to be comprehensive. Other regulations may apply to the material

Registration status:

PICCS, PH

Listed in PICCS.

16. Other Information

Vertical lines in the left hand margin indicate an amendment from the previous version.

Product: Kaurit® Powder 287

(30034918/SDS_GEN_PH/EN)

Date of print: 21.10.2025

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.