

# Safety data sheet

Page: 1/11

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 22.11.2022 Version: 2.0

Product: Dispex® AA 4030

(ID no. 30041986/SDS\_GEN\_00/EN)

Date of print 25.10.2025

### 1. Identification

### **Product identifier**

## Dispex® AA 4030

### Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Raw material, for industrial use only

### Details of the supplier of the safety data sheet

Company:
BASF SE
67056 Ludwigshafen
GERMANY
Global Business Unit Resins and Additives

Telephone: +49 621 60-0

E-mail address: ed-psr@basf.com

### **Emergency telephone number**

International emergency number: Telephone: +49 180 2273-112

### 2. Hazards Identification

#### Classification of the substance or mixture

According to UN GHS criteria

No need for classification according to GHS criteria for this product.

### Label elements

Date / Revised: 22.11.2022 Version: 2.0

Product: Dispex® AA 4030

(ID no. 30041986/SDS\_GEN\_00/EN)

Date of print 25.10.2025

#### Globally Harmonized System (GHS)

The product does not require a hazard warning label in accordance with GHS criteria.

#### Other hazards

#### According to UN GHS criteria

No specific dangers known, if the regulations/notes for storage and handling are considered. Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

### 3. Composition/Information on Ingredients

#### **Substances**

Not applicable

#### **Mixtures**

#### Chemical nature

Polymer based on: Ammonium acrylate

dissolved in: Water

<u>Hazardous ingredients (GHS)</u> According to UN GHS criteria

ammonia solution 25 wt% in water

Content (W/W): < 0,1 % Skin Corr./Irrit. 1B CAS Number: 1336-21-6 Eye Dam./Irrit. 1

EC-Number: 215-647-6 STOT SE 3 (irr. to respiratory syst.)

REACH registration number: 01- Aquatic Acute 1 2119488876-14 Aquatic Chronic 2

INDEX-Number: 007-001-01-2 H335, H314, H411, H400

Specific concentration limit: STOT SE 3: >= 5 %

For the classifications not written out in full in this section the full text can be found in section 16.

### 4. First-Aid Measures

### **Description of first aid measures**

Remove contaminated clothing.

If inhaled:

Date / Revised: 22.11.2022 Version: 2.0

Product: Dispex® AA 4030

(ID no. 30041986/SDS\_GEN\_00/EN)

Date of print 25.10.2025

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Wash thoroughly with soap and water

On contact with eves:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

### Most important symptoms and effects, both acute and delayed

Symptoms: (Further) symptoms and / or effects are not known so far

Hazards: No hazards anticipated.

### Indication of any immediate medical attention and special treatment needed

Treatment: Symptomatic treatment (decontamination, vital functions).

### 5. Fire-Fighting Measures

### **Extinguishing media**

Suitable extinguishing media:

water spray, dry powder, foam, carbon dioxide

### Special hazards arising from the substance or mixture

No particular hazards known.

### Advice for fire-fighters

Further information:

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. Product itself is non-combustible; fire extinguishing method of surrounding areas must be considered.

#### 6. Accidental Release Measures

High risk of slipping due to leakage/spillage of product.

### Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Avoid contact with skin and eyes.

### **Environmental precautions**

Do not release untreated into natural waters.

### Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose

binder, kieselguhr). Dispose of absorbed material in accordance with regulations.

For large amounts: Pump off product.

Date / Revised: 22.11.2022 Version: 2.0

Product: Dispex® AA 4030

(ID no. 30041986/SDS\_GEN\_00/EN)

Date of print 25.10.2025

### 7. Handling and Storage

### Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice.

### Conditions for safe storage, including any incompatibilities

Suitable materials for containers: Stainless steel 1.4401, Stainless steel 1.4301 (V2), High density polyethylene (HDPE), glass, Low density polyethylene (LDPE)

Further information on storage conditions: Store protected against freezing.

Protect from temperatures below: 5 °C Protect from temperatures above: 60 °C

### Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

### 8. Exposure Controls/Personal Protection

### **Control parameters**

Components with occupational exposure limits

1336-21-6: ammonia solution 25 wt% in water 1336-21-6: ammonia solution 30 wt% in water

### **Exposure controls**

### Personal protective equipment

#### Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc. Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing.

### Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

#### General safety and hygiene measures

Avoid contact with eyes. Avoid prolonged and/or repeated contact with the skin. Hands and/or face should be washed before breaks and at the end of the shift.

### 9. Physical and Chemical Properties

### Information on basic physical and chemical properties

Date / Revised: 22.11.2022 Version: 2.0

Product: Dispex® AA 4030

(ID no. 30041986/SDS\_GEN\_00/EN)

Date of print 25.10.2025

Form: liquid

Colour: slightly yellow Odour: ammonia-like

Odour threshold:

No data available.

pH value: approx. 7,5 - 9,5 (DIN ISO 976)

Melting point: approx. -4,00 °C

Boiling point:

not determined

Information on: Water

Boiling point: 100 °C

-----

Flash point:

A flash point determination is unnecessary due to the high water

content.

Evaporation rate:

not determined not flammable

Flammability: Lower explosion limit:

For liquids not relevant for classification and labelling., The lower explosion point may be 5 - 15

°C below the flash point.

Upper explosion limit:

For liquids not relevant for classification and labelling.

Ignition temperature:

not applicable approx. 23 mbar

(20 °C)

Density: approx. 1,1 g/cm3 (ISO 8962)

(20 °C)

Relative density:

Vapour pressure:

No data available.

Relative vapour density (air):

No data available.

Solubility in water: readily soluble

Partitioning coefficient n-octanol/water (log Kow):

No data available.

Self ignition: not self-igniting

Thermal decomposition: No decomposition if used correctly.

Viscosity, dynamic: approx. 35 mPa.s

(23 °C)

Viscosity, kinematic: approx. 32 mm2/s (calculated (from dynamic

(23 °C) viscosity))

Explosion hazard: not explosive

Fire promoting properties: not fire-propagating

#### Other information

Self heating ability: Study scientifically not justified.

Date / Revised: 22.11.2022 Version: 2.0

Product: Dispex® AA 4030

(ID no. 30041986/SDS\_GEN\_00/EN)

Date of print 25.10.2025

Miscibility with water:

completely (e.g. >=90%)

Flow time: approx. 15 - 30 s (DIN 53211; 4 mm)
Solids content: approx. 29.0 - 31.0 % (DIN EN ISO 3251)

(140 °C)

Molar mass: 54.925 g/mol

### 10. Stability and Reactivity

### Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

### **Chemical stability**

The product is stable if stored and handled as prescribed/indicated.

### Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions.

### **Conditions to avoid**

Avoid extreme temperatures.

### Incompatible materials

Substances to avoid:

No substances known that should be avoided.

### **Hazardous decomposition products**

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

### 11. Toxicological Information

### Information on toxicological effects

#### Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single ingestion. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data:

LD50 rat (oral): > 5.000 mg/kg

The product has not been tested. The statement has been derived from the properties of the individual components.

LC50 rat (by inhalation): 4 h

not determined

LD50 rat (dermal):

not determined

Date / Revised: 22.11.2022 Version: 2.0

Product: Dispex® AA 4030

(ID no. 30041986/SDS\_GEN\_00/EN)

Date of print 25.10.2025

#### Irritation

Experimental/calculated data:

Skin corrosion/irritation rabbit: non-irritant (OECD Guideline 404)

Skin corrosion/irritation: Non corrosive. (Epiderm Corrosivity Test)

Serious eye damage/irritation rabbit: non-irritant (OECD Guideline 405)

Serious eye damage/irritation: The substance does not have a risk of serious damage to eyes. (HET-CAM test in vitro)

#### Respiratory/Skin sensitization

Assessment of sensitization:

The chemical structure does not suggest a sensitizing effect.

#### Germ cell mutagenicity

Assessment of mutagenicity:

Based on the ingredients, there is no suspicion of a mutagenic effect.

#### Carcinogenicity

Assessment of carcinogenicity:

The whole of the information assessable provides no indication of a carcinogenic effect.

### Reproductive toxicity

Assessment of reproduction toxicity:

The chemical structure does not suggest a specific alert for such an effect.

#### **Developmental toxicity**

Assessment of teratogenicity:

The data available for an assessment of the effect of the substance on developmental toxicity are not sufficient for a proper evaluation.

#### Specific target organ toxicity (single exposure)

Remarks: No data available.

### Aspiration hazard

Study scientifically not justified.

### Other relevant toxicity information

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses. The product has not been tested. The statements on toxicology have been derived from products of a similar structure and composition.

Date / Revised: 22.11.2022 Version: 2.0

Product: Dispex® AA 4030

(ID no. 30041986/SDS\_GEN\_00/EN)

Date of print 25.10.2025

### 12. Ecological Information

### **Toxicity**

Toxicity to fish: LC50 (96 h), Fish (other) not determined

Aquatic invertebrates:

LC50 (48 h) > 100 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

Aquatic plants: EC50 (72 h), algae (other)

not determined

Microorganisms/Effect on activated sludge:

EC50 (0,5 h), bacteria (other)

not determined

Chronic toxicity to fish:

No data available.

Chronic toxicity to aquatic invertebrates:

No data available.

Assessment of terrestrial toxicity:

No data available concerning terrestrial toxicity.

### Persistence and degradability

Assessment biodegradation and elimination (H2O):

The product contains biodegradable components. The polymer component of the product is poorly biodegradable.

Elimination information:

< 20 % DOC reduction (OECD 302B; ISO 9888; 88/302/EEC,part C)

### **Bioaccumulative potential**

Assessment bioaccumulation potential:

The product has not been tested.

### Mobility in soil

Assessment transport between environmental compartments:

Volatility: No data available.

#### **Additional information**

Add. remarks environm. fate & pathway:

Treatment in biological waste water treatment plants has to be performed according to local and administrative regulations.

Date / Revised: 22.11.2022 Version: 2.0

Product: Dispex® AA 4030

(ID no. 30041986/SDS\_GEN\_00/EN)

Date of print 25.10.2025

Other ecotoxicological advice:

Do not release untreated into natural waters. The local regulations on waste-water treatment must be followed. Inhibition of degradation activity in activated sludge is not to be anticipated during correct introduction of low concentrations.

### 13. Disposal Considerations

#### Waste treatment methods

Must be sent to a suitable incineration plant, observing local regulations.

A waste code in accordance with the European waste catalog (EWC) cannot be specified, due to dependence on the usage.

Observe national and local legal requirements.

### 14. Transport Information

### **Land transport**

**ADR** 

Not classified as a dangerous good under transport regulations

UN number or ID number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

RID

Not classified as a dangerous good under transport regulations

UN number or ID number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

#### **Inland waterway transport**

ADN

Not classified as a dangerous good under transport regulations

UN number or ID number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user:

Date / Revised: 22.11.2022 Version: 2.0

Product: Dispex® AA 4030

(ID no. 30041986/SDS\_GEN\_00/EN)

Date of print 25.10.2025

#### Transport in inland waterway vessel

Not evaluated

### Sea transport

**IMDG** 

Not classified as a dangerous good under transport regulations

UN number or ID number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

#### Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

UN number or ID number
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

### Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

### 15. Regulatory Information

# Safety, health and environmental regulations/legislation specific for the substance or mixture

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

#### 16. Other Information

Any other intended applications should be discussed with the manufacturer.

Full text of classifications, hazard symbols and hazard statements, if mentioned in section 2 or 3: Skin Corr./Irrit. Skin corrosion/irritation

Date / Revised: 22.11.2022 Version: 2.0

Product: Dispex® AA 4030

(ID no. 30041986/SDS\_GEN\_00/EN)

Date of print 25.10.2025

Eye Dam./Irrit. Serious eye damage/eye irritation

STOT SE Specific target organ toxicity — single exposure
Aquatic Acute Hazardous to the aquatic environment - acute
Aquatic Chronic Hazardous to the aquatic environment - chronic

H335 May cause respiratory irritation.

H314 Causes severe skin burns and eye damage.
H411 Toxic to aquatic life with long lasting effects.

H400 Very toxic to aquatic life.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.