

Safety data sheet

Page: 1/11

BASF Safety data sheet according to the United Nations' Globally Harmonized System (UN GHS)

Date / Revised: 11.12.2024 Version: 1.0

Product: Luvitec® VA 6436 P

(ID no. 30856234/SDS_GEN_00/EN)

Date of print 18.10.2025

1. Identification

Product identifier

Luvitec® VA 6436 P

Chemical name: VINYLPYRROLIDONE - VINYLACETATE COPOLYMER

CAS Number: 25086-89-9

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: adhesive, binding agents

Details of the supplier of the safety data sheet

Company:
BASF SE
67056 Ludwigshafen
GERMANY
Regional Business Unit Dispersions Europe

Telephone: +49 621 60-0

E-mail address: ed-psr@basf.com

Emergency telephone number

International emergency number: Telephone: +49 180 2273-112

2. Hazards Identification

Classification of the substance or mixture

Date / Revised: 11.12.2024 Version: 1.0

Product: Luvitec® VA 6436 P

(ID no. 30856234/SDS_GEN_00/EN)

Date of print 18.10.2025

According to UN GHS criteria

No need for classification according to GHS criteria for this product.

Label elements

Globally Harmonized System (GHS)

The product does not require a hazard warning label in accordance with GHS criteria.

Other hazards

According to UN GHS criteria

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

3. Composition/Information on Ingredients

Substances

Chemical nature

Copolymer based on: polyvinylpyrrolidone

Acetic acid ethenyl ester, polymer with 1-ethenyl-2-pyrrolidinone

CAS Number: 25086-89-9

Mixtures

Not applicable

4. First-Aid Measures

Description of first aid measures

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air.

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

Date / Revised: 11.12.2024 Version: 1.0

Product: Luvitec® VA 6436 P

(ID no. 30856234/SDS_GEN_00/EN)

Date of print 18.10.2025

On ingestion:

Rinse mouth and then drink 200-300 ml of water.

Most important symptoms and effects, both acute and delayed

Symptoms: (Further) symptoms and / or effects are not known so far

Hazards: No hazards anticipated.

Indication of any immediate medical attention and special treatment needed

Treatment: Symptomatic treatment (decontamination, vital functions).

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media: foam, water spray, dry powder

Special hazards arising from the substance or mixture

Carbon dioxide, nitrous gases, cyanides

Advice for fire-fighters

Special protective equipment:

Wear a self-contained breathing apparatus.

Further information:

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Avoid dust formation.

Environmental precautions

Do not empty into drains.

Methods and material for containment and cleaning up

For large amounts: Pick up with suitable appliance and dispose of.

7. Handling and Storage

Precautions for safe handling

Avoid dust formation. Take precautionary measures against static discharges. Handle in accordance with good industrial hygiene and safety practice.

Date / Revised: 11.12.2024 Version: 1.0

Product: Luvitec® VA 6436 P

(ID no. 30856234/SDS_GEN_00/EN)

Date of print 18.10.2025

Protection against fire and explosion:

The relevant fire protection measures should be noted.

Conditions for safe storage, including any incompatibilities

Further information on storage conditions: Containers should be stored tightly sealed in a dry place. Protect against heat.

Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

8. Exposure Controls/Personal Protection

Control parameters

Components with occupational exposure limits

67-63-0: Propan-2-ol

Exposure controls

Personal protective equipment

Respiratory protection:

Breathing protection if breathable aerosols/dust are formed. Particle filter with low efficiency for solid particles (e.g. EN 143 or 149, Type P1or FFP1)

Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc. Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing.

Eve protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

General safety and hygiene measures

Handle in accordance with good industrial hygiene and safety practice.

9. Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

State of matter: solid powder Colour: white to cream

Date / Revised: 11.12.2024 Version: 1.0

Product: Luvitec® VA 6436 P

(ID no. 30856234/SDS_GEN_00/EN)

Date of print 18.10.2025

Odour: almost odourless

Odour threshold:

not determined

melting point (decomposition): 140 °C

boiling temperature:

not applicable

Flammability: not readily ignited

Lower explosion limit:

For solids not relevant for classification and labelling.

Upper explosion limit:

For solids not relevant for classification and labelling.

Flash point: 215 °C (DIN 51755) Auto-ignition temperature: approx. 420 °C (DIN 51794)

Thermal decomposition: >= 140 °C

pH value: 2,5 - 6,0 (Ph. Eur. 2.2.3)

(10 %(m), 20 °C)

Viscosity, kinematic:

No data available.

Viscosity, dynamic:

not applicable, the product is a solid

Solubility in water:

> 300 g/l (20 °C)

Solubility (qualitative) solvent(s): organic solvents

soluble

Partitioning coefficient n-octanol/water (log Kow): < -2,5

Vapour pressure:

not applicable

Density:

No data available.

Relative vapour density (air):

not applicable

Particle characteristics

Particle size distribution: 50 - 300 µm (Counted Distribution, SEM)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. -

9.2. Other information

Information with regard to physical hazard classes

Explosives

Explosion hazard: not explosive

Oxidizing properties

Fire promoting properties: not fire-propagating

Self-heating substances and mixtures

Self heating ability: It is not a substance capable of

spontaneous heating.

Other safety characteristics

Minimum ignition energy: 10 - 30 mJ (VDI 2263, sheet 1, 2.1.1 (May

Inductivity: 1 mH 1990))

The product is capable of dust

explosion.

Bulk density: approx. 150 - 400 kg/m3 (DIN EN ISO 60)

Date / Revised: 11.12.2024 Version: 1.0

Product: Luvitec® VA 6436 P

(ID no. 30856234/SDS_GEN_00/EN)

Date of print 18.10.2025

Miscibility with water:

soluble

Solids content: 95,0 - 100,0 %

(Ph. Eur. 2.2.32)

Evaporation rate:

The product is a non-volatile solid.

10. Stability and Reactivity

Possibility of hazardous reactions

Dust explosion hazard.

Conditions to avoid

Avoid dust formation.

Incompatible materials

Substances to avoid:

No substances known that should be avoided.

Hazardous decomposition products

.

No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information

Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single ingestion.

Experimental/calculated data:

LD50 rat (oral): > 10.000 mg/kg (BASF-Test)

Irritation

Assessment of irritating effects:

Not irritating to the skin. Not irritating to the eyes.

Experimental/calculated data:

Skin corrosion/irritation rabbit: non-irritant (BASF-Test)

Serious eye damage/irritation rabbit: non-irritant (BASF-Test)

Date / Revised: 11.12.2024 Version: 1.0

Product: Luvitec® VA 6436 P

(ID no. 30856234/SDS_GEN_00/EN)

Date of print 18.10.2025

Respiratory/Skin sensitization

Assessment of sensitization:

Skin sensitizing effects were not observed in animal studies.

Experimental/calculated data:

Guinea pig maximization test guinea pig: Non-sensitizing. (OECD Guideline 406)

Germ cell mutagenicity

Assessment of mutagenicity:

No mutagenic effect was found in various tests with bacteria and mammalian cell culture. The substance was not mutagenic in studies with mammals.

Carcinogenicity

Assessment of carcinogenicity:

In long-term animal studies in which the substance was given in high doses by feed, a carcinogenic effect was not observed.

Reproductive toxicity

Assessment of reproduction toxicity:

Repeated oral uptake of the substance did not cause damage to the reproductive organs.

Developmental toxicity

Assessment of teratogenicity:

No indications of a developmental toxic / teratogenic effect were seen in animal studies.

Specific target organ toxicity (single exposure)

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

None known

Aspiration hazard

No aspiration hazard expected.

Other relevant toxicity information

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Date / Revised: 11.12.2024 Version: 1.0

Product: Luvitec® VA 6436 P

(ID no. 30856234/SDS_GEN_00/EN)

Date of print 18.10.2025

12. Ecological Information

Toxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

Toxicity to fish:

LC50 (96 h) > 10.000 mg/l, Brachydanio rerio (OECD Guideline 203, static)

Aquatic invertebrates:

EC50 (48 h) > 100 mg/l, Daphnia magna (Directive 79/831/EEC, static)

Aquatic plants:

EC50 (72 h) > 100 mg/l (biomass), Scenedesmus subspicatus (OECD Guideline 201, static)

Persistence and degradability

Assessment biodegradation and elimination (H2O):

Poorly eliminated from water.

Elimination information:

approx. 20 - 30 % DOC reduction (15 d) (OECD Guideline 302 B) (aerobic, activated sludge, adapted) Poorly eliminated from water.

Bioaccumulative potential

Bioaccumulation potential:

Based on its structural properties, the polymer is not biologically available. Accumulation in organisms is not to be expected.

Mobility in soil

Assessment transport between environmental compartments:

Adsorption in soil: No data available.

Other adverse effects

No data available.

Additional information

Other ecotoxicological advice:

Ecological data are determined by analogy.

Date / Revised: 11.12.2024 Version: 1.0

Product: Luvitec® VA 6436 P

(ID no. 30856234/SDS_GEN_00/EN)

Date of print 18.10.2025

13. Disposal Considerations

Waste treatment methods

Must be sent to a suitable incineration plant, observing local regulations.

A waste code in accordance with the European waste catalog (EWC) cannot be specified, due to dependence on the usage.

Observe national and local legal requirements.

14. Transport Information

Land transport

ADR

Not classified as a dangerous good under transport regulations

UN number or ID number: Not applicable Not applicable UN proper shipping name: Transport hazard class(es): Not applicable Packing group: Not applicable Environmental hazards: Not applicable Special precautions for None known

user

RID

Not classified as a dangerous good under transport regulations

UN number or ID number: Not applicable Not applicable UN proper shipping name: Not applicable Transport hazard class(es): Packing group: Not applicable Environmental hazards: Not applicable Special precautions for

user

None known

Inland waterway transport

ADN

Not classified as a dangerous good under transport regulations

UN number or ID number: Not applicable UN proper shipping name: Not applicable Not applicable Transport hazard class(es): Packing group: Not applicable Environmental hazards: Not applicable

Special precautions for

None known

user:

Transport in inland waterway vessel

Not evaluated

Page: 10/11

Safety data sheet according to the United Nations' Globally Harmonized System (UN GHS)

Date / Revised: 11.12.2024 Version: 1.0

Product: Luvitec® VA 6436 P

(ID no. 30856234/SDS_GEN_00/EN)

Date of print 18.10.2025

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

UN number or ID number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

UN number or ID number
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

16. Other Information

Any other intended applications should be discussed with the manufacturer.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Page: 11/11

Safety data sheet according to the United Nations' Globally Harmonized System (UN GHS)

Date / Revised: 11.12.2024 Version: 1.0

Product: Luvitec® VA 6436 P

(ID no. 30856234/SDS_GEN_00/EN)

Date of print 18.10.2025

Vertical lines in the left hand margin indicate an amendment from the previous version.