

Safety data sheet

Page: 1/13

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 08.01.2023

Version: 9.0

Date previous version: 01.08.2018

Previous version: 8.0

Date / First version: 23.01.2004

Product: **Kaurit® Powder 390**

(ID no. 30034927/SDS_GEN_GB/EN)

Date of print 21.10.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Kaurit® Powder 390

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Chemical

Recommended use: Chemical, for industrial and professional users

1.3. Details of the supplier of the safety data sheet

Company:

BASF SE
67056 Ludwigshafen
GERMANY

Contact address:

BASF plc
4th and 5th Floors, 2 Stockport Exchange
Railway Road, Stockport, SK1 3GG
UNITED KINGDOM

Telephone: +44 161 475 3000

E-mail address: product-safety-uk-and-ireland@basf.com

1.4. Emergency telephone number

International emergency number:

Telephone: +49 180 2273-112

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

For the classification of the mixture the following methods have been applied: extrapolation on the concentration levels of the hazardous substances, on basis of test results and after evaluation of experts. The methodologies used are mentioned at the respective test results.

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 08.01.2023

Version: 9.0

Date previous version: 01.08.2018

Previous version: 8.0

Date / First version: 23.01.2004

Product: **Kaurit® Powder 390**

(ID no. 30034927/SDS_GEN_GB/EN)

Date of print 21.10.2025

According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

No need for classification according to GHS criteria for this product.

2.2. Label elements

According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

The product does not require a hazard warning label in accordance with GHS criteria.

Labeling of special preparations (GHS):

| Product contains the following components and may cause an allergic skin reaction: formaldehyde
| ...%

2.3. Other hazards

According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

| No specific dangers known, if the regulations/notes for storage and handling are considered.

| The product does not contain a substance above legal limits fulfilling the PBT
(persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

SECTION 3: Composition/Information on Ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Chemical nature

| Condensate based on: Urea, formaldehyde ...%

Hazardous ingredients (GHS)

No particular hazards known.

SECTION 4: First-Aid Measures

4.1. Description of first aid measures

Remove contaminated clothing.

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 08.01.2023

Version: 9.0

Date previous version: 01.08.2018

Previous version: 8.0

Date / First version: 23.01.2004

Product: **Kaurit® Powder 390**

(ID no. 30034927/SDS_GEN_GB/EN)

Date of print 21.10.2025

If inhaled:

If difficulties occur after dust has been inhaled, remove to fresh air and seek medical attention.

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Rinse mouth and then drink 200-300 ml of water.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.

Hazards: No hazard is expected under intended use and appropriate handling.

4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing media

Suitable extinguishing media:

water spray, foam, carbon dioxide, dry powder

5.2. Special hazards arising from the substance or mixture

Endangering substances: formaldehyde ...%, harmful vapours

5.3. Advice for fire-fighters

Further information:

Fire debris must be disposed of in accordance with official regulations. In case of combustion evolution of toxic gases/vapours possible. Do not allow to enter drains or waterways. Forms slippery surfaces with water.

SECTION 6: Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with the skin, eyes and clothing. Handle in accordance with good industrial hygiene and safety practice. Information regarding personal protective measures, see section 8.

6.2. Environmental precautions

Do not allow to enter soil, waterways or waste water channels. Prevent entry into drains and surface waters. Ensure compliance with local regulations before discharging into effluent treatment plants.

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 08.01.2023

Version: 9.0

Date previous version: 01.08.2018

Previous version: 8.0

Date / First version: 23.01.2004

Product: **Kaurit® Powder 390**

(ID no. 30034927/SDS_GEN_GB/EN)

Date of print 21.10.2025

6.3. Methods and material for containment and cleaning up

For small amounts: Sweep/shovel up.

For large amounts: Sweep/shovel up.

6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

SECTION 7: Handling and Storage

7.1. Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice. Inform workers about possible hazards caused by the release of formaldehyde during processing.

Protection against fire and explosion:

Avoid dust formation. The product is capable of dust explosion. Sources of ignition should be kept well clear. Take precautionary measures against static discharges.

7.2. Conditions for safe storage, including any incompatibilities

Suitable materials for containers: Low density polyethylene (LDPE), glass, Paper/Fibreboard, High density polyethylene (HDPE)

Further information on storage conditions: Store in unopened original containers in a cool and dry place.

7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters

Components with occupational exposure limits

50-00-0: formaldehyde ...%

TWA value 2.5 mg/m³ ; 2 ppm (WEL/EH 40 (UK))

STEL value 0.74 mg/m³ (Directive 2004/37/EC)

TWA value 0.62 mg/m³ ; 0.5 ppm (Directive 2004/37/EC)

TWA value 0.37 mg/m³ ; 0.3 ppm (Directive 2004/37/EC)

STEL value 0.6 ppm (Directive 2004/37/EC)

STEL value 2.5 mg/m³ ; 2 ppm (WEL/EH 40 (UK))

Ceiling limit value/factor: 15 min

Components with PNEC

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 08.01.2023

Version: 9.0

Date previous version: 01.08.2018

Previous version: 8.0

Date / First version: 23.01.2004

Product: **Kaurit® Powder 390**

(ID no. 30034927/SDS_GEN_GB/EN)

Date of print 21.10.2025

50-00-0: formaldehyde ...%

not applicable:

No PNEC value available.

Components with DNEL

50-00-0: formaldehyde ...%

worker: Short-term exposure - systemic and local effects, Inhalation: 0.75 mg/m³, 0.6 ppm

worker: Long-term exposure - systemic and local effects, Inhalation: 0.375 mg/m³, 0.3 ppm

worker: Long-term exposure- systemic effects, dermal: 240 mg/kg

consumer: Long-term exposure- systemic effects, oral: 4.1 mg/kg

consumer: Long-term exposure- systemic effects, dermal: 102 mg/kg

consumer: Long-term exposure - local effects, dermal: 0.012 mg/cm²

consumer: Long-term exposure - systemic and local effects, Inhalation: 0.1 mg/m³

8.2. Exposure controls

Personal protective equipment

Respiratory protection:

Breathing protection if dusts are formed. (Particle filter EN 143 P2 or FFP2)

Eye protection:

In order to satisfy general industrial hygiene rules safety glasses with side-shields (e.g. EN 166) are recommended.

Body protection:

No body protection required if used for intended purpose and satisfying generally accepted industrial hygiene rules.

General safety and hygiene measures

Remove contaminated clothing immediately and clean before re-use or dispose it if necessary.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Form: powder

Colour: white

Odour: faint odour

pH value: approx. 7
(660 g/l, 20 °C)

(DIN ISO 976)

Melting point: approx. 120 °C

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 08.01.2023

Version: 9.0

Date previous version: 01.08.2018

Previous version: 8.0

Date / First version: 23.01.2004

Product: **Kaurit® Powder 390**

(ID no. 30034927/SDS_GEN_GB/EN)

Date of print 21.10.2025

Boiling point:

The substance / product polymerizes therefore not determined.

Flash point:

> 200 °C

(ISO 2592)

Flammability:

not highly flammable

Ignition temperature:

approx. 450 °C

(DIN 51794)

Vapour pressure:

The product has not been tested.
The statement has been derived from the properties of the individual components.

Information on: Water

Vapour pressure:

23.4 hPa

(20 °C)

Literature data.

Information on: formaldehyde ...%

Vapour pressure:

1.2 - 1.3 hPa

(20 °C)

The data given are those of the active ingredient.

14 hPa

(55 %(m), 20 °C)

dynamic

(internal method)

Solubility in water:

miscible

Partitioning coefficient n-octanol/water (log Kow):

< 1.0

(20 °C)

The statements are based on the properties of the individual components.

Self ignition:

not self-igniting

Thermal decomposition:

> 250 °C

No decomposition if correctly stored and handled.

Explosion hazard:

Product is not explosive, however a dust explosion could result from an air / dust mixture.

Fire promoting properties:

not fire-propagating

9.2. Other information

Self heating ability:

It is not a substance capable of spontaneous heating according to UN transport regulations class 4.2.

Bulk density:

approx. 600 kg/m³

(ISO 697)

Grain size distribution

33.53 - 77.79 µm

(D50, Volumetric Distribution, other (measured))

Other Information:

none

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 08.01.2023

Version: 9.0

Date previous version: 01.08.2018

Previous version: 8.0

Date / First version: 23.01.2004

Product: **Kaurit® Powder 390**

(ID no. 30034927/SDS_GEN_GB/EN)

Date of print 21.10.2025

SECTION 10: Stability and Reactivity

10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

10.2. Chemical stability

The product is chemically stable.

10.3. Possibility of hazardous reactions

Risk of spontaneous polymerization in the presence of strong acids, bases and peroxides. During processing with acids, water and / or heat formaldehyde will be released, which may act as a sensitizer.

10.4. Conditions to avoid

> 30 °C
Avoid heat. Avoid humidity. Avoid dust formation.

10.5. Incompatible materials

Substances to avoid:

Organic Peroxides, strong bases, strong acids, acid anhydrides

10.6. Hazardous decomposition products

formaldehyde ...%

SECTION 11: Toxicological Information

11.1. Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single ingestion. The inhalation of a highly enriched/saturated vapor-air-mixture represents an unlikely acute hazard. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data:

LD50 rat (oral): > 10,000 mg/kg

rat (by inhalation): 8 h (IRT)

No mortality within the stated exposition time as shown in animal studies.

Irritation

Assessment of irritating effects:

Not irritating to the skin. Not irritating to the eyes. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 08.01.2023

Version: 9.0

Date previous version: 01.08.2018

Previous version: 8.0

Date / First version: 23.01.2004

Product: **Kaurit® Powder 390**

(ID no. 30034927/SDS_GEN_GB/EN)

Date of print 21.10.2025

Experimental/calculated data:

Skin corrosion/irritation

rabbit: non-irritant (BASF-Test)

Serious eye damage/irritation

rabbit: non-irritant

Serious eye damage/irritation

rabbit: non-irritant (BASF-Test)

Respiratory/Skin sensitization

Assessment of sensitization:

After continuous contact with the skin, sensitization cannot be excluded.

Germ cell mutagenicity

No data available.

Carcinogenicity

| *Information on: formaldehyde ...%*

| *Assessment of carcinogenicity:*

| *After lifelong inhalation exposure to concentrations that were severely damaging to the nasal epithelium, nasal tumors were induced in rats; in other species these findings were not found or were considerably less pronounced. The International Agency for Research on Cancer (IARC) has classified formaldehyde as a Group 1 (known) human carcinogen based on epidemiological evidence linking formaldehyde exposure to occurrence of nasopharyngeal cancer and leukemia. No adverse health effects are anticipated if recommended personal protective equipment and industrial hygiene practices are used.*

Reproductive toxicity

Assessment of reproduction toxicity:

| No reproductive toxic effects reported.

Developmental toxicity

Assessment of teratogenicity:

| Not a teratogen.

Specific target organ toxicity (single exposure)

No data available.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

| *Information on: formaldehyde ...%*

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 08.01.2023

Version: 9.0

Date previous version: 01.08.2018

Previous version: 8.0

Date / First version: 23.01.2004

Product: **Kaurit® Powder 390**

(ID no. 30034927/SDS_GEN_GB/EN)

Date of print 21.10.2025

Assessment of repeated dose toxicity:

| *After repeated exposure the prominent effect is local irritation.*

| *Information on: methanol*

Assessment of repeated dose toxicity:

| *The substance may cause blindness after repeated ingestion. The substance may cause blindness after repeated inhalation.*

Aspiration hazard

| No aspiration hazard expected.

Other relevant toxicity information

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

SECTION 12: Ecological Information

12.1. Toxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms.

Toxicity to fish:

LC50 (96 h) > 500 mg/l, *Leuciscus idus* (DIN 38412 Part 15, static)

Nominal concentration.

Microorganisms/Effect on activated sludge:

activated sludge, industrial (DIN EN ISO 8192-OECD 209-88/302/EEC, P. C, aerobic)

Inhibition of degradation activity in activated sludge is not to be anticipated during correct introduction of low concentrations. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

12.2. Persistence and degradability

Elimination information:

| No data available.

12.3. Bioaccumulative potential

Assessment bioaccumulation potential:

| Based on its structural properties, the polymer is not biologically available. Accumulation in organisms is not to be expected.

12.4. Mobility in soil

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 08.01.2023

Version: 9.0

Date previous version: 01.08.2018

Previous version: 8.0

Date / First version: 23.01.2004

Product: **Kaurit® Powder 390**

(ID no. 30034927/SDS_GEN_GB/EN)

Date of print 21.10.2025

12.5. Results of PBT and vPvB assessment

The product does not fulfill the criteria for PBT (Persistent/bioaccumulative/toxic) and vPvB (very persistent/very bioaccumulative).

12.6. Other adverse effects

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

12.7. Additional information

Other ecotoxicological advice:

Do not release untreated into natural waters. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. Inhibition of degradation activity in activated sludge is not to be anticipated during correct introduction of low concentrations.

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

Incinerate in suitable incineration plant, observing local authority regulations.

The UK Environmental Protection (Duty of Care) Regulations (EP) and amendments should be noted (United Kingdom).

SECTION 14: Transport Information

Land transport

ADR

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

RID

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 08.01.2023

Version: 9.0

Date previous version: 01.08.2018

Previous version: 8.0

Date / First version: 23.01.2004

Product: **Kaurit® Powder 390**

(ID no. 30034927/SDS_GEN_GB/EN)

Date of print 21.10.2025

UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

Inland waterway transport

ADN

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user:	None known

Transport in inland waterway vessel

Not evaluated

Sea transport

IMDG

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

Air transport

IATA/ICAO

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for	None known

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 08.01.2023

Version: 9.0

Date previous version: 01.08.2018

Previous version: 8.0

Date / First version: 23.01.2004

Product: **Kaurit® Powder 390**

(ID no. 30034927/SDS_GEN_GB/EN)

Date of print 21.10.2025

user

14.1. UN number or ID number

See corresponding entries for "UN number or ID number" for the respective regulations in the tables above.

14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

14.7. Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

The data should be considered when making any assessment under the Control of Substances Hazardous to Health Regulations (COSHH), and related guidance, for example, 'COSHH Essentials' (United Kingdom).

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

15.2. Chemical Safety Assessment

| Advice on product handling can be found in sections 7 and 8 of this safety data sheet.

SECTION 16: Other Information

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from time to time.

Date / Revised: 08.01.2023

Version: 9.0

Date previous version: 01.08.2018

Previous version: 8.0

Date / First version: 23.01.2004

Product: **Kaurit® Powder 390**

(ID no. 30034927/SDS_GEN_GB/EN)

Date of print 21.10.2025

Abbreviations

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road.
ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland waterways. ATE = Acute Toxicity Estimates. CAO = Cargo Aircraft Only. CAS = Chemical Abstract Service. CLP = Classification, Labelling and Packaging of substances and mixtures. DIN = German national organization for standardization. DNEL = Derived No Effect Level. EC50 = Effective concentration median for 50% of the population. EC = European Community. EN = European Standards. IARC = International Agency for Research on Cancer. IATA = International Air Transport Association. IBC-Code = Intermediate Bulk Container code. IMDG = International Maritime Dangerous Goods Code. ISO = International Organization for Standardization. STEL = Short-Term Exposure Limit. LC50 = Lethal concentration median for 50% of the population. LD50 = Lethal dose median for 50% of the population. TLV = Threshold Limit Value. MARPOL = The International Convention for the Prevention of Pollution from Ships. NEN = Dutch Norm. NOEC = No Observed Effect Concentration. OEL = Occupational Exposure Limit. OECD = Organization for Economic Cooperation and Development. PBT = Persistent, Bioaccumulative and Toxic. PNEC = Predicted No Effect Level. PPM = Parts per million. RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail. TWA = Time Weight Average. UN-number = UN number at transport. vPvB = very Persistent and very Bioaccumulative.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.