

## Safety data sheet

Page: 1/16

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from

time to time.

Date / Revised: 18.09.2023 Version: 12.0
Date previous version: 08.11.2022 Previous version: 11.0

Date previous version: 08.11.2022
Date / First version: 11.07.2002
Product: n-BUTYRALDEHYDE

(ID no. 30036655/SDS\_GEN\_GB/EN)

Date of print 20.10.2025

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

## n-BUTYRALDEHYDE

Chemical name: n-Butyraldehyde pure

CAS Number: 123-72-8

REACH registration number: 01-2119488889-07-0002

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Chemical

#### 1.3. Details of the supplier of the safety data sheet

Company: BASF SE 67056 Ludwigshafen GERMANY Contact address:
BASF plc
4th and 5th Floors, 2 Stockport Exchange
Railway Road, Stockport, SK1 3GG
UNITED KINGDOM

\_\_\_\_\_

Telephone: +44 161 475 3000

E-mail address: product-safety-uk-and-ireland@basf.com

#### 1.4. Emergency telephone number

International emergency number: Telephone: +49 180 2273-112

#### **SECTION 2: Hazards Identification**

#### 2.1. Classification of the substance or mixture

time to time.

Date / Revised: 18.09.2023 Version: 12.0
Date previous version: 08.11.2022 Previous version: 11.0

Date previous version: 08.11.2022 Date / First version: 11.07.2002 Product: **n-BUTYRALDEHYDE** 

(ID no. 30036655/SDS\_GEN\_GB/EN)

Date of print 20.10.2025

#### According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Flam. Liq. 2 H225 Highly flammable liquid and vapour. Eye Dam./Irrit. 2 H319 Causes serious eye irritation.

For the classifications not written out in full in this section the full text can be found in section 16.

#### 2.2. Label elements

According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Pictogram:





## Signal Word:

Danger

Hazard Statement:

H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation.

Precautionary Statements (Prevention):

P210 Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking.

P280 Wear protective gloves and eye protection or face protection.

Precautionary Statements (Response):

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water or shower.

Precautionary Statements (Storage):

P403 + P235 Store in a well-ventilated place. Keep cool.

Precautionary Statements (Disposal):

P501 Dispose of contents and container to hazardous or special waste

collection point.

#### 2.3. Other hazards

#### According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

See section 12 - Results of PBT and vPvB assessment.

time to time.

Date / Revised: 18.09.2023 Version: 12.0

Date previous version: 08.11.2022 Previous version: 11.0

Date / First version: 11.07.2002 Product: **n-BUTYRALDEHYDE** 

(ID no. 30036655/SDS\_GEN\_GB/EN)

Date of print 20.10.2025

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

## **SECTION 3: Composition/Information on Ingredients**

#### 3.1. Substances

#### **Chemical nature**

butyraldehyde (Content (W/W): > 99 %)

CAS Number: 123-72-8 EC-Number: 204-646-6 INDEX-Number: 605-006-00-2

#### Hazardous ingredients (GHS)

butyraldehyde

Content (W/W): > 99 % - < 100 % Flam. Liq. 2 CAS Number: 123-72-8 Eye Dam./Irrit. 2 EC-Number: 204-646-6 H225, H319

INDEX-Number: 605-006-00-2

For the classifications not written out in full in this section, including the hazard classes and the hazard statements, the full text is listed in section 16.

#### 3.2. Mixtures

Not applicable

#### **SECTION 4: First-Aid Measures**

## 4.1. Description of first aid measures

Immediately remove contaminated clothing. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). If not breathing, give artificial respiration.

#### If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

time to time.

Date / Revised: 18.09.2023 Version: 12.0
Date previous version: 08.11.2022 Previous version: 11.0

Date previous version: 08.11.2022 Date / First version: 11.07.2002 Product: **n-BUTYRALDEHYDE** 

(ID no. 30036655/SDS\_GEN\_GB/EN)

Date of print 20.10.2025

Wash thoroughly with soap and water

On contact with eyes:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Symptomatic treatment (decontamination, vital functions).

## **SECTION 5: Fire-Fighting Measures**

## 5.1. Extinguishing media

Suitable extinguishing media:

dry powder, water spray, carbon dioxide, alcohol-resistant foam

Unsuitable extinguishing media for safety reasons:

water jet

Additional information:

Use extinguishing measures to suit surroundings.

## 5.2. Special hazards arising from the substance or mixture

Advice: Highly flammable. Cool endangered containers with water-spray. See SDS section 7 - Handling and storage.

#### 5.3. Advice for fire-fighters

Special protective equipment:

Wear a self-contained breathing apparatus. Special protective equipment for firefighters

Further information:

Evacuate area of all unnecessary personnel. Fight fire from maximum distance.

Extend fire extinguishing measures to the surroundings. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

## **SECTION 6: Accidental Release Measures**

High risk of slipping due to leakage/spillage of product.

time to time.

Date / Revised: 18.09.2023 Version: 12.0
Date previous version: 08.11.2022 Previous version: 11.0

Date previous version: 08.11.2022 Date / First version: 11.07.2002 Product: **n-BUTYRALDEHYDE** 

(ID no. 30036655/SDS\_GEN\_GB/EN)

Date of print 20.10.2025

Release of substance/product can cause fire or explosion. Shut off or stop source of leak. Shut off or stop released substance/product under safe conditions.

Pack in tightly closed containers for disposal.

#### 6.1. Personal precautions, protective equipment and emergency procedures

Handle in accordance with good industrial hygiene and safety practice.

Avoid all sources of ignition: heat, sparks, open flame. Use antistatic tools.

## 6.2. Environmental precautions

Discharge into the environment must be avoided.

## 6.3. Methods and material for containment and cleaning up

Pick up with suitable appliance and dispose of. Spills should be contained, solidified, and placed in suitable containers for disposal. Dispose of absorbed material in accordance with regulations.

## 6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

## **SECTION 7: Handling and Storage**

#### 7.1. Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice.

Protection against fire and explosion:

Avoid all sources of ignition: heat, sparks, open flame. Ground all transfer equipment properly to prevent electrostatic discharge.

#### 7.2. Conditions for safe storage, including any incompatibilities

Further information on storage conditions: Keep container tightly closed in a cool, well-ventilated place. Protect from air. Keep under inert gas.

#### 7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

## **SECTION 8: Exposure Controls/Personal Protection**

## 8.1. Control parameters

Components with occupational exposure limits

No occupational exposure limits known.

**PNEC** 

time to time.

Date / Revised: 18.09.2023 Version: 12.0

Date previous version: 08.11.2022 Previous version: 11.0

Date / First version: 11.07.2002 Product: **n-BUTYRALDEHYDE** 

(ID no. 30036655/SDS\_GEN\_GB/EN)

Date of print 20.10.2025

freshwater: 0.0258 mg/l

marine water: 0.00258 mg/l

sediment (freshwater): 0.106 mg/kg

sediment (marine water): 0.0106 mg/kg

soil: 0.00605 mg/kg

intermittent release: 0.258 mg/l

#### **DNEL**

No DNELs have been derived.

#### 8.2. Exposure controls

#### Personal protective equipment

#### Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Gas filter for gases/vapours of organic compounds (boiling point >65 °C, e. g. EN 14387 Type A)

#### Hand protection:

Chemical resistant protective gloves (EN ISO 374-1)

Suitable materials also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1):

butyl rubber (butyl) - 0.7 mm coating thickness

Manufacturer's directions for use should be observed because of great diversity of types. Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing.

#### Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

## Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

## General safety and hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Avoid inhalation of vapour. Wearing of closed work clothing is required additionally to the stated personal protection equipment.

#### Environmental exposure controls

time to time.

Date / Revised: 18.09.2023 Version: 12.0

Date previous version: 08.11.2022 Previous version: 11.0

Date / First version: 11.07.2002 Product: **n-BUTYRALDEHYDE** 

(ID no. 30036655/SDS\_GEN\_GB/EN)

Date of print 20.10.2025

All appropriate measures must be taken to prevent the release of this product to the environment and to limit the dispersion of any release when it occurs. Suitable risk management measures should be in place.

## **SECTION 9: Physical and Chemical Properties**

## 9.1. Information on basic physical and chemical properties

Form: liquid
Colour: colourless
Odour: aldehyde-like

Odour threshold:

not determined

pH value: 6 - 7

(71 g/l, 20 °C)

Freezing point: -99 °C (other)

(1,013 hPa)

Literature data.

Boiling point: 74.9 °C (other)

(1,013 hPa)

Flash point: -12 °C (DIN 51755, closed cup)

Evaporation rate:

Value can be approximated from Henry's Law Constant or vapor

pressure.

Flammability: Highly flammable. (derived from flash - and boiling

point)

Lower explosion limit:

For liquids not relevant for classification and labelling., The lower explosion point may be 5 - 15

°C below the flash point.

Upper explosion limit:

For liquids not relevant for classification and labelling.

Ignition temperature: 195 °C (DIN 51794) Vapour pressure: 116.4 hPa (BASF method)

(20 °C)

dynamic

Density: 0.81 g/cm3 (OECD Guideline 109)

(20 °C, 1,013 hPa)

Relative density: 0.81 (OECD Guideline 109)

(20 °C, 1,013 hPa)

Relative vapour density (air):2.48 (calculated)

(20 °C)

Heavier than air.

Solubility in water:

37 g/l (25 °C)

time to time.

Date / Revised: 18.09.2023 Version: 12.0

Date previous version: 08.11.2022 Previous version: 11.0

Date / First version: 11.07.2002 Product: **n-BUTYRALDEHYDE** 

(ID no. 30036655/SDS\_GEN\_GB/EN)

Date of print 20.10.2025

Partitioning coefficient n-octanol/water (log Kow): 0.79 (OECD Guideline 107)

(25 °C)

Self ignition: Temperature: 195 °C Test type: Self-ignition at high

Pressure: 1,013 hPa temperatures.

not self-igniting (Method: DIN 51794)

not self-igniting Test type: Spontaneous self-

ignition at room-temperature.

(Method: other)

(other)

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

Viscosity, dynamic: 0.43 mPa.s

(20 °C)

Literature data.

Explosion hazard: Based on the chemical structure

there is no indication of explosive

properties.

Fire promoting properties: Based on its structural properties (other)

the product is not classified as

oxidizing.

#### 9.2. Other information

Self heating ability: It is not a substance capable of

spontaneous heating.

pKA:

The substance does not dissociate.

Adsorption/water - soil: KOC: 5.1; log KOC: 0.707 (calculated)

Surface tension: (other)

Based on chemical structure, surface

activity is not to be expected.

Grain size distribution: Test substance The substance / product is marketed or

used in a non solid or granular form.

Molar mass: 72.11 g/mol

## **SECTION 10: Stability and Reactivity**

## 10.1. Reactivity

Corrosion to metals: No corrosive effect on metal.

Formation of Remarks: Forms no flammable gases in the

flammable gases: presence of water.

#### 10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

## 10.3. Possibility of hazardous reactions

When finely distributed, self-ignition is possible.

#### 10.4. Conditions to avoid

time to time.

Date / Revised: 18.09.2023 Version: 12.0
Date previous version: 08.11.2022 Previous version: 11.0

Date previous version: 08.11.2022 Date / First version: 11.07.2002 Product: **n-BUTYRALDEHYDE** 

(ID no. 30036655/SDS\_GEN\_GB/EN)

Date of print 20.10.2025

Avoid all sources of ignition: heat, sparks, open flame.

## 10.5. Incompatible materials

Substances to avoid: amines, amine compounds, lye, lye mixtures

## 10.6. Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

## **SECTION 11: Toxicological Information**

#### 11.1. Information on toxicological effects

#### Acute toxicity

Assessment of acute toxicity:

Of low toxicity after single ingestion. Virtually nontoxic by inhalation. Of low toxicity after short-term skin contact.

Experimental/calculated data:

LD50 rat (oral): 4,167 mg/kg

Literature data.

LC50 rat (by inhalation): 49 mg/l 4 h Literature data. The vapour was tested.

LD50 rabbit (dermal): > 2,000 mg/kg

## <u>Irritation</u>

Assessment of irritating effects:

Not irritating to the skin. Eye contact causes irritation.

Experimental/calculated data:

Skin corrosion/irritation

rabbit: non-irritant (OECD Guideline 404)

Serious eye damage/irritation

rabbit: Irritant. (OECD Guideline 405)

## Respiratory/Skin sensitization

Assessment of sensitization:

Skin sensitizing effects were not observed in animal studies.

Experimental/calculated data:

time to time.

Date / Revised: 18.09.2023 Version: 12.0
Date previous version: 08.11.2022 Previous version: 11.0

Date previous version: 08.11.2022
Date / First version: 11.07.2002
Product: n-BUTYRALDEHYDE

(ID no. 30036655/SDS\_GEN\_GB/EN)

Date of print 20.10.2025

Buehler test guinea pig: Non-sensitizing.

#### Germ cell mutagenicity

#### Assessment of mutagenicity:

Most of the results from the available studies show no evidence of a mutagenic effect.

#### Carcinogenicity

#### Assessment of carcinogenicity:

No data available concerning carcinogenic effects.

#### Reproductive toxicity

#### Assessment of reproduction toxicity:

The results of animal studies gave no indication of a fertility impairing effect. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

#### **Developmental toxicity**

#### Assessment of teratogenicity:

No indications of a developmental toxic / teratogenic effect were seen in animal studies. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

#### Specific target organ toxicity (single exposure)

## Assessment of STOT single:

Based on available data, the classification criteria are not met.

#### Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

## Assessment of repeated dose toxicity:

The substance may cause damage to the upper respiratory tract after repeated inhalation, as shown in animal studies.

#### Aspiration hazard

No data available.

## **SECTION 12: Ecological Information**

## 12.1. Toxicity

Assessment of aquatic toxicity:

time to time.

Date / Revised: 18.09.2023 Version: 12.0
Date previous version: 08.11.2022 Previous version: 11.0

Date previous version: 08.11.2022 Date / First version: 11.07.2002

Product: **n-BUTYRALDEHYDE** 

(ID no. 30036655/SDS\_GEN\_GB/EN)

Date of print 20.10.2025

Acutely harmful for aquatic organisms. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

#### Toxicity to fish:

LC50 (96 h) 25.8 mg/l, Pimephales promelas (Fish test acute, static)

#### Aquatic invertebrates:

EC50 (24 h) 195 mg/l, Daphnia magna (DIN 38412 Part 11, static)

Nominal concentration.

## Aquatic plants:

Toxic limit concentration (192 h) 83 mg/l (growth rate), Scenedesmus quadricauda (Growth Inhibition Test)

#### Microorganisms/Effect on activated sludge:

Toxic limit concentration (16 h) 100 mg/l, Pseudomonas putida (DIN 38412 Part 8, aquatic)

#### Chronic toxicity to fish:

LC50 (14 d) 13.7 mg/l, Poecilia reticulata (OECD Guideline 204, semistatic)

#### Chronic toxicity to aquatic invertebrates:

No data available regarding toxicity to daphnids.

#### Assessment of terrestrial toxicity:

No data available.

#### 12.2. Persistence and degradability

Assessment biodegradation and elimination (H2O):

Readily biodegradable (according to OECD criteria).

#### Elimination information:

46 - 57 % BOD of the ThOD (5 d) (OECD 301C; ISO 9408; 92/69/EEC, C.4-F) (aerobic, activated sludge)

#### Assessment of stability in water:

According to structural properties, hydrolysis is not expected/probable.

Information on Stability in Water (Hydrolysis):

No data available.

#### 12.3. Bioaccumulative potential

#### Assessment bioaccumulation potential:

Significant accumulation in organisms is not to be expected.

#### Bioaccumulation potential:

No data available.

#### 12.4. Mobility in soil

time to time.

Date / Revised: 18.09.2023 Version: 12.0

Date previous version: 08.11.2022 Previous version: 11.0 Date / First version: 11.07.2002

Product: n-BUTYRALDEHYDE

(ID no. 30036655/SDS\_GEN\_GB/EN)

Date of print 20.10.2025

Assessment transport between environmental compartments:

Volatility: The substance will slowly evaporate into the atmosphere from the water surface.

Adsorption in soil: Adsorption to solid soil phase is not expected.

#### 12.5. Results of PBT and vPvB assessment

According to Annex XIII of Regulation (EC) No.1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH): The product does not fulfill the criteria for PBT (Persistent/bioaccumulative/toxic) and vPvB (very persistent/very bioaccumulative). Self classification

#### 12.6. Other adverse effects

The substance is not listed in Regulation (EC) 1005/2009 on substances that deplete the ozone laver.

#### 12.7. Additional information

Adsorbable organically-bound halogen (AOX):

This product contains no organically-bound halogen.

## **SECTION 13: Disposal Considerations**

#### 13.1. Waste treatment methods

Dispose of in accordance with national, state and local regulations.

The UK Environmental Protection (Duty of Care) Regulations (EP) and amendments should be noted (United Kingdom).

This product and any uncleaned containers must be disposed of as hazardous waste in accordance with the 2005 Hazardous Waste Regulations and amendments (United Kingdom)

Contaminated packaging:

Disposal must be made according to official regulations.

## **SECTION 14: Transport Information**

#### Land transport

**ADR** 

UN number or ID number: UN1129

UN proper shipping name: **BUTYRALDEHYDE** 

Transport hazard class(es): 3 Packing group: Ш

time to time.

Date / Revised: 18.09.2023 Version: 12.0

Date previous version: 08.11.2022 Previous version: 11.0

Date / First version: 11.07.2002 Product: **n-BUTYRALDEHYDE** 

(ID no. 30036655/SDS\_GEN\_GB/EN)

Date of print 20.10.2025

Environmental hazards: no

Special precautions for Tunnel code: D/E

user:

**RID** 

UN number or ID number: UN1129

UN proper shipping name: BUTYRALDEHYDE

Transport hazard class(es): 3
Packing group: II
Environmental hazards: no

Special precautions for None known

user:

#### **Inland waterway transport**

ADN

UN number or ID number: UN1129

UN proper shipping name: BUTYRALDEHYDE

Transport hazard class(es): 3
Packing group: II
Environmental hazards: no

Special precautions for None known

user:

#### Transport in inland waterway vessel

Not evaluated

#### Sea transport

**IMDG** 

UN number or ID number: UN 1129

UN proper shipping name: BUTYRALDEHYDE

Transport hazard class(es): 3
Packing group: II
Environmental hazards: no

Marine pollutant: NO

Special precautions for

user:

#### Air transport

IATA/ICAO

UN number or ID number: UN 1129

time to time.

Date / Revised: 18.09.2023 Version: 12.0

Date previous version: 08.11.2022 Previous version: 11.0

Date / First version: 11.07.2002 Product: **n-BUTYRALDEHYDE** 

(ID no. 30036655/SDS\_GEN\_GB/EN)

Date of print 20.10.2025

UN proper shipping name: BUTYRALDEHYDE

Transport hazard class(es): 3 Packing group: II

Environmental hazards: No Mark as dangerous for the environment is needed

Special precautions for None known

user:

#### 14.1. UN number or ID number

See corresponding entries for "UN number or ID number" for the respective regulations in the tables above.

## 14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

#### 14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

## 14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

#### 14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

#### 14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

#### 14.7. Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

#### **Further information**

This product is subject to the most recent edition of "The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations" and their amendments (United Kingdom).

## **SECTION 15: Regulatory Information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU - Control of Major Accident Hazards involving dangerous substances (EU):

List entry in regulation: P5a List entry in regulation: P5b List entry in regulation: P5c

time to time.

Date / Revised: 18.09.2023 Version: 12.0
Date previous version: 08.11.2022 Previous version: 11.0

Date previous version: 08.11.2022 Date / First version: 11.07.2002 Product: **n-BUTYRALDEHYDE** 

(ID no. 30036655/SDS\_GEN\_GB/EN)

Date of print 20.10.2025

The data should be considered when making any assessment under the Control of Substances Hazardous to Health Regulations (COSHH), and related guidance, for example, 'COSHH Essentials' (United Kingdom).

This product may be subject to the Control of Major Accident Hazards Regulations (COMAH), and amendments if specific threshold tonnages are exceeded (United Kingdom).

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

#### 15.2. Chemical Safety Assessment

Advice on product handling can be found in sections 7 and 8 of this safety data sheet.

#### **SECTION 16: Other Information**

Assessment of the hazard classes according to UN GHS criteria (most recent version)

Aquatic Acute 3 Acute Tox. 5 (oral) Acute Tox. 5 (dermal) Eye Dam./Irrit. 2B Flam. Liq. 2

Full text of the classifications, including the hazard classes and the hazard statements, if mentioned

in section 2 or 3:

Flam. Liq. Flammable liquids

Eye Dam./Irrit. Serious eye damage/eye irritation H225 Highly flammable liquid and vapour. Causes serious eye irritation.

#### Abbreviations

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road. ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland waterways. ATE = Acute Toxicity Estimates. CAO = Cargo Aircraft Only. CAS = Chemical Abstract Service. CLP = Classification, Labelling and Packaging of substances and mixtures. DIN = German national organization for standardization. DNEL = Derived No Effect Level. EC50 = Effective concentration median for 50% of the population. EC = European Community. EN = European Standards. IARC = International Agency for Research on Cancer. IATA = International Air Transport Association. IBC-Code = Intermediate Bulk Container code. IMDG = International Maritime Dangerous Goods Code. ISO = International Organization for Standardization. STEL = Short-Term Exposure Limit. LC50 = Lethal concentration median for 50% of the population. LD50 = Lethal dose median for 50% of the population. TLV = Threshold Limit Value. MARPOL = The International Convention for the Prevention of Pollution from Ships. NEN = Dutch Norm. NOEC = No Observed Effect Concentration. OEL = Occupational Exposure Limit. OECD = Organization for Economic Cooperation and Development. PBT = Persistent, Bioaccumulative and Toxic. PNEC = Predicted No Effect Level. PPM = Parts per million. RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail. TWA = Time Weight Average. UN-number = UN number at transport. vPvB = very Persistent and very Bioaccumulative.

Page: 16/16

BASF Safety data sheet according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended from

time to time.

Date / Revised: 18.09.2023 Version: 12.0

Date previous version: 08.11.2022 Previous version: 11.0

Date / First version: 11.07.2002 Product: **n-BUTYRALDEHYDE** 

(ID no. 30036655/SDS\_GEN\_GB/EN)

Date of print 20.10.2025

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.