

# Safety Data Sheet

## Dry Vitamin E-Acetate 50% DC

Revision date : 2025/09/02

Version: 6.0

Page: 1/12

(30041051/SDS\_GEN\_MX/EN)

### 1. Identification

#### Product identifier used on the label

### Dry Vitamin E-Acetate 50% DC

#### Recommended use of the chemical and restriction on use

Recommended use\*: Vitamin

Unsuitable for use: Not intended for sale to or use by the general public.

\* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

#### Details of the supplier of the safety data sheet

##### Company:

BASF Mexicana S.A. de C.V.  
Av. Insurgentes Sur 975  
Col. CD. De Los Deportes,  
C.P. 03710 Ciudad de México  
MÉXICO

Telephone: +52 55 5325 2600

#### Emergency telephone number

##### 24 Hour Emergency Response Information

SETIQ: 1800-00-214-(Rep. Mexicana) or 55-59-15-88 (CDMX)

Telephone: +1-800-849-5204 or +1-833-229-1000

#### Other means of identification

Synonyms:

Preparation based on: 3,4-Dihydro-2,5,7,8-tetramethyl-2-(4,8,12-trimethyltridecyl)-2H-benzopyran-6-yl acetate in a matrix of: Gelatins, Starch

### 2. Hazards Identification

#### According to Regulation NOM-018-STPS-2015

#### Classification of the product

Combustible Dust

Combustible Dust (1)

Combustible Dust

# Safety Data Sheet

## Dry Vitamin E-Acetate 50% DC

Revision date: 2025/09/02

Version: 6.0

Page: 2/12

(30041051/SDS\_GEN\_MX/EN)

### Label elements

Signal Word:

Warning

Hazard Statement:

May form combustible dust concentration in air.

### Hazards not otherwise classified

The product is under certain conditions capable of dust explosion.

---

## 3. Composition / Information on Ingredients

### According to Regulation NOM-018-STPS-2015

starch

CAS Number: 9005-25-8

Content (W/W): 10.0 - 30.0%

Synonym: Starch; Amylum

Sucrose

CAS Number: 57-50-1

Content (W/W): 1.0 - 7.0%

Synonym: .alpha.-D-Glucopyranoside, .beta.-D-fructofuranosyl-

Sodium aluminosilicate

CAS Number: 1344-00-9

Content (W/W): 0.5 - 5.0%

Synonym: Kieselsäure, Aluminium-Natriumsalz

The actual concentration is withheld as a trade secret.

---

## 4. First-Aid Measures

### Description of first aid measures

#### General advice:

Remove contaminated clothing.

#### If inhaled:

Keep patient calm, remove to fresh air.

#### If on skin:

Wash thoroughly with soap and water

#### If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

#### If swallowed:

Rinse mouth and then drink 200-300 ml of water.

# Safety Data Sheet

## Dry Vitamin E-Acetate 50% DC

Revision date: 2025/09/02  
Version: 6.0

Page: 3/12  
(30041051/SDS\_GEN\_MX/EN)

### Most important symptoms and effects, both acute and delayed

Symptoms: No data available.

### Indication of any immediate medical attention and special treatment needed

#### Note to physician

Treatment: Symptomatic treatment (decontamination, vital functions).

---

## 5. Fire-Fighting Measures

### Extinguishing media

Suitable extinguishing media:  
water spray, carbon dioxide, dry powder, foam

Unsuitable extinguishing media for safety reasons:  
water jet

Additional information:  
Avoid whirling up the material/product because of the danger of dust explosion.

### Special hazards arising from the substance or mixture

Hazards during fire-fighting:  
Dust explosion hazard.

### Advice for fire-fighters

Protective equipment for fire-fighting:  
Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

### Further information:

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.  
Cool endangered containers with water-spray.

Dusty conditions may ignite explosively in the presence of an ignition source causing flash fire.

---

## 6. Accidental release measures

### Further accidental release measures:

Avoid dispersal of dust in the air (e.g. by clearing dusty surfaces with compressed air). Avoid the formation and build-up of dust - danger of dust explosion. Dust in sufficient concentration can result in an explosive mixture in air. Handle to minimize dusting and eliminate open flame and other sources of ignition.

### Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Information regarding personal protective measures, see section 8.  
Avoid dust formation.

### Environmental precautions

Do not discharge into drains/surface waters/groundwater.

# Safety Data Sheet

## Dry Vitamin E-Acetate 50% DC

Revision date: 2025/09/02  
Version: 6.0

Page: 4/12  
(30041051/SDS\_GEN\_MX/EN)

### Methods and material for containment and cleaning up

For small amounts: Contain with dust binding material and dispose of.

For large amounts: Sweep/shovel up.

Dispose of absorbed material in accordance with regulations. Avoid raising dust.

Nonsparking tools should be used.

## 7. Handling and Storage

### Precautions for safe handling

Avoid dust formation. Provide exhaust ventilation if dust is formed. Handle in accordance with good industrial hygiene and safety practice.

Protection against fire and explosion:

Avoid whirling up the material/product because of the danger of dust explosion. Avoid dust formation. Dust in sufficient concentration can result in an explosive mixture in air. Handle to minimize dusting and eliminate open flame and other sources of ignition. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. Refer to NFPA 660 (2025) Standard for Combustible Dust and Particulate Solids. NFPA 660 is a combination of Standards NFPA 61 (Agriculture and Food), NFPA 484 (Metals), NFPA 652 (Fundamentals of Combustible Dusts), NFPA 654 (Standard for the Prevention of Fire and Dust Explosions from the Manufacturing, Processing, and Handling of Combustible Particulate Solids), NFPA 65 (Sulfur), and NFPA 664 (Woodworking/Processing). Consult NFPA 660 standard for relevant commodity-specific and general safety information.

### Conditions for safe storage, including any incompatibilities

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place.

## 8. Exposure Controls/Personal Protection

### Components with occupational exposure limits

Sucrose	OEL, MX:	TWA value 10 mg/m3 ;
Sodium aluminosilicate	OEL, MX:	TWA value 1 mg/m3 Respirable fraction ;
starch	OEL, MX:	TWA value 10 mg/m3 ;

### Advice on system design:

Provide local exhaust ventilation to control dust. It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen deficient environment. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment). Use only appropriately classified electrical equipment and powered industrial trucks.

# Safety Data Sheet

## Dry Vitamin E-Acetate 50% DC

Revision date: 2025/09/02

Version: 6.0

Page: 5/12

(30041051/SDS\_GEN\_MX/EN)

### **Personal protective equipment**

#### **Respiratory protection:**

Wear a NIOSH-certified (or equivalent) particulate respirator.

#### **Hand protection:**

Chemical resistant protective gloves

#### **Eye protection:**

Wear safety goggles (chemical goggles) if there is potential for airborne dust exposures.

#### **Body protection:**

Body protection must be chosen based on level of activity and exposure.

#### **General safety and hygiene measures:**

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is recommended. Avoid inhalation of dusts. Wear protective clothing as necessary to prevent contact. No eating, drinking, smoking or tobacco use at the place of work. Hands and/or face should be washed before breaks and at the end of the shift.

## 9. Physical and Chemical Properties

Physical state:	solid	
Form:	powder	
Odour:	odourless	
Odour threshold:	not applicable, odour not perceivable	
Colour:	almost white	
pH value:	not applicable, substance/mixture is non-soluble (in water)	
melting range:	The substance / product decomposes therefore not determined.	
freezing range:	No data available.	
Boiling point:	not applicable	
Flash point:	not applicable, the product is a solid	
Flammability:	not highly flammable	(Directive 92/69/EEC, A.10)
Lower explosion limit:	For solids not relevant for classification and labelling.	
Upper explosion limit:	For solids not relevant for classification and labelling.	
SADT:	> 75 °C Heat accumulation / Dewar 500 ml (SADT, UN-Test H.4, 28.4.4)	
Vapour pressure:	not applicable	
Density:	No information is available for the absolute density. Instead the bulk density was determined as a more relevant value.	
Bulk density:	approx. 500 kg/m <sup>3</sup>	
Relative vapour density:	not applicable, The product is a non-volatile solid.	
Partitioning coefficient n-octanol/water (log Pow):	not applicable for mixtures	

# Safety Data Sheet

## Dry Vitamin E-Acetate 50% DC

Revision date: 2025/09/02

Version: 6.0

Page: 6/12

(30041051/SDS\_GEN\_MX/EN)

Thermal decomposition:  $\geq 145$  °C (DSC (DIN 51007))  
self-accelerating reaction  
Viscosity, dynamic: not applicable, the product is a solid  
Viscosity, kinematic: not applicable, the product is a solid  
Solubility in water: (approx. 35 - 40 °C)  
dispersible  
Molecular weight: No data available.  
Evaporation rate: not applicable

### Particle characteristics

Particle size distribution: typically  $> 200$   $\mu\text{m}$  (D50, Volumetric Distribution, ISO 13320-1)

Contains agglomerates / aggregates of nanoparticles - For particle characteristics of nanoform components refer to SDS section 3. - Potential for release of individual nanoparticles is limited.

---

## 10. Stability and Reactivity

### **Reactivity**

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:

Corrosive effects to metal are not anticipated.

Oxidizing properties:

Based on its structural properties the product is not classified as oxidizing.

Minimum ignition energy:

(VDI 2263, sheet 1, 2.5 (May 1990))

The product is capable of dust explosion.

### **Chemical stability**

The product is stable if stored and handled as prescribed/indicated.

### **Possibility of hazardous reactions**

Dust explosion hazard.

### **Conditions to avoid**

Avoid electro-static discharge. Avoid dust formation.

### **Incompatible materials**

None known during use and storage if used according to instructions.

### **Hazardous decomposition products**

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

$\geq 145$  °C (DSC (DIN 51007))

self-accelerating reaction

---

# Safety Data Sheet

## Dry Vitamin E-Acetate 50% DC

Revision date: 2025/09/02  
Version: 6.0

Page: 7/12  
(30041051/SDS\_GEN\_MX/EN)

### 11. Toxicological information

#### Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

#### Acute Toxicity/Effects

##### Acute toxicity

Assessment of acute toxicity: Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact.

##### Oral

*Information on: Tocopheryl Acetate*

*Type of value: LD50*

*Species: rat (male/female)*

*Value: > 10,000 mg/kg (similar to OECD guideline 401)*

*No mortality was observed.*

##### Inhalation

No data available.

##### Dermal

No data available.

*Information on: Tocopheryl Acetate*

*Type of value: LD50*

*Species: rat (male/female)*

*Value: > 3,000 mg/kg (similar to OECD guideline 402)*

*No mortality was observed.*

##### Assessment other acute effects

Assessment of STOT single:

Based on available data, the classification criteria are not met.

##### Irritation / corrosion

Assessment of irritating effects: Not irritating to the skin. Not irritating to the eyes.

##### Skin

*Information on: Tocopheryl Acetate*

*Species: rabbit*

*Result: non-irritant*

*Method: OECD Guideline 404*

##### Eye

# Safety Data Sheet

## Dry Vitamin E-Acetate 50% DC

Revision date: 2025/09/02

Version: 6.0

Page: 8/12

(30041051/SDS\_GEN\_MX/EN)

*Information on: Tocopheryl Acetate*

*Species: rabbit*

*Result: non-irritant*

*Method: OECD Guideline 405*

-----

### Sensitization

Assessment of sensitization: Based on the ingredients, there is no suspicion of a skin-sensitizing potential.

*Information on: Tocopheryl Acetate*

*photo-allergy test*

*Species: guinea pig*

*Result: Non-sensitizing.*

*Method: other*

-----

### Aspiration Hazard

No aspiration hazard expected.

## **Chronic Toxicity/Effects**

### Repeated dose toxicity

Assessment of repeated dose toxicity: Based on available data, the classification criteria are not met.

*Information on: Tocopheryl Acetate*

*Assessment of repeated dose toxicity: Causes mortality through prolonged or repeated exposure.*

-----

### Genetic toxicity

Assessment of mutagenicity: Based on the ingredients, there is no suspicion of a mutagenic effect.

*Information on: Tocopheryl Acetate*

*Assessment of mutagenicity: No mutagenic effect was found in various tests with bacteria and mammalian cell culture. The substance was not mutagenic in a test with mammals.*

-----

### Carcinogenicity

Assessment of carcinogenicity: The whole of the information assessable provides no indication of a carcinogenic effect.

*Information on: Tocopheryl Acetate*

*Assessment of carcinogenicity: In long-term studies in rats in which the substance was given by feed, a carcinogenic effect was not observed.*

-----

### Reproductive toxicity

Assessment of reproduction toxicity: Based on the ingredients, there is no suspicion of a toxic effect on reproduction.

*Information on: Tocopheryl Acetate*

*Assessment of reproduction toxicity: The results of animal studies gave no indication of a fertility impairing effect.*



# Safety Data Sheet

## Dry Vitamin E-Acetate 50% DC

Revision date: 2025/09/02

Version: 6.0

Page: 9/12

(30041051/SDS\_GEN\_MX/EN)

### Teratogenicity

Assessment of teratogenicity: Based on the ingredients, there is no suspicion of a teratogenic effect.

*Information on: Tocopheryl Acetate*

*Assessment of teratogenicity: No indications of a developmental toxic / teratogenic effect were seen in animal studies.*

### Other Information

The product has not been tested. The statements on toxicology have been derived from the properties of the individual components.

## 12. Ecological Information

### **Toxicity**

Aquatic toxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms. The product has not been tested. The statement has been derived from the properties of the individual components.

### Toxicity to fish

*Information on: Tocopheryl Acetate*

*LC50 (96 h) > 11 mg/l, Oncorhynchus mykiss (OECD Guideline 203, static)*

*The statement of the toxic effect relates to the analytically determined concentration. No toxic effects occur within the range of solubility.*

### Aquatic invertebrates

*Information on: Tocopheryl Acetate*

*EC50 (48 h) > 20.6 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)*

*The statement of the toxic effect relates to the analytically determined concentration. No toxic effects occur within the range of solubility.*

### Aquatic plants

*Information on: Tocopheryl Acetate*

*EC50 (72 h) > 27.8 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static)*

*The statement of the toxic effect relates to the analytically determined concentration. No toxic effects occur within the range of solubility.*

### Chronic toxicity to fish

*Information on: Tocopheryl Acetate*

*No observed effect concentration (28 d) > 100 mg/l, Oncorhynchus mykiss (OECD Guideline 215, semistatic)*

*No data available regarding toxicity to fish.*

# Safety Data Sheet

## Dry Vitamin E-Acetate 50% DC

Revision date: 2025/09/02

Version: 6.0

Page: 10/12

(30041051/SDS\_GEN\_MX/EN)

### Assessment of terrestrial toxicity

No data available.

## Microorganisms/Effect on activated sludge

### Toxicity to microorganisms

*Information on: Tocopheryl Acetate*

*DIN EN ISO 8192 aquatic*

*activated sludge, domestic/EC20 (30 min): > 927 mg/l*

*The details of the toxic effect relate to the nominal concentration.*

-----

## Persistence and degradability

### Assessment biodegradation and elimination (H2O)

Not readily biodegradable (by OECD criteria).

The product has not been tested. The statement has been derived from the properties of the individual components.

### Assessment biodegradation and elimination (H2O)

*Information on: Tocopheryl Acetate*

*Moderately/partially biodegradable. Not readily biodegradable (by OECD criteria). The product is virtually insoluble in water and can thus be separated from water mechanically in suitable effluent treatment plants.*

-----

## Bioaccumulative potential

### Assessment bioaccumulation potential

Accumulation in organisms is not to be expected.

The product has not been tested. The statement has been derived from the properties of the individual components.

### Bioaccumulation potential

No data available.

### Assessment bioaccumulation potential

*Information on: Tocopheryl Acetate*

*Accumulation in organisms is not to be expected.*

-----

## Mobility in soil

### Assessment transport between environmental compartments

The substance will slowly evaporate into the atmosphere from the water surface.

The ecological data given are those of the active ingredient.

Adsorption to solid soil phase is expected.

The ecological data given are those of the active ingredient.

*Information on: Tocopheryl Acetate*

# Safety Data Sheet

## Dry Vitamin E-Acetate 50% DC

Revision date: 2025/09/02  
Version: 6.0

Page: 11/12  
(30041051/SDS\_GEN\_MX/EN)

*The substance will slowly evaporate into the atmosphere from the water surface.  
Adsorption to solid soil phase is expected.*

### Additional information

Other ecotoxicological advice:  
No data available.

## 13. Disposal considerations

### Waste disposal of substance:

Observe national and local legal requirements.

### Container disposal:

Dispose of in accordance with national, state and local regulations.

## 14. Transport Information

### Land transport

TDG

Not classified as a dangerous good under transport regulations

### Sea transport

IMDG

Not classified as a dangerous good under transport regulations

### Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

## 15. Regulatory Information

### Federal Regulations

Not applicable

### NFPA Hazard codes:

Health: 0      Fire: 1      Reactivity: 0      Special:

### HMIS III rating

Health: 0      Flammability: 1      Physical hazard: 0

## 16. Other Information

### SDS Prepared by:

BASF NA Product Regulations

SDS Prepared on: 2025/09/02

# Safety Data Sheet

## Dry Vitamin E-Acetate 50% DC

Revision date: 2025/09/02

Version: 6.0

Page: 12/12

(30041051/SDS\_GEN\_MX/EN)

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

This information is considered accurate but is not exhaustive and shall only be used as a guideline based on current knowledge of the chemical substance or mixture. Safety precautions suitable for the product must be applied.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

Date / Revised: 2025/09/02

Version: 6.0

Date / Previous version: 2023/06/23

Previous version: 5.0

END OF DATA SHEET