

Safety data sheet

Page: 1/18

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 01.08.2025 Version: 2.0
Date / Previous version: 03.07.2025 Previous version: 1.1

Product: Kaurit® Powder 287

(ID no. 30034918/SDS_GEN_DE/EN)

Date of print 14.10.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Kaurit® Powder 287

UFI: TYN4-DK3H-C004-RA9N

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Chemical

Recommended use: Chemical, for industrial and professional users

1.3. Details of the supplier of the safety data sheet

Company:
BASF SE
67056 Ludwigshafen
GERMANY
Division Monomers

Telephone: +49 621 60 42737

E-mail address: pss.monomers@basf.com

1.4. Emergency telephone number

International emergency number: Telephone: +49 180 2273-112

to Regulation (EC) No 1907/2006.

Date / Revised: 01.08.2025 Version: 2.0
Date / Previous version: 03.07.2025 Previous version: 1.1

Product: Kaurit® Powder 287

(ID no. 30034918/SDS_GEN_DE/EN)

Date of print 14.10.2025

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

For the classification of the mixture the following methods have been applied: extrapolation on the concentration levels of the hazardous substances, on basis of test results and after evaluation of experts. The methodologies used are mentioned at the respective test results.

According to Regulation (EC) No 1272/2008 [CLP]

Skin Sens. 1 H317 May cause an allergic skin reaction.

Carc. 1B H350 May cause cancer.

For the classifications not written out in full in this section the full text can be found in section 16.

2.2. Label elements

According to Regulation (EC) No 1272/2008 [CLP]

Pictogram:





Signal Word:

Danger

Hazard Statement:

H317 May cause an allergic skin reaction.

H350 May cause cancer.
Precautionary Statements (Prevention):

P280 Wear protective gloves, protective clothing and eye protection or face

protection.

P201 Obtain special instructions before use.

P261 Avoid breathing dust or fume.

Precautionary Statements (Response):

P308 + P313 IF exposed or concerned: Get medical attention.

Precautionary Statements (Storage):

P405 Store locked up.

Precautionary Statements (Disposal):

P501 Dispose of contents and container to hazardous or special waste

collection point.

Labeling of special preparations (GHS):

Restricted to professional users.

Hazard determining component(s) for labelling: Formaldehyde

Date / Revised: 01.08.2025 Version: 2.0
Date / Previous version: 03.07.2025 Previous version: 1.1

Product: Kaurit® Powder 287

(ID no. 30034918/SDS_GEN_DE/EN)

Date of print 14.10.2025

2.3. Other hazards

According to Regulation (EC) No 1272/2008 [CLP]

No specific dangers known, if the regulations/notes for storage and handling are considered. If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

The product does not contain a substance above legal limits fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria. Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/Information on Ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Chemical nature

Condensate based on:Formaldehyde, Urea

Regulatory relevant ingredients

Formaldehyde

to Regulation (EC) No 1907/2006.

Date / Revised: 01.08.2025 Version: 2.0
Date / Previous version: 03.07.2025 Previous version: 1.1

Product: Kaurit® Powder 287

(ID no. 30034918/SDS_GEN_DE/EN)

Date of print 14.10.2025

Content (W/W): >= 0.3 % - < 1 %

CAS Number: 50-00-0 EC-Number: 200-001-8

REACH registration number: 01-

2119488953-20

INDEX-Number: 605-001-00-5

Substance with EU occupational

exposure limit

Acute Tox. 2 (Inhalation - vapour)

Acute Tox. 3 (oral)
Acute Tox. 3 (dermal)

Skin Corr. 1B Eve Dam. 1

Skin Sens. 1

Muta. 2 Carc. 1B

H330, H317, H350, H341, H314, H301 + H311

<u>Differing classification according to current</u> <u>knowledge and the criteria given in Annex I of</u>

Regulation (EC) No. 1272/2008

Acute Tox. 3 (dermal)

Acute Tox. 2 (Inhalation - vapour)

Acute Tox. 3 (oral) Skin Sens. 1A Muta. 2 Carc. 1B

Skin Corr. 1B Eye Dam. 1

Specific concentration limit:

Eye Irrit. 2: 5 - < 25 %

STOT SE 3, irr. to respiratory syst.: >= 5 %

Skin Sens. 1: >= 0,2 % Skin Irrit. 2: 5 - < 25 % Skin Corr. 1B: >= 25 %

For the classifications not written out in full in this section, including the hazard classes and the hazard statements, the full text is listed in section 16.

SECTION 4: First-Aid Measures

4.1. Description of first aid measures

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Immediately wash thoroughly with soap and water, seek medical attention.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

Date / Revised: 01.08.2025 Version: 2.0
Date / Previous version: 03.07.2025 Previous version: 1.1

Product: Kaurit® Powder 287

(ID no. 30034918/SDS_GEN_DE/EN)

Date of print 14.10.2025

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Hazards: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11. (Further) symptoms and / or effects are not known so far

4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing media

Suitable extinguishing media: water spray, foam, carbon dioxide, dry powder

Unsuitable extinguishing media for safety reasons: water jet

5.2. Special hazards arising from the substance or mixture

Endangering substances: Formaldehyde, harmful vapours Advice: Dust explosion hazard.

5.3. Advice for fire-fighters

Further information:

Fire debris must be disposed of in accordance with offical regulations. In case of combustion evolution of toxic gases/vapours possible. Do not allow to enter drains or waterways. Forms slippery surfaces with water.

SECTION 6: Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with the skin, eyes and clothing. Handle in accordance with good industrial hygiene and safety practice. Information regarding personal protective measures, see section 8.

to Regulation (EC) No 1907/2006.

Date / Revised: 01.08.2025 Version: 2.0
Date / Previous version: 03.07.2025 Previous version: 1.1

Product: Kaurit® Powder 287

(ID no. 30034918/SDS_GEN_DE/EN)

Date of print 14.10.2025

6.2. Environmental precautions

Do not allow to enter soil, waterways or waste water channels. Prevent entry into drains and surface waters. Ensure compliance with local regulations before discharging into effluent treatment plants.

6.3. Methods and material for containment and cleaning up

For small amounts: Sweep/shovel up. For large amounts: Sweep/shovel up.

6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

SECTION 7: Handling and Storage

7.1. Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice. Inform workers about possible hazards caused by the release of formaldehyde during processing.

Protection against fire and explosion:

Avoid dust formation. The product is capable of dust explosion. Sources of ignition should be kept well clear. Take precautionary measures against static discharges.

7.2. Conditions for safe storage, including any incompatibilities

Suitable materials for containers: Low density polyethylene (LDPE), Paper/Fibreboard, High density polyethylene (HDPE), Aluminium

Further information on storage conditions: Keep in a cool place. Keep container dry.

Storage class according to TRGS 510 (originally VCI, Germany): (6.1C) Combustible substances of acute toxicity, category 3 / hazardous substances that are toxic or produce chronic effects

7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters

Components with occupational exposure limits

The surveillance of the workplace by exposure measurements may be necessary, in order to prove the efficiency of safety measures, for example ventilation or the need of respiratory protection. Since this requires a specific competency, only accredited laboratories should be contracted. Regarding

to Regulation (EC) No 1907/2006.

Date / Revised: 01.08.2025 Version: 2.0
Date / Previous version: 03.07.2025 Previous version: 1.1

Product: Kaurit® Powder 287

(ID no. 30034918/SDS_GEN_DE/EN)

Date of print 14.10.2025

suitable methods to assess inhalation exposure, the European Standards EN 482, 689 and 14042 are to be considered. In addition, the TRGS 402 has to be observed in Germany.

50-00-0: Formaldehyde

STEL value 0,74 mg/m3 (Directive 2004/37/EC)

TWA value 0,62 mg/m3; 0,5 ppm (Directive 2004/37/EC) TWA value 0,37 mg/m3; 0,3 ppm (Directive 2004/37/EC)

STEL value 0,6 ppm (Directive 2004/37/EC)
OEL 0,37 mg/m3; 0,3 ppm (TRGS 900 (DE))

Ceiling limit value/factor: 2

If the occupational exposure limit value (AGW) and the biological limit value (BGW) are complied with, there should be no risk of damage for the unborn child (see TRGS 900, Number 2.7)

Short Term Exposure Classification: (TRGS 900 (DE))

Category I: Substances for which the localized effect has an assigned exposure limit or for substances with a sensitizing effect in respiratory passages

HAZ_DES (TRGS 900 (DE))

Skin sensitization

HAZ_DES X (TRGS 900 (DE))

Carcinogenic substance(s) of category 1A/1B. For activities with this hazardous substance, § 10 of the Hazardous Substances Act (GefStoffV) must also be observed.

STEL value 0,4 ppm (EU SCOEL) Ceiling limit value/factor: 15 min TWA value 0,2 ppm (EU SCOEL) Ceiling limit value/factor: 8HR

Components with PNEC

50-00-0: Formaldehyde

freshwater: 0,132 mg/l marine water: 0,132 mg/l intermittent release: 0,49 mg/l sediment (freshwater): 0,686 mg/l sediment (marine water): 0,686 mg/l

soil: 0,059 mg/l STP: 0,19 mg/l

air:

No PNEC value available.

Components with DNEL

50-00-0: Formaldehyde

worker: Short-term exposure - systemic and local effects, Inhalation: 0,75

ma/m3, 0.6 ppm

worker: Long-term exposure - systemic and local effects, Inhalation: 0,375

mg/m3, 0,3 ppm

worker: Long-term exposure- systemic effects, dermal: 240 mg/kg consumer: Long-term exposure- systemic effects, oral: 4,1 mg/kg consumer: Long-term exposure- systemic effects, dermal: 102 mg/kg consumer: Long-term exposure - local effects, dermal: 0,012 mg/cm2

Date / Revised: 01.08.2025 Version: 2.0 Date / Previous version: 03.07.2025 Previous version: 1.1

Product: Kaurit® Powder 287

(ID no. 30034918/SDS_GEN_DE/EN)

Date of print 14.10.2025

consumer: Long-term exposure - systemic and local effects, Inhalation: 0,1

8.2. Exposure controls

Personal protective equipment

Respiratory protection:

Breathing protection if dusts are formed. (Particle filter EN 143 P2 or FFP2)

Hand protection:

Chemical resistant protective gloves (EN ISO 374-1)

Suitable materials also with prolonged, direct contact (Recommended: Protective index 6. corresponding > 480 minutes of permeation time according to EN ISO 374-1):

e.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), polyvinylchloride (0.7 mm) and other Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing.

Manufacturer's directions for use should be observed because of great diversity of types.

Eve protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

Do not breathe dust. Do not breathe vapour/spray. No eating, drinking, smoking or tobacco use at the place of work. Wash contaminated clothing before reuse.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

State of matter: solid powder Form: Colour: white

Odour: almost odourless

Odour threshold:

No data available.

Melting point: approx. 120 °C

approx. 120 °C

Boiling point:

not applicable

Flammability: not readily ignited (other)

Date / Revised: 01.08.2025 Version: 2.0

Date / Previous version: 03.07.2025 Previous version: 1.1

Product: Kaurit® Powder 287

(ID no. 30034918/SDS_GEN_DE/EN)

Date of print 14.10.2025

Lower explosion limit: 125 g/m3 (DIN EN 14034-3)

(20 - 24 °C, 1013 hPa)

The lower explosion limit of dust has

been determined.

Upper explosion limit:

For solids not relevant for classification and labelling.

Flash point:

not applicable, the product is a solid

Auto-ignition temperature: approx. 460 °C (VDI 2263, sheet 1, 2.6 (May

1990))

Thermal decomposition: > 250 °C

No decomposition if correctly stored and handled.

SADT: > 75 °C

Heat accumulation / Dewar 500 ml (SADT, UN-Test H.4, 28.4.4)

pH value: approx. 7 (DIN ISO 976)

(660 g/l, 20 °C)

Viscosity, kinematic:

not applicable, the product is a solid

Viscosity, dynamic:

not applicable, the product is a solid The product has not been tested.

Solubility in water: The product has not been tested.

The statement has been derived from substances/products of a similar

structure or composition.

> 2 g/l

Partitioning coefficient n-octanol/water (log Kow): < 1,0

The statements are based on the properties of the individual

components.

Vapour pressure:

not applicable

Relative density:

not determined

Density:

No information is available for the absolute density. Instead the bulk density was determined as a more

relevant value.

Relative vapour density (air):

The product is a non-volatile solid.

Particle characteristics

Particle size distribution: 33,53 - 77,79 µm (D50, Volumetric Distribution,

measured)

fine particles -

9.2. Other information

Information with regard to physical hazard classes

Explosives

to Regulation (EC) No 1907/2006.

Date / Revised: 01.08.2025 Version: 2.0
Date / Previous version: 03.07.2025 Previous version: 1.1

Product: Kaurit® Powder 287

(ID no. 30034918/SDS_GEN_DE/EN)

Date of print 14.10.2025

Explosion hazard: Product is not explosive, however a

dust explosion could result from an

air / dust mixture.

Oxidizing properties

Fire promoting properties: not fire-propagating

Self-heating substances and mixtures

Self heating ability: It is not a substance capable of

spontaneous heating according to UN transport regulations class 4.2.

Other safety characteristics

Minimum ignition energy: 650 mJ (DIN EN 13821)

Grain size distribution: 3 µm

1,3 J (DIN EN 13821)

Grain size distribution: 100 µm

Bulk density: approx. 600 kg/m3 (DIN ISO 697)

Other Information: none

Evaporation rate:

The product is a non-volatile solid.

SECTION 10: Stability and Reactivity

10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

10.2. Chemical stability

The product is chemically stable.

10.3. Possibility of hazardous reactions

During processing with acids, water and / or heat formaldehyde will be released, which may act as a sensitizer.

10.4. Conditions to avoid

> 30 °C

Avoid heat. Avoid humidity. Avoid dust formation.

10.5. Incompatible materials

Substances to avoid:

Organic Peroxides, strong bases, strong acids, acid anhydrides

Date / Revised: 01.08.2025 Version: 2.0
Date / Previous version: 03.07.2025 Previous version: 1.1

Product: Kaurit® Powder 287

(ID no. 30034918/SDS_GEN_DE/EN)

Date of print 14.10.2025

10.6. Hazardous decomposition products

Formaldehyde

SECTION 11: Toxicological Information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single ingestion. The inhalation of a highly enriched/saturated vapor-air-mixture represents an unlikely acute hazard.

Experimental/calculated data: LD50 rat (oral): > 10.000 mg/kg

rat (by inhalation): 8 h (IRT)

No mortality within the stated exposition time as shown in animal studies.

Irritation

Assessment of irritating effects:

Prolonged contact with the product can result in skin irritation. Not irritating to the eyes.

Experimental/calculated data:

Skin corrosion/irritation

rabbit: non-irritant (BASF-Test) Serious eye damage/irritation rabbit: non-irritant (BASF-Test)

Respiratory/Skin sensitization

Assessment of sensitization:

Sensitization after skin contact possible.

Information on: Formaldehyde Assessment of sensitization:

Caused skin sensitization in animal studies. Caused sensitization in humans.

Germ cell mutagenicity

Assessment of mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity

Assessment of carcinogenicity:

The substance caused cancer in animal studies.

Information on: Formaldehyde Assessment of carcinogenicity:

to Regulation (EC) No 1907/2006.

Date / Revised: 01.08.2025 Version: 2.0
Date / Previous version: 03.07.2025 Previous version: 1.1

Product: Kaurit® Powder 287

(ID no. 30034918/SDS_GEN_DE/EN)

Date of print 14.10.2025

After lifelong inhalation exposure to concentrations that were severely damaging to the nasal epithelium, nasal tumors were induced in rats; in other species these findings were not found or were considerably less pronounced. The International Agency for Research on Cancer (IARC) has classified formaldehyde as a Group 1 (known) human carcinogen based on epidemiological evidence linking formaldehyde exposure to occurrence of nasopharyngeal cancer and leukemia. No adverse health effects are anticipated if recommended personal protective equipment and industrial hygiene practices are used.

Reproductive toxicity

Assessment of reproduction toxicity: Not classified, due to lack of data.

Developmental toxicity

Assessment of teratogenicity:

Not classified, due to lack of data.

Specific target organ toxicity (single exposure)

Assessment of STOT single:

The available information is not sufficient for the evaluation of specific target organ toxicity.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The information available on the product provides no indication of toxicity on target organs after repeated exposure.

Information on: Formaldehyde

Assessment of repeated dose toxicity:

After repeated exposure the prominent effect is local irritation.

Aspiration hazard

not applicable

Interactive effects

No data available.

11.2. Information on other hazards

Endocrine disrupting properties

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

to Regulation (EC) No 1907/2006. Date / Revised: 01.08.2025

Version: 2.0 Previous version: 1.1

Date / Previous version: 03.07.2025 Product: **Kaurit® Powder 287**

(ID no. 30034918/SDS_GEN_DE/EN)

Date of print 14.10.2025

Other information

Other relevant toxicity information

The product has not been tested. The statements on toxicology have been derived from the properties of the individual components.

SECTION 12: Ecological Information

12.1. Toxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

Toxicity to fish:

LC50 (96 h) > 500 mg/l, Leuciscus idus (DIN 38412 Part 15, static) Nominal concentration.

Microorganisms/Effect on activated sludge:

Inhibition of degradation activity in activated sludge is not to be anticipated during correct introduction of low concentrations.

12.2. Persistence and degradability

Assessment biodegradation and elimination (H2O):

The product has not been tested.

Elimination information:

No data available.

12.3. Bioaccumulative potential

Assessment bioaccumulation potential:

Based on its structural properties, the polymer is not biologically available. Accumulation in organisms is not to be expected.

12.4. Mobility in soil

Assessment transport between environmental compartments:

Volatility: The substance will not evaporate into the atmosphere from the water surface.

Date / Revised: 01.08.2025 Version: 2.0 Date / Previous version: 03.07.2025 Previous version: 1.1

Product: Kaurit® Powder 287

(ID no. 30034918/SDS_GEN_DE/EN)

Date of print 14.10.2025

12.5. Results of PBT and vPvB assessment

According to Annex XIII of Regulation (EC) No.1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH): The product does not fulfill the criteria for PBT (Persistent/bioaccumulative/toxic) and vPvB (very persistent/very bioaccumulative).

12.6. Endocrine disrupting properties

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

The product does not contain substances that are listed in Regulation (EU) 2024/590 on substances that deplete the ozone layer.

Additional information

Other ecotoxicological advice:

Do not release untreated into natural waters. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. Inhibition of degradation activity in activated sludge is not to be anticipated during correct introduction of low concentrations.

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

Incinerate in suitable incineration plant, observing local authority regulations.

SECTION 14: Transport Information

Land transport

ADR

Not classified as a dangerous good under transport regulations

UN number or ID number: Not applicable Not applicable UN proper shipping name: Transport hazard class(es): Not applicable Packing group: Not applicable Environmental hazards: Not applicable None known

Special precautions for

user

to Regulation (EC) No 1907/2006.

Date / Revised: 01.08.2025 Version: 2.0
Date / Previous version: 03.07.2025 Previous version: 1.1

Product: Kaurit® Powder 287

(ID no. 30034918/SDS_GEN_DE/EN)

Date of print 14.10.2025

RID

Not classified as a dangerous good under transport regulations

UN number or ID number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

Inland waterway transport

ADN

Not classified as a dangerous good under transport regulations

UN number or ID number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user:

Transport in inland waterway vessel

Not evaluated

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

UN number or ID number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

UN number or ID number: Not applicable

to Regulation (EC) No 1907/2006.

Date / Revised: 01.08.2025 Version: 2.0
Date / Previous version: 03.07.2025 Previous version: 1.1

Product: Kaurit® Powder 287

(ID no. 30034918/SDS_GEN_DE/EN)

Date of print 14.10.2025

UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

14.1. UN number or ID number

See corresponding entries for "UN number or ID number" for the respective regulations in the tables above.

14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

14.7. Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Prohibitions, Restrictions and Authorizations

Chemical Prohibition Ordinance (DE): Annex 2 Restriction Type: Restricted substance

Annex XVII of Regulation (EC) No 1907/2006: Number on List: 28, 72, 77

Hazardous Incident Ordinance (Germany):

Date / Revised: 01.08.2025 Version: 2.0
Date / Previous version: 03.07.2025 Previous version: 1.1

Product: Kaurit® Powder 287

(ID no. 30034918/SDS_GEN_DE/EN)

Date of print 14.10.2025

Listed in above regulation: no

Classification applies for standard conditions of temperature and pressure.

Directive 2012/18/EU - Control of Major Accident Hazards involving dangerous substances (EU):

Listed in above regulation: no

Classification applies for standard conditions of temperature and pressure.

Classification according to 'TA-Luft' (Germany):

Formaldehyde

Water hazard class (§8/§10 AwSV (Self-classification of the mixture according to calculation method)): (1) Weakly water polluting.

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

15.2. Chemical Safety Assessment

Advice on product handling can be found in sections 7 and 8 of this safety data sheet.

SECTION 16: Other Information

Full text of the classifications, including the hazard classes and the hazard statements, if mentioned

in section 2 or 3:

Skin Sens.
Carc.
Acute Tox.
Skin Corr.
Skin Corr.
Eye Dam.
Skin Sensitization
Carcinogenicity
Acute toxicity
Skin corrosion
Serious eye damage
Germ cell mutagenicity

Eye Irrit. Eye irritation

STOT SE Specific target organ toxicity — single exposure

Skin Irrit. Skin irritation

H317 May cause an allergic skin reaction.

H350 May cause cancer. H330 Fatal if inhaled.

H341 Suspected of causing genetic defects.
H314 Causes severe skin burns and eye damage.
H301 + H311 Toxic if swallowed or in contact with skin.

Abbreviations

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road. ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland waterways. ATE = Acute Toxicity Estimates. CAO = Cargo Aircraft Only. CAS = Chemical Abstract Service. CLP = Classification, Labelling and Packaging of substances and mixtures. DIN = German national organization for standardization. DNEL = Derived No Effect Level. EC50 = Effective concentration median for 50% of the population. EC = European Community. EN = European Standards. IARC = International Agency for Research on Cancer. IATA = International Air Transport Association.

Date / Revised: 01.08.2025 Version: 2.0
Date / Previous version: 03.07.2025 Previous version: 1.1

Product: Kaurit® Powder 287

(ID no. 30034918/SDS_GEN_DE/EN)

Date of print 14.10.2025

IBC-Code = Intermediate Bulk Container code. IMDG = International Maritime Dangerous Goods Code. ISO = International Organization for Standardization. STEL = Short-Term Exposure Limit. LC50 = Lethal concentration median for 50% of the population. LD50 = Lethal dose median for 50% of the population. TLV = Threshold Limit Value. MARPOL = The International Convention for the Prevention of Pollution from Ships. NEN = Dutch Norm. NOEC = No Observed Effect Concentration. OEL = Occupational Exposure Limit. OECD = Organization for Economic Cooperation and Development. PBT = Persistent, Bioaccumulative and Toxic. PNEC = Predicted No Effect Level. PPM = Parts per million. RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail. TWA = Time Weight Average. UN-number = UN number at transport. vPvB = very Persistent and very Bioaccumulative.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.