

Safety data sheet

Page: 1/19

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 10.10.2023

Version: 4.0

Date previous version: 04.10.2006

Previous version: 3.0

Date / First version: 19.11.2003

Product: **Vitamin A-Propionate 2.5 Mio IU/G stabilized with BHT**

(ID no. 30041062/SDS_GEN_CH/EN)

Date of print 23.10.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Vitamin A-Propionate 2.5 Mio IU/G stabilized with BHT

UFI: P800-P0U9-A00P-TV45

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: feed additive(s)

1.3. Details of the supplier of the safety data sheet

Company:
BASF SE
67056 Ludwigshafen
GERMANY

Contact address:
BASF Schweiz AG
Klybeckstrasse 161
4057 Basel, SWITZERLAND

Telephone: +41 0800 227722
E-mail address: PS-BCSCHWEIZ@basf.com

1.4. Emergency telephone number

Tox Info Suisse (STIZ): Tel. 145
International emergency number:
Telephone: +49 180 2273-112

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 10.10.2023

Version: 4.0

Date previous version: 04.10.2006

Previous version: 3.0

Date / First version: 19.11.2003

Product: **Vitamin A-Propionate 2.5 Mio IU/G stabilized with BHT**

(ID no. 30041062/SDS_GEN_CH/EN)

Date of print 23.10.2025

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

For the classification of the mixture the following methods have been applied: extrapolation on the concentration levels of the hazardous substances, on basis of test results and after evaluation of experts. The methodologies used are mentioned at the respective test results.

According to Regulation (EC) No 1272/2008 [CLP]

Repr. 1B	H360D May damage the unborn child.
Aquatic Chronic 3	H412 Harmful to aquatic life with long lasting effects.

For the classifications not written out in full in this section the full text can be found in section 16.

2.2. Label elements

According to Regulation (EC) No 1272/2008 [CLP]

Pictogram:



Signal Word:

Danger

Hazard Statement:

H360D	May damage the unborn child.
H412	Harmful to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P280	Wear protective gloves, protective clothing and eye protection or face protection.
P273	Avoid release to the environment.
P201	Obtain special instructions before use.

Precautionary Statements (Response):

P308 + P313	IF exposed or concerned: Get medical attention.
-------------	---

Precautionary Statements (Storage):

P405	Store locked up.
------	------------------

Precautionary Statements (Disposal):

P501	Dispose of contents and container to hazardous or special waste collection point.
------	---

Hazard determining component(s) for labelling: Retinyl propionate

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 10.10.2023

Version: 4.0

Date previous version: 04.10.2006

Previous version: 3.0

Date / First version: 19.11.2003

Product: **Vitamin A-Propionate 2.5 Mio IU/G stabilized with BHT**

(ID no. 30041062/SDS_GEN_CH/EN)

Date of print 23.10.2025

2.3. Other hazards

According to Regulation (EC) No 1272/2008 [CLP]

When finely distributed, self-ignition is possible. High risk of slipping due to leakage/spillage of product.

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria. Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/Information on Ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Chemical nature

Preparation based on: Retinyl propionate

stabilized with: 2,6-di-tert-Butyl-p-cresol

Regulatory relevant ingredients

| Retinyl propionate

Content (W/W): >= 75 % - <= 100 %	Repr. 1B (unborn child)
CAS Number: 7069-42-3	Aquatic Chronic 4
EC-Number: 230-363-2	H360D, H413

| 2,6-di-tert-Butyl-p-cresol

Content (W/W): >= 1 % - < 3 %	Aquatic Acute 1
CAS Number: 128-37-0	Aquatic Chronic 1
EC-Number: 204-881-4	M-factor chronic: 1
	H400, H410

For the classifications not written out in full in this section, including the hazard classes and the hazard statements, the full text is listed in section 16.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 10.10.2023

Version: 4.0

Date previous version: 04.10.2006

Previous version: 3.0

Date / First version: 19.11.2003

Product: **Vitamin A-Propionate 2.5 Mio IU/G stabilized with BHT**

(ID no. 30041062/SDS_GEN_CH/EN)

Date of print 23.10.2025

SECTION 4: First-Aid Measures

4.1. Description of first aid measures

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Immediately wash thoroughly with soap and water, seek medical attention.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing media

Suitable extinguishing media:

| water spray, foam, dry powder, carbon dioxide

Unsuitable extinguishing media for safety reasons:

| water jet

5.2. Special hazards arising from the substance or mixture

Endangering substances: harmful vapours, carbon oxides

Advice: The substances/groups of substances mentioned can be released in case of fire. Evolution of fumes/fog.

5.3. Advice for fire-fighters

Special protective equipment:

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 10.10.2023

Version: 4.0

Date previous version: 04.10.2006

Previous version: 3.0

Date / First version: 19.11.2003

Product: **Vitamin A-Propionate 2.5 Mio IU/G stabilized with BHT**

(ID no. 30041062/SDS_GEN_CH/EN)

Date of print 23.10.2025

| Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

| Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. Cool endangered containers with water-spray.

SECTION 6: Accidental Release Measures

High risk of slipping due to leakage/spillage of product. Soiled textiles/cleaning rags made of natural fibres (e.g. of pure wool or of pure cotton) are capable of ignition and should not be used and/or must be disposed of in a safe manner.

6.1. Personal precautions, protective equipment and emergency procedures

| Use personal protective clothing. Information regarding personal protective measures, see section 8. Ensure adequate ventilation. Do not breathe vapour/spray. Avoid contact with the skin, eyes and clothing.

6.2. Environmental precautions

| Do not discharge into drains/surface waters/groundwater. Inform authorities in the event of product spillage to water courses or sewage systems.

6.3. Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material. Do not use saw-dust or other combustible substances as an absorbant during cleanup. After taking up material in containers, cover immediately with water layer.

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Mop up spills with non-flammable adsorbents (e.g. vermiculite, spill mats). Soiled textiles / cleaning rags / adsorbents and Silica are capable of self ignition and should be wetted with water and must be disposed of in a safe manner.

6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

SECTION 7: Handling and Storage

7.1. Precautions for safe handling

Ensure thorough ventilation of stores and work areas. Wear suitable protective clothing and eye/face protection. Avoid aerosol formation. Avoid contact with the skin, eyes and clothing. Keep container tightly sealed. Ensure that there is no crystallized product in the container before use. Processing machines must be fitted with local exhaust ventilation.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 10.10.2023

Version: 4.0

Date previous version: 04.10.2006

Previous version: 3.0

Date / First version: 19.11.2003

Product: **Vitamin A-Propionate 2.5 Mio IU/G stabilized with BHT**

(ID no. 30041062/SDS_GEN_CH/EN)

Date of print 23.10.2025

Protection against fire and explosion:

Risk of self-ignition when a large surface area is produced due to fine dispersion. Soiled textiles / cleaning rags / adsorbents and Silica are capable of self ignition and should be wetted with water and must be disposed of in a safe manner. Take precautionary measures against static discharges. Avoid all sources of ignition: heat, sparks, open flame.

7.2. Conditions for safe storage, including any incompatibilities

Segregate from oxidants.

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place. Protect from air. Protect from the effects of light. Keep under nitrogen.

7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters

Components with occupational exposure limits

128-37-0: 2,6-di-tert-Butyl-p-cresol

TWA value 10 mg/m³ (MAC (CH)), Inhalable vapor and aerosol
(MAC (CH)), Inhalable vapor and aerosol

There is no reason to fear a risk of damage to the developing embryo or fetus when the occupational exposure limits or biological exposure limit (BEL) are adhered to.

STEL value 40 mg/m³ (MAC (CH)), Inhalable vapor and aerosol

STEL value 40 mg/m³ (MAC (CH)), Inhalable vapor and aerosol
(MAC (CH)), Inhalable vapor and aerosol

There is no reason to fear a risk of damage to the developing embryo or fetus when the occupational exposure limits or biological exposure limit (BEL) are adhered to.

TWA value 10 mg/m³ (MAC (CH)), Inhalable vapor and aerosol

8.2. Exposure controls

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for lower concentrations or short-term effect: Gas filter for gases/vapours of organic compounds (boiling point >65 °C, e. g. EN 14387 Type A)

Hand protection:

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 10.10.2023

Version: 4.0

Date previous version: 04.10.2006

Previous version: 3.0

Date / First version: 19.11.2003

Product: **Vitamin A-Propionate 2.5 Mio IU/G stabilized with BHT**

(ID no. 30041062/SDS_GEN_CH/EN)

Date of print 23.10.2025

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc. Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing. Manufacturer's directions for use should be observed because of great diversity of types.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

Females in early pregnancy must never be exposed to the substance. Under no circumstances should the product come into contact with the skin of pregnant women or be inhaled by them. Avoid contact with skin. Wearing of closed work clothing is required additionally to the stated personal protection equipment. Handle in accordance with good industrial hygiene and safety practice. No eating, drinking, smoking or tobacco use at the place of work. Hands and/or face should be washed before breaks and at the end of the shift. Store work clothing separately.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

State of matter:	liquid
Form:	liquid
Colour:	yellow
Odour:	nutty
Odour threshold:	Not determined due to potential health hazard by inhalation.
Melting point:	< 20 °C
Boiling point:	The substance / product decomposes therefore not determined.
Flammability:	not readily ignited
Lower explosion limit:	For liquids not relevant for classification and labelling.
Upper explosion limit:	For liquids not relevant for classification and labelling.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 10.10.2023

Version: 4.0

Date previous version: 04.10.2006

Previous version: 3.0

Date / First version: 19.11.2003

Product: **Vitamin A-Propionate 2.5 Mio IU/G stabilized with BHT**

(ID no. 30041062/SDS_GEN_CH/EN)

Date of print 23.10.2025

Flash point:	161,0 °C	(ISO 2719)
Auto-ignition temperature:	291 °C	(DIN EN 14522)
Thermal decomposition:	>= 165 °C (DSC (DIN 51007))	
SADT:	> 75 °C	
	Heat accumulation / Dewar 500 ml (SADT, UN-Test H.4, 28.4.4)	
pH value:	substance/mixture is non-soluble (in water)	
Viscosity, kinematic:	No data available.	
Viscosity, dynamic:	No data available.	
Solubility in water:	sparingly soluble	
Solubility (qualitative) solvent(s):	organic solvents soluble	
Partitioning coefficient n-octanol/water (log Kow):	not applicable for mixtures	
Vapour pressure:	< 1 hPa (20 °C)	
Density:	0,94 g/cm ³ (20 °C)	
Relative vapour density (air):	> 1 Heavier than air.	

9.2. Other information

Information with regard to physical hazard classes

Explosives

Explosion hazard: not explosive

Oxidizing properties

Fire promoting properties: not fire-propagating

Self-heating substances and mixtures

Self heating ability: not applicable, the product is a liquid

Substances and mixtures, which emit flammable gases in contact with water

Formation of flammable gases:
Forms no flammable gases in the presence of water.

Corrosion to metals

Corrosive effects to metal are not anticipated.

Other safety characteristics

SAPT-Temperature:
Study scientifically not justified.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 10.10.2023

Version: 4.0

Date previous version: 04.10.2006

Previous version: 3.0

Date / First version: 19.11.2003

Product: **Vitamin A-Propionate 2.5 Mio IU/G stabilized with BHT**

(ID no. 30041062/SDS_GEN_CH/EN)

Date of print 23.10.2025

SECTION 10: Stability and Reactivity

10.1. Reactivity

| No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:	Corrosive effects to metal are not anticipated.
Formation of flammable gases:	Remarks: Forms no flammable gases in the presence of water.

10.2. Chemical stability

| The product is stable if stored and handled as prescribed/indicated.

10.3. Possibility of hazardous reactions

Self-ignition is possible when finely distributed on flammable surfaces in the presence of air.

10.4. Conditions to avoid

See SDS section 7 - Handling and storage.

10.5. Incompatible materials

Substances to avoid:
oxidizing agents

10.6. Hazardous decomposition products

| Hazardous decomposition products:
| No hazardous decomposition products if stored and handled as prescribed/indicated.

SECTION 11: Toxicological Information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Assessment of acute toxicity:

| Of low toxicity after single ingestion.

| *Information on: Retinyl propionate*

Experimental/calculated data:

| *LD50 rat (oral): > 2.000 mg/kg (BASF-Test)*
| *No mortality was observed.*

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 10.10.2023

Version: 4.0

Date previous version: 04.10.2006

Previous version: 3.0

Date / First version: 19.11.2003

Product: **Vitamin A-Propionate 2.5 Mio IU/G stabilized with BHT**

(ID no. 30041062/SDS_GEN_CH/EN)

Date of print 23.10.2025

| *Information on: 2,6-di-tert-Butyl-p-cresol*

Experimental/calculated data:

| *LD50 rat (oral): > 5.000 mg/kg (OECD Guideline 401)*

Irritation

Information on: Retinyl propionate

Assessment of irritating effects:

Skin contact causes irritation. Not irritating to the eyes.

| *Information on: 2,6-di-tert-Butyl-p-cresol*

Assessment of irritating effects:

| *Not irritating to the skin. Not irritating to the eyes.*

Respiratory/Skin sensitization

Assessment of sensitization:

Skin sensitizing effects were not observed in animal studies.

| *Information on: Retinyl propionate*

Experimental/calculated data:

| *Guinea pig maximization test guinea pig: Non-sensitizing. (OECD Guideline 406)*

| *Information on: 2,6-di-tert-Butyl-p-cresol*

Experimental/calculated data:

| *Guinea pig maximization test guinea pig: Non-sensitizing. (similar to OECD guideline 406)*

Germ cell mutagenicity

Assessment of mutagenicity:

Based on available data, the classification criteria are not met.

Information on: Retinyl propionate

Assessment of mutagenicity:

In the majority of tests performed (bacteria/microorganisms/cell cultures) a mutagenic effect was not found. A mutagenic effect was also not observed in in-vivo assays. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Carcinogenicity

Assessment of carcinogenicity:

Based on available data, the classification criteria are not met.

| *Information on: Retinyl propionate*

Assessment of carcinogenicity:

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 10.10.2023

Version: 4.0

Date previous version: 04.10.2006

Previous version: 3.0

Date / First version: 19.11.2003

Product: **Vitamin A-Propionate 2.5 Mio IU/G stabilized with BHT**

(ID no. 30041062/SDS_GEN_CH/EN)

Date of print 23.10.2025

| *No reliable data was available concerning carcinogenic activity.*

| *Information on: 2,6-di-tert-Butyl-p-cresol*

| *Assessment of carcinogenicity:*

| *The whole of the information assessable provides no indication of a carcinogenic effect.*

Reproductive toxicity

Assessment of reproduction toxicity:

The substance caused malformations/developmental toxicity in laboratory animals.

Developmental toxicity

Assessment of teratogenicity:

The substance caused malformations/developmental toxicity in laboratory animals. May cause harm to the unborn child.

Information on: Retinyl propionate

Assessment of teratogenicity:

May cause harm to the unborn child. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Specific target organ toxicity (single exposure)

Assessment of STOT single:

Based on available data, the classification criteria are not met.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

Repeated exposure to large quantities may affect certain organs.

| *Information on: Retinyl propionate*

| *Assessment of repeated dose toxicity:*

| *Repeated exposure to large quantities may affect certain organs.*

| *Information on: 2,6-di-tert-Butyl-p-cresol*

| *Assessment of repeated dose toxicity:*

| *The substance may cause damage to the liver after repeated ingestion of high doses, as shown in animal studies.*

Aspiration hazard

No data available.

Interactive effects

No data available.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 10.10.2023

Version: 4.0

Date previous version: 04.10.2006

Previous version: 3.0

Date / First version: 19.11.2003

Product: **Vitamin A-Propionate 2.5 Mio IU/G stabilized with BHT**

(ID no. 30041062/SDS_GEN_CH/EN)

Date of print 23.10.2025

11.2. Information on other hazards

Endocrine disrupting properties

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

Other information

Other relevant toxicity information

The product has not been tested. The statement has been derived from the properties of the individual components.

SECTION 12: Ecological Information

12.1. Toxicity

Assessment of aquatic toxicity:

Harmful to aquatic life with long lasting effects.

Information on: 2,6-di-tert-Butyl-p-cresol

Toxicity to fish:

LC0 (96 h) \geq 0,57 mg/l, Brachydanio rerio (OECD 203; ISO 7346; 84/449/EWG, C.1, semistatic)

The statement of the toxic effect relates to the analytically determined concentration. Limit concentration test only (LIMIT test).

Information on: 2,6-di-tert-Butyl-p-cresol

Aquatic invertebrates:

EC0 (48 h) 0,48 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

The statement of the toxic effect relates to the analytically determined concentration.

Information on: Retinyl propionate

Aquatic invertebrates:

EC50 (48 h) $>$ 100 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

The details of the toxic effect relate to the nominal concentration. The product has not been tested.

The statement has been derived from substances/products of a similar structure or composition.

Information on: 2,6-di-tert-Butyl-p-cresol

Aquatic plants:

EC50 (72 h) $>$ 0,40 mg/l (growth rate), Scenedesmus subspicatus (Guideline 92/69/EEC, C.3, static)

The statement of the toxic effect relates to the analytically determined concentration.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 10.10.2023

Version: 4.0

Date previous version: 04.10.2006

Previous version: 3.0

Date / First version: 19.11.2003

Product: **Vitamin A-Propionate 2.5 Mio IU/G stabilized with BHT**

(ID no. 30041062/SDS_GEN_CH/EN)

Date of print 23.10.2025

| *Information on: 2,6-di-tert-Butyl-p-cresol*

| *Microorganisms/Effect on activated sludge:*

| *EC₀ (3 h) 1.000 mg/l, activated sludge (DIN EN ISO 8192-OECD 209-88/302/EEC, P. C, aerobic)*

| *Information on: Retinyl propionate*

| *Microorganisms/Effect on activated sludge:*

| *EC₂₀ (3 h) > 1.000 mg/l, activated sludge, domestic (OECD Guideline 209, aerobic)*

| *The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.*

| *Information on: 2,6-di-tert-Butyl-p-cresol*

| *Chronic toxicity to aquatic invertebrates:*

| *No observed effect concentration (21 d) 0,316 mg/l, Daphnia magna (OECD Guideline 202, part 2, semistatic)*

| *The details of the toxic effect relate to the nominal concentration.*

Assessment of terrestrial toxicity:

No data available.

12.2. Persistence and degradability

Assessment biodegradation and elimination (H₂O):

Not readily biodegradable (by OECD criteria). Poorly biodegradable.

| *Information on: Retinyl propionate*

| *Assessment biodegradation and elimination (H₂O):*

| *Moderately/partially biodegradable. Not readily biodegradable (by OECD criteria).*

| *Not readily biodegradable (by OECD criteria). Moderately/partially biodegradable.*

| *Information on: 2,6-di-tert-Butyl-p-cresol*

| *Assessment biodegradation and elimination (H₂O):*

| *Not readily biodegradable (by OECD criteria). Poorly biodegradable.*

12.3. Bioaccumulative potential

Assessment bioaccumulation potential:

The product contains components with potential for bioaccumulation

| *Information on: Retinyl propionate*

| *Assessment bioaccumulation potential:*

| *Significant accumulation in organisms is not to be expected.*

| *Information on: 2,6-di-tert-Butyl-p-cresol*

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 10.10.2023

Version: 4.0

Date previous version: 04.10.2006

Previous version: 3.0

Date / First version: 19.11.2003

Product: **Vitamin A-Propionate 2.5 Mio IU/G stabilized with BHT**

(ID no. 30041062/SDS_GEN_CH/EN)

Date of print 23.10.2025

Assessment bioaccumulation potential:

May be accumulated in organisms.

12.4. Mobility in soil

Assessment transport between environmental compartments:

Adsorption in soil: Adsorption to solid soil phase is expected.

Information on: Retinyl propionate

Assessment transport between environmental compartments:

Volatility: No data available.

Adsorption in soil: Adsorption to solid soil phase is expected.

Information on: 2,6-di-tert-Butyl-p-cresol

Assessment transport between environmental compartments:

Volatility: The substance will not evaporate into the atmosphere from the water surface.

Adsorption in soil: Adsorption to solid soil phase is expected.

12.5. Results of PBT and vPvB assessment

According to Annex XIII of Regulation (EC) No.1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH): The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria. Self classification

12.6. Endocrine disrupting properties

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

12.8. Additional information

Add. remarks environm. fate & pathway:

The product has not been tested. The statements on environmental fate and pathway have been derived from the properties of the individual components.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 10.10.2023

Version: 4.0

Date previous version: 04.10.2006

Previous version: 3.0

Date / First version: 19.11.2003

Product: **Vitamin A-Propionate 2.5 Mio IU/G stabilized with BHT**

(ID no. 30041062/SDS_GEN_CH/EN)

Date of print 23.10.2025

Other ecotoxicological advice:

The product has not been tested. The statements on ecotoxicology have been derived from the properties of the individual components.

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

Observe national and local legal requirements.

SECTION 14: Transport Information

Land transport

ADR

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

RID

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

Inland waterway transport

ADN

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user:	None known

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 10.10.2023

Version: 4.0

Date previous version: 04.10.2006

Previous version: 3.0

Date / First version: 19.11.2003

Product: **Vitamin A-Propionate 2.5 Mio IU/G stabilized with BHT**

(ID no. 30041062/SDS_GEN_CH/EN)

Date of print 23.10.2025

Transport in inland waterway vessel

Not evaluated

Sea transport

IMDG

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

Air transport

IATA/ICAO

	Not classified as a dangerous good under transport regulations
UN number or ID number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

14.1. UN number or ID number

See corresponding entries for "UN number or ID number" for the respective regulations in the tables above.

14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 10.10.2023

Version: 4.0

Date previous version: 04.10.2006

Previous version: 3.0

Date / First version: 19.11.2003

Product: **Vitamin A-Propionate 2.5 Mio IU/G stabilized with BHT**

(ID no. 30041062/SDS_GEN_CH/EN)

Date of print 23.10.2025

14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

14.7. Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Water hazard class (§8/§10 AwSV (Self-classification of the mixture according to calculation method)): (2) significantly water polluting.

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

The product belongs to the chemical group 1 according to the Swiss chemicals ordinance.

Women who are pregnant or breastfeeding may only come in contact with this product during work if – based on a risk assessment pursuant to Art. 63 Änderung der Verordnung 1 zum Arbeitsgesetz (ArGV 1 – Amendment to Swiss Ordinance 1 on Labor Law) – it is determined that there is no actual impairment to the health of the mother or the child or that any such impairment can be prevented using suitable safety precautions.

The following Swiss regulations must be observed for the professional use:

- Article 4 Paragraph 4 of the Ordinance on the Protection of young workers (SR 822.115) and Article 1 letter f of the EAER Ordinance on Dangerous Work for Young People (SR 822.115.2): Young people in an initial professional training can only work with this product (this substance / preparation) if this is foreseen in the respective education ordinance to achieve their education goal, the requirements of the education plan are fulfilled and the applicable age restrictions are observed. Young people who do not complete any initial professional training are not allowed to work with this product (this substance / this preparation). Employees of both genders up to the age of 18 are considered as young people.

15.2. Chemical Safety Assessment

Advice on product handling can be found in sections 7 and 8 of this safety data sheet.

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 10.10.2023

Version: 4.0

Date previous version: 04.10.2006

Previous version: 3.0

Date / First version: 19.11.2003

Product: **Vitamin A-Propionate 2.5 Mio IU/G stabilized with BHT**

(ID no. 30041062/SDS_GEN_CH/EN)

Date of print 23.10.2025

SECTION 16: Other Information

Assessment of the hazard classes according to UN GHS criteria (most recent version)

Skin Corr./Irrit. 3

Repr. 1B (unborn child)

Aquatic Acute 3

Aquatic Chronic 3

Acute Tox. 5 (oral)

Any other intended applications should be discussed with the manufacturer. Corresponding occupational protection measurements must be followed.

Full text of the classifications, including the hazard classes and the hazard statements, if mentioned in section 2 or 3:

Repr.	Reproductive toxicity
Aquatic Chronic	Hazardous to the aquatic environment - chronic
Aquatic Acute	Hazardous to the aquatic environment - acute
H360D	May damage the unborn child.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Abbreviations

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road.
 ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland waterways. ATE = Acute Toxicity Estimates. CAO = Cargo Aircraft Only. CAS = Chemical Abstract Service. CLP = Classification, Labelling and Packaging of substances and mixtures. DIN = German national organization for standardization. DNEL = Derived No Effect Level. EC50 = Effective concentration median for 50% of the population. EC = European Community. EN = European Standards. IARC = International Agency for Research on Cancer. IATA = International Air Transport Association. IBC-Code = Intermediate Bulk Container code. IMDG = International Maritime Dangerous Goods Code. ISO = International Organization for Standardization. STEL = Short-Term Exposure Limit. LC50 = Lethal concentration median for 50% of the population. LD50 = Lethal dose median for 50% of the population. TLV = Threshold Limit Value. MARPOL = The International Convention for the Prevention of Pollution from Ships. NEN = Dutch Norm. NOEC = No Observed Effect Concentration. OEL = Occupational Exposure Limit. OECD = Organization for Economic Cooperation and Development. PBT = Persistent, Bioaccumulative and Toxic. PNEC = Predicted No Effect Level. PPM = Parts per million. RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail. TWA = Time Weight Average. UN-number = UN number at transport. vPvB = very Persistent and very Bioaccumulative.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 10.10.2023

Version: 4.0

Date previous version: 04.10.2006

Previous version: 3.0

Date / First version: 19.11.2003

Product: **Vitamin A-Propionate 2.5 Mio IU/G stabilized with BHT**

(ID no. 30041062/SDS_GEN_CH/EN)

Date of print 23.10.2025

responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.