

Safety data sheet

Page: 1/28

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 24.11.2023 Version: 5.1
Date previous version: 21.09.2023 Previous version: 5.0

Date / First version: 15.12.2022 Product: **Nitric Acid 68% Antw**

(ID no. 30042410/SDS_GEN_DE/EN)

Date of print 12.10.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Nitric Acid 68% Antw

UFI: F4AV-AFA4-S00V-KKEP

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Chemical

Recommended use: inorganic acid, Raw material, initial product for chemical syntheses, oxidizing agents, Surface treatment agent

Uses advised against: All consumer uses are strongly advised against.

For the detailed identified uses of the product see appendix of the safety data sheet.

1.3. Details of the supplier of the safety data sheet

Company:
BASF SE
67056 Ludwigshafen
GERMANY
Division Monomers

Telephone: +49 621 60 42737

E-mail address: pss.monomers@basf.com

1.4. Emergency telephone number

International emergency number: Telephone: +49 180 2273-112

to Regulation (EC) No 1907/2006.

Date / Revised: 24.11.2023 Version: 5.1
Date previous version: 21.09.2023 Previous version: 5.0

Date / First version: 15.12.2022 Product: **Nitric Acid 68% Antw**

(ID no. 30042410/SDS_GEN_DE/EN)

Date of print 12.10.2025

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

For the classification of the mixture the following methods have been applied: extrapolation on the concentration levels of the hazardous substances, on basis of test results and after evaluation of experts. The methodologies used are mentioned at the respective test results.

According to Regulation (EC) No 1272/2008 [CLP]

Ox. Liq. 3 H272 May intensify fire; oxidizer. Met. Corr. 1 H290 May be corrosive to metals.

Acute Tox. 3 (Inhalation -

H331 Toxic if inhaled.

vapour)

Skin Corr./Irrit. 1A H314 Causes severe skin burns and eye damage.

Eye Dam./Irrit. 1 H318 Causes serious eye damage.

Specific Concentration Limits According to Regulation (EC) No 1272/2008 [CLP]

Skin Corr./Irrit. 1A: >= 20 % Skin Corr./Irrit. 1B: 5 - < 20 %

Ox. Liq. 3: >= 65 %

For the classifications not written out in full in this section the full text can be found in section 16.

2.2. Label elements

According to Regulation (EC) No 1272/2008 [CLP]

Pictogram:







Signal Word:

Danger

Hazard Statement:

H290 May be corrosive to metals. H272 May intensify fire; oxidizer.

H331 Toxic if inhaled.

H314 Causes severe skin burns and eye damage.

Precautionary Statements (Prevention):

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves, protective clothing and eye protection or face

protection.

Precautionary Statements (Response):

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or physician.

Precautionary Statements (Storage):

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

to Regulation (EC) No 1907/2006.

Date / Revised: 24.11.2023 Version: 5.1
Date previous version: 21.09.2023 Previous version: 5.0

Date / First version: 15.12.2022 Product: **Nitric Acid 68% Antw**

(ID no. 30042410/SDS_GEN_DE/EN)

Date of print 12.10.2025

Precautionary Statements (Disposal):

P501 Dispose of contents and container to hazardous or special waste

collection point.

According to Regulation (EC) No 1272/2008 [CLP]

Labeling of special preparations (GHS): EUH071: Corrosive to the respiratory tract. Contact with metal liberates toxic gas.

Hazard determining component(s) for labelling: nitric acid ...% [C ≤ 70 %]

2.3. Other hazards

According to Regulation (EC) No 1272/2008 [CLP]

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture. Possible risk by inhalation of aerosols.

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. The product does not contain a substance above legal limits fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

SECTION 3: Composition/Information on Ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Chemical nature

nitric acid ...% [C ≤ 70 %] (Content (W/W): 68 %)HNO3

Regulatory relevant ingredients

nitric acid ...% [C ≤ 70 %]

to Regulation (EC) No 1907/2006.

Date / Revised: 24.11.2023 Version: 5.1
Date previous version: 21.09.2023 Previous version: 5.0

Date / First version: 15.12.2022 Product: **Nitric Acid 68% Antw**

(ID no. 30042410/SDS_GEN_DE/EN)

Date of print 12.10.2025

Content (W/W): >= 50 % - < 75 % Ox. Liq. 3 CAS Number: 7697-37-2 Met. Corr. 1

EC-Number: 231-714-2 Acute Tox. 3 (Inhalation - vapour)

REACH registration number: 01- Skin Corr./Irrit. 1A 2119487297-23 Eye Dam./Irrit. 1

INDEX-Number: 007-030-00-3 H290, H272, H331, H314

Substance with EU occupational

exposure limit

Specific concentration limit:

Skin Corr./Irrit. 1A: >= 20 % Skin Corr./Irrit. 1B: 5 - < 20 %

Ox. Liq. 3: >= 65 %

Acute toxicity estimate:

Inhalation: 2,65 mg/l (vapour)

For the classifications not written out in full in this section, including the hazard classes and the hazard statements, the full text is listed in section 16.

SECTION 4: First-Aid Measures

4.1. Description of first aid measures

Immediately remove contaminated clothing. First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position).

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention. Immediately administer a corticosteroid from a controlled/metered dose inhaler.

On skin contact:

Immediately wash thoroughly with plenty of water, apply sterile dressings, consult a skin specialist.

On contact with eyes:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.

Hazards: Symptoms can appear later.

to Regulation (EC) No 1907/2006.

Date / Revised: 24.11.2023 Version: 5.1
Date previous version: 21.09.2023 Previous version: 5.0

Date / First version: 15.12.2022 Product: **Nitric Acid 68% Antw**

(ID no. 30042410/SDS_GEN_DE/EN)

Date of print 12.10.2025

4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote, administer corticosteroid dose aerosol to prevent pulmonary odema. Pulmonary odema prophylaxis. Medical monitoring for at least 24 hours. If necessary, give oxygen.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing media

Suitable extinguishing media: water spray

Additional information:

Use extinguishing measures to suit surroundings.

5.2. Special hazards arising from the substance or mixture

Endangering substances: nitrogen oxides

Advice: The substances/groups of substances mentioned can be released in case of fire.

5.3. Advice for fire-fighters

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Keep containers cool by spraying with water if exposed to fire. Suppress gases/vapours/mists with water spray jet. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Substance/product is an oxidizing agent and can supply oxygen to stimulate or accelerate the combustion of organic or other combustible substances/products.

SECTION 6: Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Ensure adequate ventilation. Use breathing apparatus if exposed to vapours/dust/aerosol.

6.2. Environmental precautions

Discharge into the environment must be avoided. Due to the pH-value of the product, neutralization is generally required before discharging sewage into treatment plants.

6.3. Methods and material for containment and cleaning up

For small amounts: Dilute with water. Neutralize with soda or slaked lime.

to Regulation (EC) No 1907/2006.

Date / Revised: 24.11.2023 Version: 5.1
Date previous version: 21.09.2023 Previous version: 5.0

Date / First version: 15.12.2022 Product: **Nitric Acid 68% Antw**

(ID no. 30042410/SDS_GEN_DE/EN)

Date of print 12.10.2025

For large amounts: Pump off product. Place into suitable container for disposal.

6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

SECTION 7: Handling and Storage

7.1. Precautions for safe handling

Ensure thorough ventilation of stores and work areas.

Protection against fire and explosion:

The product is incombustible. It can lower the ignition temperature of combustible substances. Store in a cool place. If heated the drums can burst due to pressure build-up.

7.2. Conditions for safe storage, including any incompatibilities

Segregate from oxidizable substances. Segregate from alkalies and alkalizing substances.

Suitable materials for containers: Stainless steel 1.4401, Stainless steel 1.4402 (V4A), Stainless steel 1.4404, Stainless steel 1.4571, Stainless steel 1.4361, Stainless steel 1.4541, glass, enamelled, High density polyethylene (HDPE)

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place. Protect against contamination. Protect from direct sunlight. Protect contents from the effects of light. Protect from atmospheric humidity.

Storage class according to TRGS 510 (originally VCI, Germany): (5.1B) Oxidising substances

7.3. Specific end use(s)

See exposure scenario(s) in the attachment to this safety data sheet.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters

Components with occupational exposure limits

The surveillance of the workplace by exposure measurements may be necessary, in order to prove the efficiency of safety measures, for example ventilation or the need of respiratory protection. Since this requires a specific competency, only accredited laboratories should be contracted. Regarding suitable methods to assess inhalation exposure, the European Standards EN 482, 689 and 14042 are to be considered. In addition, the TRGS 402 has to be observed in Germany.

7697-37-2: nitric acid ...% [C ≤ 70 %]

STEL value 2,6 mg/m3; 1 ppm (OEL (EU))

indicative

OEL 2,6 mg/m3; 1 ppm (TRGS 900 (DE))

to Regulation (EC) No 1907/2006. Date / Revised: 24.11.2023

Version: 5.1 Previous version: 5.0

Date previous version: 21.09.2023 Date / First version: 15.12.2022 Product: **Nitric Acid 68% Antw**

(ID no. 30042410/SDS_GEN_DE/EN)

Date of print 12.10.2025

PNEC

freshwater:

A PNEC has not been derived as the ecotoxicological effects are solely caused by the pH-effect which is very specific for a certain ecosystem depending on the buffer capacity, the pH and the fluctuation of the pH.

marine water:

A PNEC has not been derived as the ecotoxicological effects are solely caused by the pH-effect which is very specific for a certain ecosystem depending on the buffer capacity, the pH and the fluctuation of the pH.

intermittent release:

A PNEC has not been derived as the ecotoxicological effects are solely caused by the pH-effect which is very specific for a certain ecosystem depending on the buffer capacity, the pH and the fluctuation of the pH.

sediment (freshwater):

A PNEC has not been derived as the ecotoxicological effects are solely caused by the pH-effect which is very specific for a certain ecosystem depending on the buffer capacity, the pH and the fluctuation of the pH.

sediment (marine water):

A PNEC has not been derived as the ecotoxicological effects are solely caused by the pH-effect which is very specific for a certain ecosystem depending on the buffer capacity, the pH and the fluctuation of the pH.

soil:

A PNEC has not been derived as the ecotoxicological effects are solely caused by the pH-effect which is very specific for a certain ecosystem depending on the buffer capacity, the pH and the fluctuation of the pH.

STP:

A PNEC has not been derived as the ecotoxicological effects are solely caused by the pH-effect which is very specific for a certain ecosystem depending on the buffer capacity, the pH and the fluctuation of the pH.

DNEL

worker

Long-term exposure - local effects, Inhalation: 2,6 mg/m3

worker:

Short-term exposure - local effects, Inhalation: 2,6 mg/m3

consumer:

Long-term exposure - local effects, Inhalation: 1,3 mg/m3

to Regulation (EC) No 1907/2006.

Date / Revised: 24.11.2023 Version: 5.1
Date previous version: 21.09.2023 Previous version: 5.0

Date / First version: 15.12.2022 Product: **Nitric Acid 68% Antw**

(ID no. 30042410/SDS_GEN_DE/EN)

Date of print 12.10.2025

consumer:

Short-term exposure - local effects, Inhalation: 1,3 mg/m3

8.2. Exposure controls

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for lower concentrations or short-term effect: Gas filter for acid inorganic gases/vapours such as SO2, HCI (e.g. EN 14387 Type E). Gas filter for gases/vapours of inorganic compounds (e.g. EN 14387 Type B) Suitable respiratory protection for higher concentrations or long-term effect: Self-contained breathing apparatus.

Hand protection:

Chemical resistant protective gloves (EN ISO 374-1)

Suitable materials also with prolonged, direct contact (Recommended: Protective index 6,

corresponding > 480 minutes of permeation time according to EN ISO 374-1):

chloroprene rubber (CR) - 0.5 mm coating thickness

butyl rubber (butyl) - 0.7 mm coating thickness

fluoroelastomer (FKM) - 0.7 mm coating thickness

polyvinylchloride (PVC) - 0.7 mm coating thickness

Suitable materials for short-term contact (recommended: At least protective index 2, corresponding > 30 minutes of permeation time according to EN ISO 374-1)

nitrile rubber (NBR) - 0.4 mm coating thickness

Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing. Manufacturer's directions for use should be observed because of great diversity of types.

Eye protection:

Tightly fitting safety goggles (cage goggles) (e.g. EN 166) and face shield.

Body protection:

chemical-protection suit (f.e. according to EN 14605)

General safety and hygiene measures

Take off immediately all contaminated clothing.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

State of matter: liquid Form: liquid

to Regulation (EC) No 1907/2006.

Date / Revised: 24.11.2023 Version: 5.1
Date previous version: 21.09.2023 Previous version: 5.0

Date / First version: 15.12.2022 Product: **Nitric Acid 68% Antw**

(ID no. 30042410/SDS_GEN_DE/EN)

Date of print 12.10.2025

Colour: colourless to yellowish

Odour: pungent odour

Odour threshold:

Not determined due to potential health hazard by inhalation.

Melting point: -38 °C

Literature data.

boiling temperature: 121 °C

Literature data.

Flammability: not flammable (other)

Lower explosion limit:

For liquids not relevant for classification and labelling., The lower explosion point may be 5 - 15

°C below the flash point.

Upper explosion limit:

For liquids not relevant for classification and labelling.

Flash point:

Study scientifically not justified.

Auto-ignition temperature:

Study scientifically not justified.

Thermal decomposition: No decomposition if correctly stored and handled. To avoid thermal

decomposition, do not overheat.

pH value: < 1

Viscosity, dynamic: 2,0 mPa.s

(20 °C)

Literature data.

Solubility in water: miscible

> 500 g/l (20 °C)

Partitioning coefficient n-octanol/water (log Kow):

Study scientifically not justified.

Information on: nitric acid ...% [C ≤ 70 %]

Partitioning coefficient n-octanol/water (log Kow):

Study scientifically not justified.

Vapour pressure: 9 hPa

(20 °C)

Literature data. 49 hPa (50 °C)

Literature data.

Relative density: 1,5129

(20 °C)

Literature data.

Density: 1,405 g/cm3

(20 °C)

Literature data.

to Regulation (EC) No 1907/2006.

Date / Revised: 24.11.2023 Version: 5.1
Date previous version: 21.09.2023 Previous version: 5.0

Date / First version: 15.12.2022 Product: **Nitric Acid 68% Antw**

(ID no. 30042410/SDS_GEN_DE/EN)

Date of print 12.10.2025

Relative vapour density (air):2,17 (calculated)

(20 °C)

Heavier than air.

Particle characteristics

Particle size distribution: The substance / product is marketed or used in a non solid or granular

form. -

9.2. Other information

Information with regard to physical hazard classes

Explosives

Explosion hazard: Based on the chemical structure

there is no indication of explosive

properties.

Oxidizing properties

Fire promoting properties: Oxidizing.

Pyrophoric properties

Self-ignition temperature: Test type: Spontaneous self-

ignition at room-temperature.

not self-igniting

Self-heating substances and mixtures

Self heating ability: It is not a substance capable of

spontaneous heating.

Substances and mixtures, which emit flammable gases in contact with water

Formation of flammable gases:

Forms no flammable gases in the presence of water.

Corrosion to metals

Corrosive effect on metals.

Other safety characteristics

Miscibility with water:

(15 °C)

completely (e.g. >=90%)

pKA: -1,38 (calculated)

Study scientifically not justified.

:

No data available.

Surface tension:

Based on chemical structure, surface

activity is not to be expected.

Molar mass: 63,01 g/mol

to Regulation (EC) No 1907/2006.

Date / Revised: 24.11.2023 Version: 5.1
Date previous version: 21.09.2023 Previous version: 5.0

Date / First version: 15.12.2022 Product: **Nitric Acid 68% Antw**

(ID no. 30042410/SDS_GEN_DE/EN)

Date of print 12.10.2025

Evaporation rate:

Value can be approximated from Henry's Law Constant or vapor

pressure.

SECTION 10: Stability and Reactivity

10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals: Corrosive effect on metals.

Formation of Remarks: Forms no flammable gases in the

flammable gases: presence of water.

10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

10.3. Possibility of hazardous reactions

Exothermic reaction. Reacts with reducing agents. Reacts with bases. Addition of water leads to increase in temperature. Can nitrate, oxidize and explode. Forms nitrous gases and hydrogen on action upon metals.

10.4. Conditions to avoid

Avoid heat. See SDS section 7 - Handling and storage.

10.5. Incompatible materials

Substances to avoid: flammable, oxidizable substances, base metals

10.6. Hazardous decomposition products

Hazardous decomposition products: nitrogen oxides

to Regulation (EC) No 1907/2006.

Date / Revised: 24.11.2023 Version: 5.1
Date previous version: 21.09.2023 Previous version: 5.0

Date / First version: 15.12.2022 Product: **Nitric Acid 68% Antw**

(ID no. 30042410/SDS_GEN_DE/EN)

Date of print 12.10.2025

SECTION 11: Toxicological Information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Assessment of acute toxicity:

Toxic by inhalation. The toxicity of the product is based on its corrosivity.

Experimental/calculated data:

(oral):If swallowed, will immediately cause severe corrosion and damage to the gastrointestinal tract.

LC50 rat (by inhalation): > 2,65 mg/l 4 h (OECD Guideline 403)

The vapour was tested.

ATE (by inhalation): 2,65 mg/l

vapour

(dermal):Due to the corrosive properties of the substance higher doses cannot be tested. Study does not need to be conducted.

Information on: nitric acid ...% [C ≤ 70 %]

Assessment of acute toxicity:

Toxic by inhalation. The toxicity of the product is based on its corrosivity.

Information on: nitric acid ...% [C ≤ 70 %]

Experimental/calculated data:

LC50 rat (by inhalation): > 2,65 mg/l 4 h (OECD Guideline 403)

The vapour was tested.

ATE (by inhalation): 2,65 mg/l

vapour

<u>Irritation</u>

Assessment of irritating effects:

Highly corrosive! Damages skin and eyes.

Experimental/calculated data:

Skin corrosion/irritation

: Study scientifically not justified.

Serious eye damage/irritation

: Study scientifically not justified.

Respiratory/Skin sensitization

Assessment of sensitization:

No data available. As the substance is corrosive, conducting sensitization studies is not feasible.

Experimental/calculated data:

Study scientifically not justified.

Information on: nitric acid ...% [C ≤ 70 %]

to Regulation (EC) No 1907/2006.

Date / Revised: 24.11.2023 Version: 5.1
Date previous version: 21.09.2023 Previous version: 5.0

Date / First version: 15.12.2022 Product: **Nitric Acid 68% Antw**

(ID no. 30042410/SDS_GEN_DE/EN)

Date of print 12.10.2025

Assessment of sensitization:

No data available. As the substance is corrosive, conducting sensitization studies is not feasible.

Germ cell mutagenicity

Assessment of mutagenicity:

The substance was not mutagenic in bacteria. The substance was not mutagenic in mammalian cell culture. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Carcinogenicity

Assessment of carcinogenicity:

No reliable data was available concerning carcinogenic activity. The chemical structure does not suggest a specific alert for such an effect.

Information on: nitric acid ...% [C ≤ 70 %]

Assessment of carcinogenicity:

No reliable data was available concerning carcinogenic activity. The chemical structure does not suggest a specific alert for such an effect.

Reproductive toxicity

Assessment of reproduction toxicity:

The results of animal studies gave no indication of a fertility impairing effect. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Information on: nitric acid ...% [C ≤ 70 %]

Assessment of reproduction toxicity:

The results of animal studies gave no indication of a fertility impairing effect. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Developmental toxicity

Assessment of teratogenicity:

No data was available concerning toxicity to development. The chemical structure does not suggest a specific alert for such an effect.

Information on: nitric acid ...% [C ≤ 70 %]

Assessment of teratogenicity:

No data was available concerning toxicity to development. The chemical structure does not suggest a specific alert for such an effect.

, -----

Specific target organ toxicity (single exposure)

Assessment of STOT single:

to Regulation (EC) No 1907/2006.

Date / Revised: 24.11.2023 Version: 5.1
Date previous version: 21.09.2023 Previous version: 5.0

Date / First version: 15.12.2022 Product: **Nitric Acid 68% Antw**

(ID no. 30042410/SDS_GEN_DE/EN)

Date of print 12.10.2025

Apart from effects causing lethality, no specific target organ toxicity was observed in experimental studies.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

After repeated administration the prominent effect is the induction of corrosion.

Information on: nitric acid ...% $[C \le 70 \%]$ Assessment of repeated dose toxicity:

After repeated administration the prominent effect is the induction of corrosion.

Aspiration hazard

Study does not need to be conducted.

Interactive effects

No data available.

11.2. Information on other hazards

Endocrine disrupting properties

The substance is not identified to have endocrine disrupting properties according to Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 nor is included in the Candidate List of substances of very high concern according to EU REACh Article 59 for having endocrine disrupting properties.

Other information

Other relevant toxicity information

The toxicity of the product is based on its corrosivity. Inhalation of decomposition products can lead to lung oedema.

SECTION 12: Ecological Information

12.1. Toxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms.

The ecotoxicological effects are solely caused by the pH.

Toxicity to fish:

LC50 (96 h) 12,5 mg/l pH 3,7, Salmo gairdneri, syn. O. mykiss (static)

to Regulation (EC) No 1907/2006.

Version: 5.1 Previous version: 5.0

Date / Revised: 24.11.2023
Date previous version: 21.09.2023
Date / First version: 15.12.2022
Product: Nitric Acid 68% Antw

(ID no. 30042410/SDS_GEN_DE/EN)

Date of print 12.10.2025

Literature data. The product will cause changes in the pH value of the test system. The result refers to an unneutralized sample.

Aquatic invertebrates:

EC50 (48 h) pH 4,4, Ceriodaphnia dubia (other, semistatic)

The product will cause changes in the pH value of the test system. The result refers to an unneutralized sample.

Aquatic plants:

Study not necessary due to exposure considerations.

Microorganisms/Effect on activated sludge:

Study not necessary due to exposure considerations.

Chronic toxicity to fish:

No observed effect concentration (30 d) 58 mg/l, Pimephales promelas (OPP 72-4 (EPA-Guideline), static)

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Chronic toxicity to aquatic invertebrates:

No observed effect concentration (35 d) pH 6,14 - 8,3, Ceriodaphnia dubia (other, other)

Information on:nitric acid ...% [C ≤ 70 %]

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms.

The ecotoxicological effects are solely caused by the pH.

Information on:nitric acid ...% [C ≤ 70 %]

Toxicity to fish:

LC50 (96 h) 12,5 mg/l pH 3,7, Salmo gairdneri, syn. O. mykiss (static)

Literature data. The product will cause changes in the pH value of the test system. The result refers to an unneutralized sample.

Information on:nitric acid ...% [C ≤ 70 %]

Aquatic invertebrates:

EC50 (48 h) pH 4,4, Ceriodaphnia dubia (other, semistatic)

The product will cause changes in the pH value of the test system. The result refers to an unneutralized sample.

Information on:nitric acid ...% [C ≤ 70 %]

Aquatic plants:

Study not necessary due to exposure considerations.

Assessment of terrestrial toxicity:

to Regulation (EC) No 1907/2006.

Date / Revised: 24.11.2023 Version: 5.1
Date previous version: 21.09.2023 Previous version: 5.0

Date / First version: 15.12.2022 Product: **Nitric Acid 68% Antw**

(ID no. 30042410/SDS_GEN_DE/EN)

Date of print 12.10.2025

No data available.

Study not necessary due to exposure considerations.

12.2. Persistence and degradability

Assessment biodegradation and elimination (H2O):

Inorganic product which cannot be eliminated from water by biological purification processes. Can be oxidized to nitrate, or be reduced to nitrogen, by microorganisms.

Elimination information:

not applicable

Assessment of stability in water:

According to structural properties, hydrolysis is not expected/probable.

Study scientifically not justified.

Information on Stability in Water (Hydrolysis):

Study scientifically not justified.

12.3. Bioaccumulative potential

Assessment bioaccumulation potential:

Accumulation in organisms is not to be expected.

Bioaccumulation potential:

Study scientifically not justified.

12.4. Mobility in soil

Assessment transport between environmental compartments:

Volatility: The substance will not evaporate into the atmosphere from the water surface.

Adsorption in soil: Adsorption to solid soil phase is not expected. Under environmental conditions, the substance will almost completely be in its charged form.

12.5. Results of PBT and vPvB assessment

According to Annex XIII of Regulation (EC) No.1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH): PBT assessment does not apply. Not applicable for inorganic substances.

12.6. Endocrine disrupting properties

The substance is not identified to have endocrine disrupting properties according to Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 nor is included in the Candidate List of

to Regulation (EC) No 1907/2006.

Date / Revised: 24.11.2023 Version: 5.1
Date previous version: 21.09.2023 Previous version: 5.0

Date / First version: 15.12.2022 Product: **Nitric Acid 68% Antw**

(ID no. 30042410/SDS_GEN_DE/EN)

Date of print 12.10.2025

substances of very high concern according to EU REACh Article 59 for having endocrine disrupting properties.

12.7. Other adverse effects

The substance is not listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

12.8. Additional information

Other ecotoxicological advice:

Do not release untreated into natural waters. Due to the pH-value of the product, neutralization is generally required before discharging sewage into treatment plants. Inhibition of degradation activity in activated sludge is not to be anticipated during correct introduction of low concentrations.

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

Contact manufacturer regarding recycling.

Contact waste centre regarding recycling.

Obtain the consent of pollution control authorities before discharging to wastewater treatment plants.

Contaminated packaging:

Transport containers should be completely emptied and returned.

SECTION 14: Transport Information

Land transport

ADR

UN number or ID number: UN2031
UN proper shipping name: NITRIC ACID

Transport hazard class(es): 8, 5.1 Packing group: II Environmental hazards: no

Special precautions for

Tunnel code: E

user:

RID

UN number or ID number: UN2031

to Regulation (EC) No 1907/2006.

Date / Revised: 24.11.2023 Version: 5.1
Date previous version: 21.09.2023 Previous version: 5.0

Date / First version: 15.12.2022 Product: **Nitric Acid 68% Antw**

(ID no. 30042410/SDS_GEN_DE/EN)

Date of print 12.10.2025

UN proper shipping name: NITRIC ACID

Transport hazard class(es): 8, 5.1 Packing group: II Environmental hazards: no

Special precautions for None known

user:

Inland waterway transport

ADN

UN number or ID number: UN2031
UN proper shipping name: NITRIC ACID

Transport hazard class(es): 8, 5.1 Packing group: II Environmental hazards: no

Special precautions for None known

user:

Transport in inland waterway vessel
UN number or ID number: UN2031
UN proper shipping name: NITRIC ACID

Transport hazard class(es): 8, 5.1, N3

Packing group: II Environmental hazards: yes Type of inland waterway N

vessel:

Cargo tank design: 2 Cargo tank type: 3

Sea transport

IMDG

UN number or ID number: UN 2031 UN proper shipping name: NITRIC ACID

Transport hazard class(es): 8, 5.1 Packing group: II Environmental hazards: no

Marine pollutant: NO

EmS: F-A; S-Q

Special precautions for

user:

to Regulation (EC) No 1907/2006.

Date / Revised: 24.11.2023 Version: 5.1
Date previous version: 21.09.2023 Previous version: 5.0

Date / First version: 15.12.2022 Product: **Nitric Acid 68% Antw**

(ID no. 30042410/SDS_GEN_DE/EN)

Date of print 12.10.2025

Air transport

IATA/ICAO

UN number or ID number: UN 2031
UN proper shipping name: NITRIC ACID

Transport hazard class(es): 8, 5.1 Packing group: II

Environmental hazards: No Mark as dangerous for the environment is needed

Special precautions for None known

user:

14.1. UN number or ID number

See corresponding entries for "UN number or ID number" for the respective regulations in the tables above.

14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

14.7. Maritime transport in bulk according to IMO instruments

Regulation: IBC-Code

Product name: Nitric acid (less than 70%)

Pollution category: Y Ship Type: 2

to Regulation (EC) No 1907/2006.

Date / Revised: 24.11.2023 Version: 5.1
Date previous version: 21.09.2023 Previous version: 5.0

Date / First version: 15.12.2022 Product: **Nitric Acid 68% Antw**

(ID no. 30042410/SDS_GEN_DE/EN)

Date of print 12.10.2025

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Prohibitions, Restrictions and Authorizations

Chemical Prohibition Ordinance (DE): Annex 2 Restriction Type: Restricted substance

Annex XVII of Regulation (EC) No 1907/2006: Number on List: 3, 75, 75

Hazardous Incident Ordinance (Germany):

List entry in regulation: 1.1.2 List entry in regulation: 1.2.8

Directive 2012/18/EU - Control of Major Accident Hazards involving dangerous substances (EU):

List entry in regulation: H2 List entry in regulation: P8

Water hazard class (§6 AwSV para.4 (Legal binding announcement of the substance in the Federal

Gazette)): (1) Weakly water polluting. ID-No.: 414

The product contains a substance (Annex I / Annex II) regulated under Regulation (EU) 2019/1148 - "marketing and use of explosives precursors". This may result in obligations for your company according to the statutory requirements of the aforementioned regulation and the respective national implementing regulations.

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

15.2. Chemical Safety Assessment

Chemical Safety Assessment performed

SECTION 16: Other Information

Full text of the classifications, including the hazard classes and the hazard statements, if mentioned

in section 2 or 3:

Ox. Liq. Oxidising liquids
Met. Corr. Corrosive to metals
Acute Tox. Acute toxicity

to Regulation (EC) No 1907/2006.

Date / Revised: 24.11.2023 Version: 5.1
Date previous version: 21.09.2023 Previous version: 5.0

Date / First version: 15.12.2022 Product: **Nitric Acid 68% Antw**

(ID no. 30042410/SDS_GEN_DE/EN)

Date of print 12.10.2025

Skin Corr./Irrit. Skin corrosion/irritation

Eye Dam./Irrit. Serious eye damage/eye irritation H290 May be corrosive to metals. H272 May intensify fire; oxidizer.

H331 Toxic if inhaled.

H314 Causes severe skin burns and eye damage.

Abbreviations

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road. ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland waterways. ATE = Acute Toxicity Estimates. CAO = Cargo Aircraft Only. CAS = Chemical Abstract Service. CLP = Classification, Labelling and Packaging of substances and mixtures. DIN = German national organization for standardization. DNEL = Derived No Effect Level. EC50 = Effective concentration median for 50% of the population. EC = European Community. EN = European Standards. IARC = International Agency for Research on Cancer. IATA = International Air Transport Association. IBC-Code = Intermediate Bulk Container code. IMDG = International Maritime Dangerous Goods Code. ISO = International Organization for Standardization. STEL = Short-Term Exposure Limit. LC50 = Lethal concentration median for 50% of the population. LD50 = Lethal dose median for 50% of the population. TLV = Threshold Limit Value, MARPOL = The International Convention for the Prevention of Pollution from Ships, NEN = Dutch Norm, NOEC = No Observed Effect Concentration, OEL = Occupational Exposure Limit. OECD = Organization for Economic Cooperation and Development. PBT = Persistent, Bioaccumulative and Toxic. PNEC = Predicted No Effect Level. PPM = Parts per million. RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail. TWA = Time Weight Average. UN-number = UN number at transport. vPvB = very Persistent and very Bioaccumulative.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.

to Regulation (EC) No 1907/2006.

Version: 5.1 Previous version: 5.0

Date / Revised: 24.11.2023 Date previous version: 21.09.2023 Date / First version: 15.12.2022 Product: **Nitric Acid 68% Antw**

(ID no. 30042410/SDS_GEN_DE/EN)

Date of print 12.10.2025

Annex: Exposure Scenarios

Index

1. Manufacture of substance, Industrial applications

IS; IS, SU4, SU8, SU9, SU10, SU12, SU14, SU15, SU16; ERC1, ERC2, ERC4, ERC6a, ERC6b, ERC6d, ERC7; PROC1, PROC2, PROC3, PROC4, PROC5, PROC7, PROC8a, PROC8b, PROC9, PROC10, PROC13, PROC14, PROC15; PC7, PC12, PC14, PC15, PC19, PC20, PC33, PC35, PC37, PC0

2. Professional applications

PW; SU1, PW; ERC8a, ERC8b, ERC8e; PROC5, PROC8a, PROC8b, PROC9, PROC10, PROC11, PROC13, PROC15, PROC19; PC12, PC14, PC15, PC20, PC21, PC35

* * * * * * * * * * * * * * * *

1. Short title of exposure scenario

Manufacture of substance, Industrial applications IS; IS, SU4, SU8, SU9, SU10, SU12, SU14, SU15, SU16; ERC1, ERC2, ERC4, ERC6a, ERC6b, ERC6d, ERC7; PROC1, PROC2, PROC3, PROC4, PROC5, PROC7, PROC8a, PROC8b, PROC9, PROC10, PROC13, PROC14, PROC15; PC7, PC12, PC14, PC15, PC19, PC20, PC33, PC35, PC37, PC0

Control of exposure and risk management measures

Contributing exposure scenario	
Use descriptors covered	PROC1: Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions. PROC2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions Use domain: industrial
Operational conditions	
Concentration of the substance	nitric acid% [C ≤ 70 %] Content: >= 0 % - <= 75 %
Physical state	liquid
Vapour pressure of the substance during use	61 hPa
Duration and Frequency of activity	Application duration: 480 min 5 days per week
Risk Management Measures	
Avoid frequent and direct contact with	
substance. Ensure that the task is not	
carried out overhead. Ensure	
minimization of manual phases	
Use suitable eye protection. Use	

to Regulation (EC) No 1907/2006.

Date / Revised: 24.11.2023 Version: 5.1
Date previous version: 21.09.2023 Previous version: 5.0

Date / First version: 15.12.2022 Product: Nitric Acid 68% Antw

(ID no. 30042410/SDS_GEN_DE/EN)

Date of print 12.10.2025

suitable chemically resistant gloves.	
Wear suitable working clothes.	
Risk Management Measures are	
based on qualitative risk	
characterisation.	
Exposure estimate and reference to its source	
Assessment method	MEASE
	Worker - inhalation, long-term - local
Exposure estimate	0,001 mg/m³
Risk Characterization Ratio (RCR)	0,0008
Assessment method	Qualitative assessment
	Worker - dermal
Guidance to Downstream Users	
For scaling see: http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php	

Contributing exposure scenario	
Use descriptors covered	PROC3: Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition PROC4: Chemical production where opportunity for exposure arises PROC5: Mixing or blending in batch processes PROC8a: Transfer of substance or mixture (charging and discharging) at non-dedicated facilities PROC8b: Transfer of substance or mixture (charging and discharging) at dedicated facilities PROC9: Transfer of substance or preparation into small containers (dedicated filling line, including weighing). PROC10: Roller application or brushing PROC13: Treatment of articles by dipping and pouring. PROC14: Tabletting, compression, extrusion, pelletisation, granulation PROC15: Use a laboratory reagent. Use domain: industrial
Operational conditions	
Concentration of the substance	nitric acid% [C ≤ 70 %] Content: >= 0 % - <= 75 %
Physical state	liquid
Vapour pressure of the substance during use	61 hPa
Duration and Frequency of activity	Application duration: 480 min 5 days per week
Risk Management Measures	
Avoid frequent and direct contact with substance. Ensure that the task is not carried out overhead. Ensure minimization of manual phases Use suitable eye protection. Use	
suitable chemically resistant gloves.	

to Regulation (EC) No 1907/2006.

Date / Revised: 24.11.2023 Version: 5.1
Date previous version: 21.09.2023 Previous version: 5.0

Date / First version: 15.12.2022 Product: **Nitric Acid 68% Antw**

(ID no. 30042410/SDS_GEN_DE/EN)

Date of print 12.10.2025

Wear suitable working clothes.	
Risk Management Measures are	
based on qualitative risk	
characterisation.	
Exposure estimate and reference to	its source
PROC3, PROC8b, PROC9, PROC13, F	PROC14, PROC15
Assessment method	MEASE
	Worker - inhalation, long-term - local
Exposure estimate	0,01 mg/m³
Risk Characterization Ratio (RCR)	0,0077
Assessment method	Qualitative assessment
	Worker - dermal
PROC4, PROC5, PROC8a, PROC10	
Assessment method	MEASE
	Worker - inhalation, long-term - local
Exposure estimate	0,05 mg/m ³
Risk Characterization Ratio (RCR)	0,0385
Guidance to Downstream Users	
For scaling see: http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php	

Contributing exposure scenario	
Use descriptors covered	PROC7: Industrial spraying Use domain: industrial
Operational conditions	
Concentration of the substance	nitric acid% [C ≤ 70 %] Content: >= 0 % - <= 75 %
Physical state	liquid
Vapour pressure of the substance during use	61 hPa
Duration and Frequency of activity	Application duration: 480 min 5 days per week
Risk Management Measures	
Local exhaust ventilation	Effectiveness: 95 %
Wear suitable respiratory protection.	Effectiveness: 95 %
Alternatively:, Respiratory proctection is not required., Reduce duration of activity to less than 15 min	
Avoid skin contact. Avoid frequent and direct contact with substance. Ensure minimization of manual phases	
Use suitable chemically resistant gloves. Use suitable eye protection. Wear suitable working clothes.	
Risk Management Measures are based on qualitative risk characterisation.	

to Regulation (EC) No 1907/2006.

Date / Revised: 24.11.2023 Version: 5.1
Date previous version: 21.09.2023 Previous version: 5.0

Date / First version: 15.12.2022 Product: **Nitric Acid 68% Antw**

(ID no. 30042410/SDS_GEN_DE/EN)

Date of print 12.10.2025

Exposure estimate and reference to its source	
Assessment method	MEASE
	Worker - inhalation, long-term - local
Exposure estimate	0,05 mg/m³
Risk Characterization Ratio (RCR)	0,0385
	In case suitable respiratory protection is used.
Assessment method	MEASE
	Worker - inhalation, long-term - local
Exposure estimate	0,1 mg/m³
Risk Characterization Ratio (RCR)	0,077
Assessment method	Qualitative assessment
	Worker - dermal
Guidance to Downstream Users	
For scaling see: http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php	

Contributing exposure scenario	
Use descriptors covered	Substance will disossciate upon contact with water, the only effect is the pH effect, therefore after passing through the STP exposure is considered negligible and with no risk

* * * * * * * * * * * * * * *

2. Short title of exposure scenario

Professional applications

PW; SU1, PW; ERC8a, ERC8b, ERC8e; PROC5, PROC8a, PROC8b, PROC9, PROC10, PROC11, PROC13, PROC15, PROC19; PC12, PC14, PC15, PC20, PC21, PC35

Control of exposure and risk management measures

Contributing exposure scenario	
Use descriptors covered	PROC5: Mixing or blending in batch processes PROC8a: Transfer of substance or mixture (charging and discharging) at non-dedicated facilities PROC8b: Transfer of substance or mixture (charging and discharging) at dedicated facilities PROC9: Transfer of substance or preparation into small containers (dedicated filling line, including weighing). PROC10: Roller application or brushing PROC13: Treatment of articles by dipping and pouring. PROC14: Tabletting, compression, extrusion, pelletisation, granulation PROC15: Use a laboratory reagent. PROC19: Manual activities involving hand contact Use domain: professional
Operational conditions	
Concentration of the substance	nitric acid% [C ≤ 70 %] Content: >= 0 % - <= 75 %

to Regulation (EC) No 1907/2006.

Date / Revised: 24.11.2023 Version: 5.1
Date previous version: 21.09.2023 Previous version: 5.0

Date / First version: 15.12.2022 Product: Nitric Acid 68% Antw

(ID no. 30042410/SDS_GEN_DE/EN)

Date of print 12.10.2025

Physical state	liquid	
Vapour pressure of the substance	61 hPa	
during use		
Duration and Frequency of activity	Application duration: 480 min 5 days per week	
Indoor/Outdoor	Indoor	
Risk Management Measures	Indoor	
Wear suitable respiratory protection.		
Personal measures have to be		
applied in case of potential exposure		
towards spray or dust only.		
Avoid frequent and direct contact with		
substance. Avoid skin contact. Ensure		
minimization of manual phases		
Use suitable chemically resistant		
gloves. Use suitable eye protection.		
Wear suitable working clothes.		
Risk Management Measures are		
based on qualitative risk		
characterisation.		
Exposure estimate and reference to	its source	
PROC8a, PROC8b, PROC9, PROC10,		
Assessment method	MEASE	
7.66666ment mouled	Worker - inhalation, long-term - local	
Exposure estimate	0,05 mg/m³	
Risk Characterization Ratio (RCR)	0.04	
Assessment method	Qualitative assessment	
Assessment method	Worker - dermal	
PROC5, PROC14	Worker - dermai	
Assessment method	MEASE	
Assessment method	Worker - inhalation, long-term - local	
Evacura estimata	0,1 mg/m ³	
Exposure estimate Risk Characterization Ratio (RCR)	0.08	
PROC15	U,U0	
Assessment method	MEASE	
Assessment method	Worker - inhalation, long-term - local	
Evposuro actimato	0,01 mg/m ³	
Exposure estimate Risk Characterization Ratio (RCR)		
Guidance to Downstream Users	0,01	
For scaling see: http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php		
For scaling see: http://www.ebrc.de/indi	ustrial-chemicals-reach/projects-and-references/mease.pnp	

Contributing exposure scenario	
Use descriptors covered	PROC11: Non industrial spraying Use domain: professional
Operational conditions	
Concentration of the substance	nitric acid% [C ≤ 70 %]

to Regulation (EC) No 1907/2006.

Date / Revised: 24.11.2023 Version: 5.1
Date previous version: 21.09.2023 Previous version: 5.0

Date / First version: 15.12.2022 Product: Nitric Acid 68% Antw

(ID no. 30042410/SDS_GEN_DE/EN)

Date of print 12.10.2025

	Content: >= 0 % - <= 75 %	
	nitric acid% [C ≤ 70 %]	
	Content: >= 0 % - <= 75 %	
Physical state	liquid	
Vapour pressure of the substance during use	61 hPa	
Duration and Frequency of activity	Application duration: 480 min 5 days per week	
Risk Management Measures		
Wear suitable respiratory protection.	Effectiveness: 97 %	
Avoid frequent and direct contact with		
substance. Avoid skin contact. Ensure		
minimization of manual phases		
Use suitable chemically resistant		
gloves. Use suitable eye protection.		
Wear suitable working clothes.		
Risk Management Measures are		
based on qualitative risk		
characterisation.		
Exposure estimate and reference to its source		
Assessment method	MEASE	
	Worker - inhalation, long-term - local	
Exposure estimate	0,5 mg/m³	
Risk Characterization Ratio (RCR)	0,38	
Assessment method	Qualitative assessment	
	Worker - dermal	
Guidance to Downstream Users		
For scaling see: http://www.ebrc.de/indu	ustrial-chemicals-reach/projects-and-references/mease.php	

Contributing exposure scenario		
	PROC11: Non industrial spraying	
Use descriptors covered	Use domain: professional	
Operational conditions		
	nitric acid% [C ≤ 70 %]	
Concentration of the substance	Content: >= 0 % - <= 75 %	
Physical state	liquid	
Vapour pressure of the substance	61 hPa	
during use		
Duration and Frequency of activity	Application duration: 240 min 5 days per week	
Risk Management Measures		
Wear suitable respiratory protection.	Effectiveness: 95 %	
Avoid frequent and direct contact with		
substance. Avoid skin contact. Ensure		

Page: 28/28

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according

to Regulation (EC) No 1907/2006.

Date / Revised: 24.11.2023 Version: 5.1
Date previous version: 21.09.2023 Previous version: 5.0

Date / First version: 15.12.2022 Product: Nitric Acid 68% Antw

(ID no. 30042410/SDS_GEN_DE/EN)

Date of print 12.10.2025

1	
minimization of manual phases	
Use suitable chemically resistant	
gloves. Use suitable eye protection.	
Wear suitable working clothes.	
Risk Management Measures are	
based on qualitative risk	
characterisation.	
Exposure estimate and reference to its source	
Assessment method	MEASE
	Worker - inhalation, long-term - local
Exposure estimate	0,6 mg/m³
Risk Characterization Ratio (RCR)	0,46
Assessment method	Qualitative assessment
	Worker - dermal
Guidance to Downstream Users	
For scaling see: http://www.ebrc.de/industrial-chemicals-reach/projects-and-references/mease.php	

Contributing exposure scenario	
Use descriptors covered	Substance will disossciate upon contact with water, the only effect is the pH effect, therefore after passing through the STP exposure is considered negligible and with no risk

* * * * * * * * * * * * * * *