


The Standard For Residual Control In Soybeans

Benefits of Zidua® Herbicide

- Longest lasting residual control—up to two weeks longer than other herbicides
- Superior Palmer Amaranth and Waterhemp control
- Use rates are as much as 10 times less than other brands
- New standard for use flexibility

Zidua herbicide provides superior residual control and use flexibility in one product.

Broadleaf Weed Control





1.5 oz Zidua PRE followed by a Zidua Herbicide 0.5 oz + Roundup WeatherMax 22 oz POST.



Glyphosate Resistant Waterhemp Control - 2011 Soybean Plots





Zidua® Herbicide 2 oz PRE

SEREC-Rhower, AR. Dr. Ken Smith-20 DAT.



In the photo on the right, Zidua herbicide was applied at 2.5 oz/A and Sharpen herbicide was applied at 1 fl oz/A. UI Field Trial (SWHZIDUA) Central, IL. Preemergence (41 DAT). Photos taken 06-29-11.



Best Use Recommendations

Soybean Use Rate: 1.5–3.5 oz/A
Labeled Crops: Corn, Soybean, Wheat
Application Timing*: Fall, Preplant,
Preemergence and Postemergence

- Use rate is dependent on soil texture and application timing. Please consult label for appropriate application rate in your field.
- * Timing depends on crop

Weeds Controlled or Suppressed:

Grasses and Sedges

- Broadleaf signalgrass
- Bromus spp.
- Crabgrass spp.
- Goosegrass
- Foxtail spp.
- Johnsongrass (seedling)

Broadleaf Weeds

- Carpetweed
- Common ragweed
- Kochia
- Lambsquarters
- Marestail (horseweed)
- Morningglory spp.
- Nightshade spp.

- Panicum spp.
- Ryegrass spp.
- Shattercane
- Wild proso millet
- Woolly cupgrass
- Yellow Nutsedge
- Palmer amaranth
- Pigweed spp.
- Prickly sida
- Velvetleaf
- Waterhemp
- Wild Buckwheat

General Information:

- Zidua herbicide may be applied in water or in sprayable liquid nitrogen fertilizer solutions. Zidua herbicide may also be applied impregnated on dry bulk fertilizers.
- A minimum of 1/2" of rainfall or overhead irrigation is required following application and prior to weed emergence for optimal performance.



