

Safety data sheet

Page: 1/17

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 24.03.2023 Version: 1.0

Date previous version: not applicable Previous version: none

Date / First version: 24.03.2023

Product: Dry Vitamin E-Acetate 50% DC

(ID no. 30041051/SDS_GEN_FR/EN)

Date of print 17.10.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Dry Vitamin E-Acetate 50% DC

According to REACH regulation (EC) 1907/2006 the substance/mixture contains nanoforms. The product does not fall under the definition of engineered nanomaterials according to the regulation on provision of food information (EU) 1169/2011.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Vitamin

1.3. Details of the supplier of the safety data sheet

Company: BASF SE 67056 Ludwigshafen GERMANY Contact address:
BASF France SAS
176, rue Montmartre
75002 PARIS
FRANCE

Telephone: +33 1 4964-5732

E-mail address: securite-produits.france@basf.com

1.4. Emergency telephone number

Tél.: 01 45 42 59 59 (APPEL D'URGENCE ORFILA)

Fax: 01 49 64 53 80 (heures de bureau)

International emergency number (Numéro d'urgence international):

contact speaking the language of the calling country (contact parlant la langue du pays d'appel)

Telephone: +49 180 2273-112

Date / Revised: 24.03.2023

Version: 1.0 Date previous version: not applicable Previous version: none

Date / First version: 24.03.2023

Product: Dry Vitamin E-Acetate 50% DC

(ID no. 30041051/SDS_GEN_FR/EN)

Date of print 17.10.2025

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

For the classification of the mixture the following methods have been applied: extrapolation on the concentration levels of the hazardous substances, on basis of test results and after evaluation of experts. The methodologies used are mentioned at the respective test results.

According to Regulation (EC) No 1272/2008 [CLP]

No need for classification according to GHS criteria for this product.

2.2. Label elements

According to Regulation (EC) No 1272/2008 [CLP]

The product does not require a hazard warning label in accordance with GHS criteria.

2.3. Other hazards

According to Regulation (EC) No 1272/2008 [CLP]

The product is under certain conditions capable of dust explosion.

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. The product does not fulfill the criteria for PBT (Persistent/bioaccumulative/toxic) and vPvB (very persistent/very bioaccumulative).

SECTION 3: Composition/Information on Ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Chemical nature

Preparation based on:3,4-Dihydro-2,5,7,8-tetramethyl-2-(4,8,12-trimethyltridecyl)-2H-benzopyran-6yl acetate

in a matrix of: Gelatins. Starch

Regulatory relevant ingredients

No particular hazards known.

to Regulation (EC) No 1907/2006.

Date / Revised: 24.03.2023 Version: 1.0
Date previous version: not applicable Previous version: none

Date / First version: 24.03.2023

Product: Dry Vitamin E-Acetate 50% DC

(ID no. 30041051/SDS_GEN_FR/EN)

Date of print 17.10.2025

Silicic acid, aluminum sodium salt

Content (W/W): >= 0,5 % - <= 2 %

<u>CAS Number: 1344-00-9</u> <u>EC-Number: 215-684-8</u>

REACH registration number: 01-

2119429887-22

Particle characteristics of nanoform:

Particle size distribution: 5 - 50 nm (D50, Counted Distribution)

SECTION 4: First-Aid Measures

4.1. Description of first aid measures

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air.

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

Rinse mouth and then drink 200-300 ml of water.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: (Further) symptoms and / or effects are not known so far

4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Symptomatic treatment (decontamination, vital functions).

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing media

Suitable extinguishing media:

water spray, carbon dioxide, dry powder, foam

Unsuitable extinguishing media for safety reasons:

water jet

Additional information:

Avoid whirling up the material/product because of the danger of dust explosion.

Date / Revised: 24.03.2023 Version: 1.0

Date previous version: not applicable Previous version: none

Date / First version: 24.03.2023

Product: Dry Vitamin E-Acetate 50% DC

(ID no. 30041051/SDS_GEN_FR/EN)

Date of print 17.10.2025

5.2. Special hazards arising from the substance or mixture

Endangering substances: carbon oxides, harmful vapours

Advice: The substances/groups of substances mentioned can be released in case of fire. Evolution of fumes/fog. Dust explosion hazard.

5.3. Advice for fire-fighters

Special protective equipment:

Wear a self-contained breathing apparatus.

Further information:

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. Cool endangered containers with water-spray.

SECTION 6: Accidental Release Measures

Dust can form an explosive mixture with air.

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Information regarding personal protective measures, see section 8. Avoid dust formation.

6.2. Environmental precautions

Do not discharge into drains/surface waters/groundwater.

6.3. Methods and material for containment and cleaning up

For small amounts: Contain with dust binding material and dispose of.

For large amounts: Sweep/shovel up.

Dispose of absorbed material in accordance with regulations. Avoid raising dust.

6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

SECTION 7: Handling and Storage

7.1. Precautions for safe handling

Avoid dust formation. Provide exhaust ventilation if dust is formed. Handle in accordance with good industrial hygiene and safety practice.

Protection against fire and explosion:

Date / Revised: 24.03.2023 Version: 1.0

Date previous version: not applicable Previous version: none

Date / First version: 24.03.2023

Product: Dry Vitamin E-Acetate 50% DC

(ID no. 30041051/SDS_GEN_FR/EN)

Date of print 17.10.2025

The product is capable of dust explosion. Avoid dust formation. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy. Use explosion-proof apparatus and fittings.

7.2. Conditions for safe storage, including any incompatibilities

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place.

7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters

Components with occupational exposure limits

57-50-1: Sucrose

TWA (FR) 10 mg/m3 (OEL-IRNS (FR))

Indicative limit

9005-25-8: Starch

TWA (FR) 5 mg/m3 (OEL-IRNS (FR)), Respirable fraction

Regulatory binding

TWA (FR) 10 mg/m3 (OEL-IRNS (FR)), Inhalable fraction

Regulatory binding

TWA (FR) 7 mg/m3 (OEL-IRNS (FR)), Total dust

Regulatory binding

TWA (FR) 4 mg/m3 (OEL-IRNS (FR)), Total dust

Regulatory binding

TWA (FR) 3,5 mg/m3 (OEL-IRNS (FR)), Respirable dust

Regulatory binding

TWA (FR) 0,9 mg/m3 (OEL-IRNS (FR)), Respirable dust

Regulatory binding

8.2. Exposure controls

Personal protective equipment

Respiratory protection:

Breathing protection if dusts are formed. Particle filter with low efficiency for solid particles (e.g. EN 143 or 149, Type P1or FFP1)

Hand protection:

Chemical resistant protective gloves (EN ISO 374-1)

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Date / Revised: 24.03.2023 Version: 1.0

Date previous version: not applicable Previous version: none

Date / First version: 24.03.2023

Product: Dry Vitamin E-Acetate 50% DC

(ID no. 30041051/SDS_GEN_FR/EN)

Date of print 17.10.2025

Body protection:

chemical protection overall (f.e. according to EN 13982) if dust is formed.

General safety and hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is recommended. No eating, drinking, smoking or tobacco use at the place of work. Hands and/or face should be washed before breaks and at the end of the shift.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

State of matter: solid
Form: powder
Colour: almost white
Odour: odourless

Odour threshold:

not applicable, odour not perceivable

melting range:

The substance / product decomposes therefore not

determined.

Boiling point:

not applicable

Flammability: not highly flammable

ghly flammable (Directive 92/69/EEC, A.10)

Lower explosion limit:

For solids not relevant for classification and labelling.

Upper explosion limit:

For solids not relevant for classification and labelling.

Flash point:

not applicable, the product is a solid

Thermal decomposition: >= 145 °C (DSC (DIN 51007))

self-accelerating reaction

SADT: > 75 °C

Heat accumulation / Dewar 500 ml (SADT, UN-Test H.4, 28.4.4)

pH value:

not applicable, substance/mixture is

non-soluble (in water)

Viscosity, kinematic:

not applicable, the product is a solid

Viscosity, dynamic:

not applicable, the product is a solid

Solubility in water: dispersible

(approx. 35 - 40 °C)

to Regulation (EC) No 1907/2006.

Date / Revised: 24.03.2023 Version: 1.0

Date previous version: not applicable Previous version: none

Date / First version: 24.03.2023

Product: Dry Vitamin E-Acetate 50% DC

(ID no. 30041051/SDS_GEN_FR/EN)

Date of print 17.10.2025

Partitioning coefficient n-octanol/water (log Kow):

not applicable for mixtures

Vapour pressure:

not applicable

Density:

No information is available for the absolute density. Instead the bulk density was determined as a more

relevant value.

Relative vapour density (air):

not applicable, The product is a non-

volatile solid.

Particle characteristics

Particle size distribution: typically > 200 µm (D50, Volumetric Distribution,

ISO 13320-1)

Contains agglomerates / aggregates of nanoparticles - For particle characteristics of nanoform components refer to SDS section 3. -

Potential for release of individual nanoparticles is limited.

9.2. Other information

Information with regard to physical hazard classes

Explosives

Explosion hazard: Product is not explosive, however a

dust explosion could result from an

air / dust mixture.

Oxidizing properties

Fire promoting properties: Based on its structural properties

the product is not classified as

oxidizing.

Flammable solids

Burning rate: The material doesn't meet the criteria (Directive 92/69/EEC, A.10)

specified in paragraph 33.2.4.4 of UN

manual of tests and criteria.

An ignition of the test substance does not lead to a progagation by burning

with flame or smouldering.

Self-heating substances and mixtures

Self heating ability: It is not a substance capable of (L

(UN Test N.4 (self heating

spontaneous heating. substances))

Corrosion to metals

Corrosive effects to metal are not anticipated.

Other safety characteristics

to Regulation (EC) No 1907/2006.

Version: 1.0 Previous version: none

Date / Revised: 24.03.2023 Date previous version: not applicable Date / First version: 24.03.2023

Product: Dry Vitamin E-Acetate 50% DC

(ID no. 30041051/SDS_GEN_FR/EN)

Date of print 17.10.2025

Minimum ignition energy:

(VDI 2263, sheet 1, 2.5)

The product is capable of dust

explosion.

Bulk density: approx. 500 kg/m3

SAPT-Temperature:

Study scientifically not justified.

Evaporation rate:

not applicable

SECTION 10: Stability and Reactivity

10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals: Corrosive effects to metal are not anticipated.

10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

10.3. Possibility of hazardous reactions

Dust explosion hazard.

10.4. Conditions to avoid

Avoid dust formation. See SDS section 7 - Handling and storage. Avoid electro-static charge.

10.5. Incompatible materials

Substances to avoid:

None known during use and storage if used according to instructions.

10.6. Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

SECTION 11: Toxicological Information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Date / Revised: 24.03.2023 Version: 1.0
Date previous version: not applicable Previous version: none

Date / First version: 24.03.2023

Product: Dry Vitamin E-Acetate 50% DC

(ID no. 30041051/SDS_GEN_FR/EN)

Date of print 17.10.2025

Assessment of acute toxicity:

Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact.

Information on: 3,4-Dihydro-2,5,7,8-tetramethyl-2-(4,8,12-trimethyltridecyl)-2H-benzopyran-6-yl acetate

Experimental/calculated data:

LD50 rat (oral): > 10.000 mg/kg (BASF-Test)

Information on: 3,4-Dihydro-2,5,7,8-tetramethyl-2-(4,8,12-trimethyltridecyl)-2H-benzopyran-6-yl acetate

Experimental/calculated data:

LD50 rat (dermal): > 3.000 mg/kg (similar to OECD guideline 402)

Irritation

Assessment of irritating effects:

Not irritating to the skin. Not irritating to the eyes.

Information on: 3,4-Dihydro-2,5,7,8-tetramethyl-2-(4,8,12-trimethyltridecyl)-2H-benzopyran-6-yl acetate

Experimental/calculated data:

Skin corrosion/irritation

rabbit: non-irritant (OECD Guideline 404)

Information on: 3,4-Dihydro-2,5,7,8-tetramethyl-2-(4,8,12-trimethyltridecyl)-2H-benzopyran-6-yl acetate

Experimental/calculated data: Serious eye damage/irritation

rabbit: non-irritant (OECD Guideline 405)

.....,

Respiratory/Skin sensitization

Assessment of sensitization:

Based on the ingredients, there is no suspicion of a skin-sensitizing potential.

Information on: 3,4-Dihydro-2,5,7,8-tetramethyl-2-(4,8,12-trimethyltridecyl)-2H-benzopyran-6-yl acetate

Experimental/calculated data:

photo-allergy test guinea pig: Non-sensitizing.

Date / Revised: 24.03.2023 Version: 1.0
Date previous version: not applicable Previous version: none

Date / First version: 24.03.2023

Product: Dry Vitamin E-Acetate 50% DC

(ID no. 30041051/SDS_GEN_FR/EN)

Date of print 17.10.2025

Germ cell mutagenicity

Assessment of mutagenicity:

Based on the ingredients, there is no suspicion of a mutagenic effect.

Information on: 3,4-Dihydro-2,5,7,8-tetramethyl-2-(4,8,12-trimethyltridecyl)-2H-benzopyran-6-yl acetate

Assessment of mutagenicity:

No mutagenic effect was found in various tests with bacteria and mammals.

Carcinogenicity

Assessment of carcinogenicity:

The whole of the information assessable provides no indication of a carcinogenic effect.

Information on: 3,4-Dihydro-2,5,7,8-tetramethyl-2-(4,8,12-trimethyltridecyl)-2H-benzopyran-6-yl acetate

Assessment of carcinogenicity:

In long-term animal studies in which the substance was given in high doses by feed, a carcinogenic effect was not observed.

Reproductive toxicity

Assessment of reproduction toxicity:

Based on the ingredients, there is no suspicion of a toxic effect on reproduction.

Information on: 3,4-Dihydro-2,5,7,8-tetramethyl-2-(4,8,12-trimethyltridecyl)-2H-benzopyran-6-yl acetate

Assessment of reproduction toxicity:

The results of animal studies gave no indication of a fertility impairing effect.

Developmental toxicity

Assessment of teratogenicity:

Based on the ingredients, there is no suspicion of a teratogenic effect.

Information on: 3,4-Dihydro-2,5,7,8-tetramethyl-2-(4,8,12-trimethyltridecyl)-2H-benzopyran-6-yl acetate

Assessment of teratogenicity:

No indications of a developmental toxic / teratogenic effect were seen in animal studies.

to Regulation (EC) No 1907/2006.

Version: 1.0 Previous version: none

Date / Revised: 24.03.2023
Date previous version: not applicable
Date / First version: 24.03.2023

Product: Dry Vitamin E-Acetate 50% DC

(ID no. 30041051/SDS_GEN_FR/EN)

Date of print 17.10.2025

Specific target organ toxicity (single exposure)

Assessment of STOT single:

Based on available data, the classification criteria are not met.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

Based on available data, the classification criteria are not met.

Information on: 3,4-Dihydro-2,5,7,8-tetramethyl-2-(4,8,12-trimethyltridecyl)-2H-benzopyran-6-yl acetate

Assessment of repeated dose toxicity:

Repeated oral uptake of the substance did not cause substance-related effects.

Aspiration hazard

No aspiration hazard expected.

Interactive effects

No data available.

11.2. Information on other hazards

Endocrine disrupting properties

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

Other information

Other relevant toxicity information

The product has not been tested. The statements on toxicology have been derived from the properties of the individual components.

Date / Revised: 24.03.2023 Version: 1.0
Date previous version: not applicable Previous version: none

Date / First version: 24.03.2023

Product: Dry Vitamin E-Acetate 50% DC

(ID no. 30041051/SDS_GEN_FR/EN)

Date of print 17.10.2025

SECTION 12: Ecological Information

12.1. Toxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms. The product has not been tested. The statement has been derived from the properties of the individual components.

Information on:3,4-Dihydro-2,5,7,8-tetramethyl-2-(4,8,12-trimethyltridecyl)-2H-benzopyran-6-yl acetate

Toxicity to fish:

LC50 (96 h) > 11 mg/l, Oncorhynchus mykiss (OECD Guideline 203, static)

The statement of the toxic effect relates to the analytically determined concentration. No toxic effects occur within the range of solubility.

Information on:3,4-Dihydro-2,5,7,8-tetramethyl-2-(4,8,12-trimethyltridecyl)-2H-benzopyran-6-yl acetate

Aquatic invertebrates:

EC50 (48 h) > 20,6 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

The statement of the toxic effect relates to the analytically determined concentration. No toxic effects occur within the range of solubility.

Information on:3,4-Dihydro-2,5,7,8-tetramethyl-2-(4,8,12-trimethyltridecyl)-2H-benzopyran-6-yl acetate

Aquatic plants:

EC50 (72 h) > 27,8 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static) The statement of the toxic effect relates to the analytically determined concentration. No toxic effects occur within the range of solubility.

Information on:3,4-Dihydro-2,5,7,8-tetramethyl-2-(4,8,12-trimethyltridecyl)-2H-benzopyran-6-yl acetate

Microorganisms/Effect on activated sludge:

EC20 (30 min) > 927 mg/l, activated sludge, domestic (DIN EN ISO 8192, aquatic)

The details of the toxic effect relate to the nominal concentration.

Information on:3,4-Dihydro-2,5,7,8-tetramethyl-2-(4,8,12-trimethyltridecyl)-2H-benzopyran-6-yl acetate

Chronic toxicity to fish:

No observed effect concentration (28 d) > 100 mg/l, Oncorhynchus mykiss (OECD Guideline 215, semistatic)

No data available regarding toxicity to fish.

Date / Revised: 24.03.2023 Version: 1.0
Date previous version: not applicable Previous version: none

Date / First version: 24.03.2023

Product: Dry Vitamin E-Acetate 50% DC

(ID no. 30041051/SDS_GEN_FR/EN)

Date of print 17.10.2025

12.2. Persistence and degradability

Assessment biodegradation and elimination (H2O):

Not readily biodegradable (by OECD criteria).

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on:3,4-Dihydro-2,5,7,8-tetramethyl-2-(4,8,12-trimethyltridecyl)-2H-benzopyran-6-yl acetate

Assessment biodegradation and elimination (H2O):

Moderately/partially biodegradable. Not readily biodegradable (by OECD criteria). The product is virtually insoluble in water and can thus be separated from water mechanically in suitable effluent treatment plants.

12.3. Bioaccumulative potential

Assessment bioaccumulation potential:

Accumulation in organisms is not to be expected.

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on:3,4-Dihydro-2,5,7,8-tetramethyl-2-(4,8,12-trimethyltridecyl)-2H-benzopyran-6-yl acetate

Assessment bioaccumulation potential:

Accumulation in organisms is not to be expected.

12.4. Mobility in soil

Assessment transport between environmental compartments:

Volatility: The substance will slowly evaporate into the atmosphere from the water surface. The ecological data given are those of the active ingredient.

Adsorption in soil: Adsorption to solid soil phase is expected. The ecological data given are those of the active ingredient.

Information on:3,4-Dihydro-2,5,7,8-tetramethyl-2-(4,8,12-trimethyltridecyl)-2H-benzopyran-6-yl acetate

Assessment transport between environmental compartments:

Volatility: The substance will slowly evaporate into the atmosphere from the water surface.

Adsorption in soil: Adsorption to solid soil phase is expected.

Date / Revised: 24.03.2023

Version: 1.0 Previous version: none

Date previous version: not applicable
Date / First version: 24.03.2023
Product: **Dry Vitamin E-Acetate 50% DC**

(ID no. 30041051/SDS_GEN_FR/EN)

Date of print 17.10.2025

12.5. Results of PBT and vPvB assessment

According to Annex XIII of Regulation (EC) No.1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH): The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria. Self classification

12.6. Endocrine disrupting properties

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

Observe national and local legal requirements.

Contaminated packaging:

Uncontaminated packaging can be re-used.

Packs that cannot be cleaned should be disposed of in the same manner as the contents.

SECTION 14: Transport Information

Land transport

ADR

Not classified as a dangerous good under transport regulations

UN number or ID number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

to Regulation (EC) No 1907/2006.

Date / Revised: 24.03.2023 Version: 1.0
Date previous version: not applicable Previous version: none

Date / First version: 24.03.2023

Product: Dry Vitamin E-Acetate 50% DC

(ID no. 30041051/SDS_GEN_FR/EN)

Date of print 17.10.2025

RID

Not classified as a dangerous good under transport regulations

UN number or ID number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

Inland waterway transport

ADN

Not classified as a dangerous good under transport regulations

UN number or ID number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user:

Transport in inland waterway vessel

Not evaluated

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

UN number or ID number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

UN number or ID number: Not applicable

to Regulation (EC) No 1907/2006.

Date / Revised: 24.03.2023 Version: 1.0

Date previous version: not applicable Previous version: none

Date / First version: 24.03.2023

Product: Dry Vitamin E-Acetate 50% DC

(ID no. 30041051/SDS_GEN_FR/EN)

Date of print 17.10.2025

UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

14.1. UN number or ID number

See corresponding entries for "UN number or ID number" for the respective regulations in the tables above.

14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

14.7. Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU - Control of Major Accident Hazards involving dangerous substances (EU): Listed in above regulation: no

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

Date / Revised: 24.03.2023 Version: 1.0
Date previous version: not applicable Previous version: none

Date / First version: 24.03.2023

Product: Dry Vitamin E-Acetate 50% DC

(ID no. 30041051/SDS_GEN_FR/EN)

Date of print 17.10.2025

15.2. Chemical Safety Assessment

Chemical Safety Assessment not required

SECTION 16: Other Information

Any other intended applications should be discussed with the manufacturer. Corresponding occupational protection measurements must be followed.

Abbreviations

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road. ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland waterways. ATE = Acute Toxicity Estimates. CAO = Cargo Aircraft Only. CAS = Chemical Abstract Service. CLP = Classification, Labelling and Packaging of substances and mixtures. DIN = German national organization for standardization. DNEL = Derived No Effect Level. EC50 = Effective concentration median for 50% of the population. EC = European Community. EN = European Standards. IARC = International Agency for Research on Cancer, IATA = International Air Transport Association. IBC-Code = Intermediate Bulk Container code. IMDG = International Maritime Dangerous Goods Code. ISO = International Organization for Standardization. STEL = Short-Term Exposure Limit. LC50 = Lethal concentration median for 50% of the population. LD50 = Lethal dose median for 50% of the population. TLV = Threshold Limit Value. MARPOL = The International Convention for the Prevention of Pollution from Ships. NEN = Dutch Norm. NOEC = No Observed Effect Concentration. OEL = Occupational Exposure Limit. OECD = Organization for Economic Cooperation and Development. PBT = Persistent, Bioaccumulative and Toxic. PNEC = Predicted No Effect Level. PPM = Parts per million. RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail. TWA = Time Weight Average. UN-number = UN number at transport. vPvB = very Persistent and very Bioaccumulative.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.