

# Safety data sheet

Page: 1/14

BASF Safety data sheet according to the United Nations' Globally Harmonized System (UN GHS)

Date / Revised: 17.10.2023 Version: 2.0

Product: Basagran Forte

(ID no. 30035200/SDS\_CPA\_00/EN)

Date of print 11.10.2025

#### 1. Identification

**Product identifier** 

# **Basagran Forte**

# Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: crop protection product, herbicide

# Details of the supplier of the safety data sheet

Company:
BASF SE
67056 Ludwigshafen
GERMANY
Operating Division Crop Protection

Telephone: +49 621 60-27777

E-mail address: Produktinformation-Pflanzenschutz@basf.com

# **Emergency telephone number**

International emergency number: Telephone: +49 180 2273-112

#### 2. Hazards Identification

#### Classification of the substance or mixture

According to UN GHS criteria

Acute Tox. 4 (oral) Acute Tox. 4 (Inhalation - mist) Skin Corr./Irrit. 3 Eye Dam./Irrit. 1

Date / Revised: 17.10.2023 Version: 2.0

Product: Basagran Forte

(ID no. 30035200/SDS\_CPA\_00/EN)

Date of print 11.10.2025

Skin Sens. 1

Repr. 2 (unborn child) STOT RE 1 (by inhalation)

Aquatic Acute 2 Aquatic Chronic 1

For the classifications not written out in full in this section the full text can be found in section 16.

#### Label elements

### Globally Harmonized System (GHS)

Pictogram:







#### Signal Word: Danger

#### Hazard Statement:

H318	Causes serious eye damage.
H316	Causes mild skin irritation.

H317 May cause an allergic skin reaction.H361 Suspected of damaging the unborn child.

H372 Causes damage to organs through prolonged or repeated inhalation

exposure.

H302 + H332 Harmful if swallowed or if inhaled.

H401 Toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

#### **Precautionary Statement:**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

#### Precautionary Statements (Prevention):

P280	Wear protective glo	ves, protective clothing	and eve	protection or face

protection.

P271 Use only outdoors or in a well-ventilated area.

P260 Do not breathe dust/gas/mist/vapours. P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and

understood.

P270 Do not eat, drink or smoke when using this product.
P264 Wash contaminated body parts thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

#### Precautionary Statements (Response):

Date / Revised: 17.10.2023 Version: 2.0

Product: Basagran Forte

(ID no. 30035200/SDS\_CPA\_00/EN)

Date of print 11.10.2025

P310 Immediately call a POISON CENTER or physician.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for

breathing.

P308 + P313 IF exposed or concerned: Get medical attention. P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P330 Rinse mouth. P391 Collect spillage.

P362 + P364 Take off contaminated clothing and wash it before reuse.

Precautionary Statements (Storage):

P405 Store locked up.

Precautionary Statements (Disposal):

P501 Dispose of contents and container to hazardous or special waste

collection point.

#### According to UN GHS criteria

Hazard determining component(s) for labelling: 3-Isopropyl-1H-2,1,3-benzothiadiazin-4(3H)-one 2,2-dioxide, sodium salt, Alcohols, C16-18, ethoxylated propoxylated

#### Other hazards

#### According to UN GHS criteria

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

# 3. Composition/Information on Ingredients

# **Substances**

Not applicable

#### **Mixtures**

#### **Chemical nature**

crop protection product, herbicide, Soluble concentrate (SL)

#### Hazardous ingredients (GHS)

According to UN GHS criteria

3-Isopropyl-1H-2,1,3-benzothiadiazin-4(3H)-one 2,2-dioxide, sodium salt

Date / Revised: 17.10.2023 Version: 2.0

Product: Basagran Forte

(ID no. 30035200/SDS\_CPA\_00/EN)

Date of print 11.10.2025

Content (W/W): 43,88 % CAS Number: 50723-80-3 EC-Number: 256-735-4 Acute Tox. 4 (oral) Eye Dam./Irrit. 2A Skin Sens. 1

Repr. 2 (unborn child) Aquatic Acute 1 Aquatic Chronic 2

H319, H302, H317, H361, H411, H400

Alcohols, C16-18, ethoxylated propoxylated

Content (W/W): < 15 % CAS Number: 68002-96-0 Acute Tox. 2 (Inhalation - mist) STOT RE 1 (by inhalation)

Aquatic Acute 1 Aquatic Chronic 3 H330, H372, H412, H400

For the classifications not written out in full in this section the full text can be found in section 16.

#### 4. First-Aid Measures

#### **Description of first aid measures**

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

#### If inhaled:

Keep patient calm, remove to fresh air, seek medical attention. Immediately administer a corticosteroid from a controlled/metered dose inhaler.

#### On skin contact:

Immediately wash thoroughly with plenty of water, apply sterile dressings, consult a skin specialist.

#### On contact with eyes:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

#### On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

#### Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

#### Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

Date / Revised: 17.10.2023 Version: 2.0

Product: Basagran Forte

(ID no. 30035200/SDS\_CPA\_00/EN)

Date of print 11.10.2025

# 5. Fire-Fighting Measures

# **Extinguishing media**

Suitable extinguishing media:

water spray, foam, dry powder, carbon dioxide

Unsuitable extinguishing media for safety reasons:

water jet

# Special hazards arising from the substance or mixture

Carbon monoxide, Carbon dioxide, hydrogen chloride, nitrogen oxides, sulfur oxides, silica compounds

The substances/groups of substances mentioned can be released in case of fire.

#### Advice for fire-fighters

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

#### Further information:

Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire.

#### 6. Accidental Release Measures

#### Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

#### **Environmental precautions**

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

#### Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

# 7. Handling and Storage

#### Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

Date / Revised: 17.10.2023 Version: 2.0

Product: Basagran Forte

(ID no. 30035200/SDS\_CPA\_00/EN)

Date of print 11.10.2025

### Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Storage stability:

Storage duration: 60 Months

Protect from temperatures below: -5 °C

Changes in the properties of the product may occur if substance/product is stored below indicated temperature for extended periods of time.

Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

### Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

# 8. Exposure Controls/Personal Protection

# **Control parameters**

Components with occupational exposure limits

No substance specific occupational exposure limits known.

#### **Exposure controls**

# Personal protective equipment

#### Respiratory protection:

Suitable respiratory protection for lower concentrations or short-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic, alkaline compounds and toxic particles (e. g. EN 14387 Type ABEK-P3)

# Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

#### Eye protection:

Tightly fitting safety goggles (splash goggles) (e.g. EN 166)

#### Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

#### General safety and hygiene measures

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

Date / Revised: 17.10.2023 Version: 2.0

Product: Basagran Forte

(ID no. 30035200/SDS\_CPA\_00/EN)

(Directive 92/69/EEC, A.15)

Date of print 11.10.2025

# 9. Physical and Chemical Properties

# Information on basic physical and chemical properties

Form: liquid

Colour: yellow to red to brown Odour: slight odour, aromatic

Odour threshold:

Not determined since harmful by

inhalation.

pH value: approx. 7 - 9

(1 %(m), 20 °C)

-12,5 °C crystallization temperature: Boiling point: approx. 100 °C

(1.013,25 hPa)

Information applies to the solvent.

Flash point: (Directive 92/69/EEC, A.9)

> No flash point - Measurement made up to the boiling point.

Evaporation rate:

not applicable

Flammability: not applicable

Lower explosion limit:

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Upper explosion limit:

Vapour pressure:

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

480 °C Ignition temperature:

approx. 23,4 hPa Information applies to the solvent.

approx. 1,19 g/cm3 Density:

(20 °C)

Relative vapour density (air):

not applicable

fully soluble Solubility in water:

Partitioning coefficient n-octanol/water (log Kow):

The statements are based on the properties of the individual

components.

Information on: 3-Isopropyl-1H-2,1,3-benzothiadiazin-4(3H)-one 2,2-dioxide, sodium salt

Partitioning coefficient n-octanol/water (log Kow): 0,77

(pH value: 5)

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated. approx. 87 mPa.s (OECD Guideline 114) Viscosity, dynamic:

(20 °C, 100 1/s)

Date / Revised: 17.10.2023 Version: 2.0

Product: Basagran Forte

(ID no. 30035200/SDS\_CPA\_00/EN)

Date of print 11.10.2025

Explosion hazard: Based on the chemical structure

there is no indication of explosive

properties.

Fire promoting properties: Based on its structural properties

(Directive 92/69/EEC, A.17)

the product is not classified as

oxidizing.

#### Other information

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

# 10. Stability and Reactivity

#### Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

#### **Chemical stability**

The product is stable if stored and handled as prescribed/indicated.

#### Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

#### Conditions to avoid

See SDS section 7 - Handling and storage.

#### Incompatible materials

Substances to avoid:

strong bases, strong acids, strong oxidizing agents

#### **Hazardous decomposition products**

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

# 11. Toxicological Information

# Information on toxicological effects

### Acute toxicity

Assessment of acute toxicity:

Of moderate toxicity after single ingestion. Of moderate toxicity after short-term inhalation. Virtually nontoxic after a single skin contact.

Experimental/calculated data:

LD50 rat (oral): > 1.089 mg/kg (OECD Guideline 401)

LC50 rat (by inhalation): 1,39 mg/l 4 h (OECD Guideline 403)

An aerosol was tested.

Date / Revised: 17.10.2023 Version: 2.0

Product: Basagran Forte

(ID no. 30035200/SDS\_CPA\_00/EN)

Date of print 11.10.2025

LD50 rat (dermal): > 2.000 mg/kg (OECD Guideline 402) No mortality was observed.

#### **Irritation**

Assessment of irritating effects:

Skin contact causes slight irritation. May cause severe damage to the eyes.

Experimental/calculated data:

Skin corrosion/irritation rabbit: Slightly irritating. (OECD Guideline 404)

Serious eye damage/irritation rabbit: irreversible damage (OECD Guideline 405)

#### Respiratory/Skin sensitization

Assessment of sensitization:

Sensitization after skin contact possible. The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 3-Isopropyl-1H-2,1,3-benzothiadiazin-4(3H)-one 2,2-dioxide, sodium salt Experimental/calculated data:

Guinea pig maximization test guinea pig: skin sensitizing (OECD Guideline 406)

-----

#### Germ cell mutagenicity

Assessment of mutagenicity:

Mutagenicity tests revealed no genotoxic potential. The product has not been tested. The statement has been derived from the properties of the individual components.

#### Carcinogenicity

Assessment of carcinogenicity:

The results of various animal studies gave no indication of a carcinogenic effect. The product has not been tested. The statement has been derived from the properties of the individual components.

### Reproductive toxicity

Assessment of reproduction toxicity:

The results of animal studies gave no indication of a fertility impairing effect. The product has not been tested. The statement has been derived from the properties of the individual components.

#### Developmental toxicity

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 3-Isopropyl-1H-2,1,3-benzothiadiazin-4(3H)-one 2,2-dioxide, sodium salt Assessment of teratogenicity:

Indications of possible developmental toxicity/teratogenicity were seen in animal studies. The substance did not cause malformations in animal studies. When given in high doses fetotoxicity was observed.

-----

Date / Revised: 17.10.2023 Version: 2.0

Product: Basagran Forte

(ID no. 30035200/SDS\_CPA\_00/EN)

Date of print 11.10.2025

#### Specific target organ toxicity (single exposure)

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Alcohols, C16-18, ethoxylated propoxylated

Assessment of repeated dose toxicity:

Toxic: danger of serious damage to health by prolonged exposure through inhalation. Repeated

inhalation exposure may affect certain organs.

\_\_\_\_\_

#### **Aspiration hazard**

not applicable

#### Other relevant toxicity information

Misuse can be harmful to health.

#### 12. Ecological Information

#### **Toxicity**

Assessment of aquatic toxicity:

Toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

Toxicity to fish:

LC50 (96 h) approx. 2,2 mg/l, Oncorhynchus mykiss (EPA 72-1, static)

Aquatic invertebrates:

EC50 (48 h) 1,99 mg/l, Daphnia magna (Directive 84/449/EEC, C.2)

LC50 (48 h) 4,91 mg/l, Daphnia magna

Aquatic plants:

EC10 (72 h) 0,77 mg/l (growth rate), Ankistrodesmus bibraianus (OECD Guideline 201)

EC50 (72 h) 2,71 mg/l (growth rate), Ankistrodesmus bibraianus (OECD Guideline 201)

EC10 (7 d) 1 mg/l (growth rate), Lemna gibba (OECD Guideline 221, static)

EC50 (7 d) 26,6 mg/l (growth rate), Lemna gibba (OECD Guideline 221, static)

Date / Revised: 17.10.2023 Version: 2.0

Product: Basagran Forte

(ID no. 30035200/SDS\_CPA\_00/EN)

Date of print 11.10.2025

Chronic toxicity to fish:

No observed effect concentration (28 d) 0,1 mg/l, Oncorhynchus mykiss (OECD Guideline 204)

#### Persistence and degradability

Assessment biodegradation and elimination (H2O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 3-Isopropyl-1H-2,1,3-benzothiadiazin-4(3H)-one 2,2-dioxide, sodium salt Assessment biodegradation and elimination (H2O):

Not readily biodegradable (by OECD criteria).

-----

# **Bioaccumulative potential**

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 3-Isopropyl-1H-2,1,3-benzothiadiazin-4(3H)-one 2,2-dioxide, sodium salt Assessment bioaccumulation potential:

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

\_\_\_\_\_

#### Mobility in soil

Assessment transport between environmental compartments:

Adsorption in soil: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 3-Isopropyl-1H-2,1,3-benzothiadiazin-4(3H)-one 2,2-dioxide, sodium salt Assessment transport between environmental compartments:

Adsorption in soil: Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

-----

#### Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

#### Other adverse effects

The product does not contain substances that are listed in the Montreal Protocol on substances that deplete the ozone layer.

#### **Additional information**

Other ecotoxicological advice:

Do not discharge product into the environment without control.

Date / Revised: 17.10.2023 Version: 2.0

Product: Basagran Forte

(ID no. 30035200/SDS\_CPA\_00/EN)

Date of print 11.10.2025

# 13. Disposal Considerations

#### Waste treatment methods

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

# 14. Transport Information

#### **Land transport**

**ADR** 

UN number or ID number: UN3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (3-ISOPROPYL-1H-2,1,3-BENZOTHIADIAZIN-4(3H)-ONE 2,2-DIOXIDE, SODIUM SALT, ALCOHOLS, ETHOXYLATED,

PROPOXYLATED)

Transport hazard class(es): 9, EHSM

Packing group:

Environmental hazards: yes

Special precautions for

user: None known

**RID** 

UN number or ID number: UN3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (3-ISOPROPYL-1H-2,1,3-BENZOTHIADIAZIN-4(3H)-ONE 2,2-DIOXIDE, SODIUM SALT, ALCOHOLS, ETHOXYLATED,

PROPOXYLATED)

Transport hazard class(es): 9, EHSM

Packing group: III Environmental hazards: yes

Special precautions for None known

user:

Inland waterway transport ADN

UN number or ID number: UN3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (3-ISOPROPYL-1H-2,1,3-BENZOTHIADIAZIN-4(3H)-ONE 2,2-DIOXIDE, SODIUM SALT, ALCOHOLS, ETHOXYLATED,

PROPOXYLATED)

Date / Revised: 17.10.2023 Version: 2.0

Product: Basagran Forte

(ID no. 30035200/SDS\_CPA\_00/EN)

Date of print 11.10.2025

Transport hazard class(es): 9, EHSM Packing group: III

Environmental hazards: yes Special precautions for Nor

user:

None known

# Transport in inland waterway vessel

Not evaluated

#### Sea transport

**IMDG** 

UN number or ID number: UN 3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (3-ISOPROPYL-1H-2,1,3-BENZOTHIADIAZIN-4(3H)-ONE 2,2-DIOXIDE, SODIUM SALT, ALCOHOLS, ETHOXYLATED,

PROPOXYLATED)

Transport hazard class(es): 9, EHSM

Packing group:

Environmental hazards: yes

ivianile i

Special precautions for

user:

111

Marine pollutant: YES

EmS: F-A; S-F

#### Air transport

IATA/ICAO

UN number or ID number: UN 3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (3-ISOPROPYL-1H-2,1,3-BENZOTHIADIAZIN-4(3H)-ONE 2,2-DIOXIDE, SODIUM SALT, ALCOHOLS, ETHOXYLATED,

PROPOXYLATED)

Transport hazard class(es): 9, EHSM

Packing group: III Environmental hazards: yes

Special precautions for None known

user:

#### Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

#### **Further information**

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 L or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375;

Date / Revised: 17.10.2023 Version: 2.0

Product: Basagran Forte

(ID no. 30035200/SDS\_CPA\_00/EN)

Date of print 11.10.2025

IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

# 15. Regulatory Information

# Safety, health and environmental regulations/legislation specific for the substance or mixture

To avoid risks to man and the environment, comply with the instructions for use.

# 16. Other Information

Full text of classifications, hazard symbols and hazard statements, if mentioned in section 2 or 3:

Acute Tox. Acute toxicity

Skin Corr./Irrit. Skin corrosion/irritation

Eye Dam./Irrit. Serious eye damage/eye irritation

Skin Sens. Skin sensitization Repr. Reproductive toxicity

STOT RE Specific target organ toxicity — repeated exposure
Aquatic Acute Hazardous to the aquatic environment - acute
Aquatic Chronic Hazardous to the aquatic environment - chronic

H319 Causes serious eye irritation.

H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.
H361 Suspected of damaging the unborn child.
H411 Toxic to aquatic life with long lasting effects.

H400 Very toxic to aquatic life.

H330 Fatal if inhaled.

H372 Causes damage to organs through prolonged or repeated inhalation

exposure.

H412 Harmful to aquatic life with long lasting effects.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.