

# Safety data sheet

Page: 1/17

BASF safety data sheet. This is a translation of the country-specific safety data sheet into a language other than that required by law. This document does not replace the safety data sheet provided according to Regulation (EC) No 1907/2006.

Date / Revised: 09.06.2025 Version: 2.0
Date / Previous version: 25.08.2023 Previous version: 1.0

Product: PLASTOMOLL® DOA

(ID no. 30034813/SDS\_GEN\_PL/EN)

Date of print 06.10.2025

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

# PLASTOMOLL® DOA

Chemical name: Di-2-ethylhexyladipate

CAS Number: 103-23-1

REACH registration number: 01-2119439699-19-0000

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: plasticizers

## 1.3. Details of the supplier of the safety data sheet

Company: BASF SE 67056 Ludwigshafen GERMANY Contact address:
BASF Polska Sp. z o.o.
Al. Jerozolimskie 142b
02-305 Warszawa
POLAND

\_\_\_\_\_\_

Telephone: +48 22 5709-999 (8:00 - 17:00) E-mail address: product-safety-poland@basf.com

## 1.4. Emergency telephone number

International emergency number: Telephone: +49 180 2273-112

Date / Revised: 09.06.2025 Version: 2.0
Date / Previous version: 25.08.2023 Previous version: 1.0

Product: PLASTOMOLL® DOA

(ID no. 30034813/SDS\_GEN\_PL/EN)

Date of print 06.10.2025

#### **SECTION 2: Hazards Identification**

## 2.1. Classification of the substance or mixture

According to Regulation (EC) No 1272/2008 [CLP]

No need for classification according to GHS criteria for this product.

#### 2.2. Label elements

According to Regulation (EC) No 1272/2008 [CLP]

The product does not require a hazard warning label in accordance with GHS criteria.

#### 2.3. Other hazards

#### According to Regulation (EC) No 1272/2008 [CLP]

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture. See section 12 - Results of PBT and vPvB assessment.

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

# **SECTION 3: Composition/Information on Ingredients**

#### 3.1. Substances

Chemical nature

Bis(2-ethylhexyl) adipate

Content (W/W): >= 99,5 % CAS Number: 103-23-1 EC-Number: 203-090-1

# Regulatory relevant ingredients

No particular hazards known.

# 3.2. Mixtures

Not applicable

to Regulation (EC) No 1907/2006.

Version: 2.0 Previous version: 1.0

Date / Revised: 09.06.2025
Date / Previous version: 25.08.2023
Product: PLASTOMOLL® DOA

(ID no. 30034813/SDS\_GEN\_PL/EN)

Date of print 06.10.2025

#### **SECTION 4: First-Aid Measures**

# 4.1. Description of first aid measures

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air.

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

Rinse mouth and then drink 200-300 ml of water.

# 4.2. Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.

Hazards: (Further) symptoms and / or effects are not known so far

# 4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Symptomatic treatment (decontamination, vital functions).

# **SECTION 5: Fire-Fighting Measures**

# 5.1. Extinguishing media

Suitable extinguishing media:

dry powder, water spray, carbon dioxide, foam

Unsuitable extinguishing media for safety reasons: water jet

Additional information:

Use extinguishing measures to suit surroundings.

# 5.2. Special hazards arising from the substance or mixture

Advice: The product is combustible. Cool endangered containers with water-spray. See SDS section 7 - Handling and storage.

# 5.3. Advice for fire-fighters

Special protective equipment:

to Regulation (EC) No 1907/2006.

Date / Revised: 09.06.2025 Version: 2.0
Date / Previous version: 25.08.2023 Previous version: 1.0

Product: PLASTOMOLL® DOA

(ID no. 30034813/SDS\_GEN\_PL/EN)

Date of print 06.10.2025

Wear a self-contained breathing apparatus. Special protective equipment for firefighters

Further information:

Evacuate area of all unnecessary personnel. Fight fire from maximum distance.

Extend fire extinguishing measures to the surroundings. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

#### **SECTION 6: Accidental Release Measures**

High risk of slipping due to leakage/spillage of product.

Shut off or stop source of leak. Shut off or stop released substance/product under safe conditions.

Pack in tightly closed containers for disposal.

## 6.1. Personal precautions, protective equipment and emergency procedures

Handle in accordance with good industrial hygiene and safety practice.

## 6.2. Environmental precautions

Discharge into the environment must be avoided.

## 6.3. Methods and material for containment and cleaning up

Pick up with suitable appliance and dispose of. Spills should be contained, solidified, and placed in suitable containers for disposal. Dispose of absorbed material in accordance with regulations.

#### 6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

# **SECTION 7: Handling and Storage**

## 7.1. Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice.

Protection against fire and explosion:

No special precautions necessary. Substance/product is non-flammable.

# 7.2. Conditions for safe storage, including any incompatibilities

Further information on storage conditions: Containers should be stored tightly sealed in a dry place.

to Regulation (EC) No 1907/2006.

Date / Revised: 09.06.2025

Version: 2.0 Previous version: 1.0

Date / Previous version: 25.08.2023 Product: **PLASTOMOLL® DOA** 

(ID no. 30034813/SDS\_GEN\_PL/EN)

Date of print 06.10.2025

# 7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

# **SECTION 8: Exposure Controls/Personal Protection**

## 8.1. Control parameters

Components with occupational exposure limits

103-23-1: Bis(2-ethylhexyl) adipate

TWA value 400 mg/m3 (MAC (PL))

# **PNEC**

## freshwater:

A PNEC could not be derived as the substance showed no toxic effects in studies performed in the range of its solubility. At the present state of knowledge, no negative ecological effects are expected.

#### marine water

A PNEC could not be derived as the substance showed no toxic effects in studies performed in the range of its solubility. At the present state of knowledge, no negative ecological effects are expected.

#### intermittent release:

A PNEC could not be derived as the substance showed no toxic effects in studies performed in the range of its solubility. At the present state of knowledge, no negative ecological effects are expected.

#### STP:

A PNEC could not be derived as the substance showed no toxic effects in studies performed in the range of its solubility. At the present state of knowledge, no negative ecological effects are expected.

#### sediment (freshwater):

A PNEC could not be derived as the substance showed no toxic effects in studies performed in the range of its solubility. At the present state of knowledge, no negative ecological effects are expected.

#### sediment (marine water):

A PNEC could not be derived as the substance showed no toxic effects in studies performed in the range of its solubility. At the present state of knowledge, no negative ecological effects are expected.

soil: 0,865 mg/kg

#### **DNEL**

#### worker:

Long-term exposure- systemic effects, dermal: 25,5 mg/kg

#### worker:

Long-term exposure- systemic effects, Inhalation: 17,8 mg/m3

Date / Revised: 09.06.2025 Version: 2.0
Date / Previous version: 25.08.2023 Previous version: 1.0

Product: PLASTOMOLL® DOA

(ID no. 30034813/SDS\_GEN\_PL/EN)

Date of print 06.10.2025

consumer:

Long-term exposure- systemic effects, dermal: 13 mg/kg

consumer:

Long-term exposure- systemic effects, Inhalation: 4,4 mg/m3

consumer:

Long-term exposure- systemic effects, oral: 1,7 mg/kg

# 8.2. Exposure controls

#### Personal protective equipment

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Gas filter for gases/vapours of organic compounds (boiling point >65 °C, e. g. EN 14387 Type A)

#### Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc. Manufacturer's directions for use should be observed because of great diversity of types. Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing.

#### Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

# Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

No body protection required if used for intended purpose and satisfying generally accepted industrial hygiene rules.

#### General safety and hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is required additionally to the stated personal protection equipment.

to Regulation (EC) No 1907/2006.

Date / Revised: 09.06.2025 Version: 2.0 Date / Previous version: 25.08.2023 Previous version: 1.0

Product: PLASTOMOLL® DOA

(ID no. 30034813/SDS\_GEN\_PL/EN)

Date of print 06.10.2025

#### Environmental exposure controls

All appropriate measures must be taken to prevent the release of this product to the environment and to limit the dispersion of any release when it occurs. Suitable risk management measures should be in place.

# **SECTION 9: Physical and Chemical Properties**

## 9.1. Information on basic physical and chemical properties

State of matter: liquid
Form: liquid
Colour: colourless
Odour: almost odourless

Odour threshold:

not determined

Melting point: -67,8 °C

Literature data.

Boiling point: 377,88 °C (measured)

(1.013 hPa)

Flammability: hardly combustible (derived from flash point)

Lower explosion limit:

For liquids not relevant for classification and labelling., The lower explosion point may be 5 - 15

°C below the flash point.

Upper explosion limit:

For liquids not relevant for classification and labelling.

Flash point: 200 °C (closed cup)

Literature data.

Auto-ignition temperature: 377 °C Literature data.

Thermal decomposition: No data available.

pH value:

not applicable, of very low solubility

Viscosity, dynamic: 13 - 15 mPa.s (calculated (from kinematic

viscosity))

(20 °C)

The value was determined by calculation from the detected

kinematic viscosity.

Thixotropy: not thixotropic Solubility in water: Literature data.

0,0032 mg/l (22 °C)

Solubility (qualitative) solvent(s): organic solvents

soluble

Partitioning coefficient n-octanol/water (log Kow): 8,94 (OECD Guideline 117)

(25 °C)

to Regulation (EC) No 1907/2006.

Date / Revised: 09.06.2025 Version: 2.0 Date / Previous version: 25.08.2023 Previous version: 1.0

Product: PLASTOMOLL® DOA

(ID no. 30034813/SDS\_GEN\_PL/EN)

Date of print 06.10.2025

Vapour pressure: 0,00003 Pa (measured)

(20 °C)

Extrapolated value

Relative density: 0,92 (DIN 51757)

(20 °C)

Density: 0,924 - 0,926 g/cm3 (DIN 51757)

(20 °C)

Relative vapour density (air):12,7 (calculated)

(20 °C)

Heavier than air.

Particle characteristics

Particle size distribution: The substance / product is marketed or used in a non solid or granular

form. -

#### 9.2. Other information

# Information with regard to physical hazard classes

**Explosives** 

Explosion hazard: Based on the chemical structure

there is no indication of explosive

properties.

Impact sensitivity:

Based on the chemical structure there is no shock-sensitivity.

Oxidizing properties

Fire promoting properties: Based on its structural properties

the product is not classified as

oxidizing.

Pyrophoric properties

Self-ignition temperature: Test type: Spontaneous self-

ignition at room-temperature.

Based on its structural properties the product is not classified as self-

igniting.

Self-heating substances and mixtures

Self heating ability: not applicable, the product is a liquid

Substances and mixtures, which emit flammable gases in contact with water

Formation of flammable gases:

Forms no flammable gases in the presence of water.

Corrosion to metals

Corrosive effects to metal are not anticipated.

#### Other safety characteristics

pKA:

Study scientifically not justified.

to Regulation (EC) No 1907/2006.

Date / Revised: 09.06.2025 Version: 2.0
Date / Previous version: 25.08.2023 Previous version: 1.0

Product: PLASTOMOLL® DOA

(ID no. 30034813/SDS\_GEN\_PL/EN)

(calculated)

Date of print 06.10.2025

Adsorption/water - soil: KOC: 48630; log KOC: 4,68

Adsorption to solid soil phase is

expected.

Surface tension:

Study technically not feasible.

Molar mass: 370,57 g/mol

SAPT-Temperature:

Study scientifically not justified.

Evaporation rate:

Value can be approximated from Henry's Law Constant or vapor

pressure.

# **SECTION 10: Stability and Reactivity**

# 10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals: Corrosive effects to metal are not anticipated.

Formation of Remarks: Forms no flammable gases in the

flammable gases: presence of water.

## 10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

## 10.3. Possibility of hazardous reactions

Reacts with strong oxidizing agents.

#### 10.4. Conditions to avoid

No special precautions other than good housekeeping of chemicals.

# 10.5. Incompatible materials

Substances to avoid: strong oxidizing agents

## 10.6. Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

Date / Revised: 09.06.2025 Version: 2.0
Date / Previous version: 25.08.2023 Previous version: 1.0

Product: PLASTOMOLL® DOA

(ID no. 30034813/SDS\_GEN\_PL/EN)

Date of print 06.10.2025

# **SECTION 11: Toxicological Information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact.

Experimental/calculated data:

LD50 rat (oral): approx. 24.600 mg/kg (OECD Guideline 401) LC50 rat (by inhalation): > 5,7 mg/l 4 h (OECD Guideline 403)

No mortality was observed. An aerosol was tested.

LD50 rabbit (dermal): 15.076 mg/kg

## **Irritation**

Assessment of irritating effects:

Not irritating to the skin. Not irritating to the eyes.

Experimental/calculated data:

Skin corrosion/irritation

rabbit: non-irritant (Draize test) Serious eye damage/irritation

rabbit: non-irritant (similar to OECD guideline 405)

## Respiratory/Skin sensitization

Assessment of sensitization:

Skin sensitizing effects were not observed in animal studies.

Experimental/calculated data:

Draize test guinea pig: Non-sensitizing. Patch test rabbit: Non-sensitizing. (Patch test) other in silico: Non-sensitizing. ((Q)SAR Model)

# Germ cell mutagenicity

Assessment of mutagenicity:

No mutagenic effect was found in various tests with bacteria, microorganims and mammalian cell culture. The substance was not mutagenic in studies with mammals.

# Carcinogenicity

Assessment of carcinogenicity:

Based on available data, the classification criteria are not met. IARC Group 3 (not classifiable as to human carcinogenicity).

#### Reproductive toxicity

Assessment of reproduction toxicity:

The results of animal studies gave no indication of a fertility impairing effect.

Date / Revised: 09.06.2025 Version: 2.0

Date / Previous version: 25.08.2023 Previous version: 1.0 Product: PLASTOMOLL® DOA

(ID no. 30034813/SDS\_GEN\_PL/EN)

Date of print 06.10.2025

#### Developmental toxicity

Assessment of teratogenicity:

No indications of a developmental toxic / teratogenic effect were seen in animal studies.

Specific target organ toxicity (single exposure)

#### Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

# Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

Repeated exposure to high doses of the substance causes reversible liver changes in rodents. According to present knowledge, these effects do not occur in man.

# **Aspiration hazard**

not applicable

#### **Interactive effects**

No data available.

#### 11.2. Information on other hazards

# Endocrine disrupting properties

The substance is not identified to have endocrine disrupting properties according to Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 nor is included in the Candidate List of substances of very high concern according to EU REACh Article 59 for having endocrine disrupting properties.

## **SECTION 12: Ecological Information**

## 12.1. Toxicity

#### Assessment of aquatic toxicity:

No toxic effects occur within the range of solubility. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations. There is a high probability that the product is not acutely harmful to aquatic organisms. Based on long-term (chronic) toxicity study data, the product is very likely not harmful to aquatic organisms.

#### Toxicity to fish:

LC0 (96 h) > 0,78 mg/l, Oncorhynchus mykiss (other, static)

Date / Revised: 09.06.2025 Version: 2.0
Date / Previous version: 25.08.2023 Previous version: 1.0

Product: PLASTOMOLL® DOA

(ID no. 30034813/SDS\_GEN\_PL/EN)

Date of print 06.10.2025

No mortality was observed. No toxic effects occur within the range of solubility.

#### Aquatic invertebrates:

EC50 (48 h) > 500 mg/l, Daphnia magna (Directive 79/831/EEC, static)

The product has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested. No toxic effects occur within the range of solubility.

#### Aquatic plants:

EC50 (72 h) > 500 mg/l, Scenedesmus subspicatus (DIN 38412 Part 9)

The product has low solubility in the test medium. An aqueous solution prepared with solubilizers has been tested. No toxic effects occur within the range of solubility.

#### Microorganisms/Effect on activated sludge:

EC20 (3 h) > 350 mg/l, activated sludge, domestic, aerobic (DIN EN ISO 8192-OECD 209-88/302/EEC,P. C, aerobic)

#### Chronic toxicity to fish:

Study scientifically not justified.

## Chronic toxicity to aquatic invertebrates:

Lowest observed effect concentration (21 d) > 0,77 mg/l, Daphnia magna (OECD Guideline 202, part 2, semistatic)

# Assessment of terrestrial toxicity:

Toxic effects have been observed in studies with soil living organisms.

#### Soil living organisms:

LC50 (14 d) 865 mg/kg, Eisenia foetida (Directive 88/302/EEC, part C, p. 95, artificial soil)

# Terrestrial plants:

No data available.

#### Other terrestrial non-mammals:

No data available.

# 12.2. Persistence and degradability

Assessment biodegradation and elimination (H2O):

Readily biodegradable (according to OECD criteria).

#### Elimination information:

approx. 98 % BOD of the ThOD (28 d) (OECD 301F; ISO 9408; 92/69/EWG, C.4-D)

## Assessment of stability in water:

In contact with water the substance will hydrolyse slowly.

## 12.3. Bioaccumulative potential

Date / Revised: 09.06.2025 Version: 2.0

Date / Previous version: 25.08.2023 Product: **PLASTOMOLL® DOA** 

(ID no. 30034813/SDS\_GEN\_PL/EN)

Date of print 06.10.2025

Previous version: 1.0

Assessment bioaccumulation potential:

Does not significantly accumulate in organisms.

Bioaccumulation potential:

Bioconcentration factor(BCF): 27 (28 d), Lepomis macrochirus (measured)

## 12.4. Mobility in soil

Assessment transport between environmental compartments:

Volatility: The substance will slowly evaporate into the atmosphere from the water surface.

Adsorption in soil: Adsorption to solid soil phase is expected.

#### 12.5. Results of PBT and vPvB assessment

According to Annex XIII of Regulation (EC) No.1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH): The product does not fulfill the criteria for PBT (Persistent/bioaccumulative/toxic) and vPvB (very persistent/very bioaccumulative). Self classification

## 12.6. Endocrine disrupting properties

The substance is not identified to have endocrine disrupting properties according to Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 nor is included in the Candidate List of substances of very high concern according to EU REACh Article 59 for having endocrine disrupting properties.

#### 12.7. Other adverse effects

The substance is not listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

#### Results of PMT and vPvM assessment

The substance does not fulfill the PMT criteria. The substance does not fulfill the vPvM criteria.

## Additional information

Other ecotoxicological advice:

Do not release untreated into natural waters.

# **SECTION 13: Disposal Considerations**

# 13.1. Waste treatment methods

Regulation of the Minister of the Climate of 2 January 2020 on waste catalogue (Dz.U.[Journal of Laws] of 2020, item 10 as amended). (Poland)

to Regulation (EC) No 1907/2006.

Date / Revised: 09.06.2025 Version: 2.0 Date / Previous version: 25.08.2023 Previous version: 1.0

Product: PLASTOMOLL® DOA

(ID no. 30034813/SDS\_GEN\_PL/EN)

Date of print 06.10.2025

Act of 14 December 2012 on waste (consolidated text Dz.U.[Journal of Laws] of 2022, item 699 as amended) and Act of 13 June 2013 on the Management of Packaging and Packaging Waste (consolidated text Dz.U.[Journal of Laws] of 2023, item 160 as amended). (Poland)

Contaminated packaging:

Disposal must be made according to official regulations.

# **SECTION 14: Transport Information**

#### Land transport

**ADR** 

Not classified as a dangerous good under transport regulations

UN number or ID number: Not applicable UN proper shipping name: Not applicable Not applicable Transport hazard class(es): Packing group: Not applicable Environmental hazards: Not applicable None known Special precautions for

user

**RID** 

Not classified as a dangerous good under transport regulations

UN number or ID number: Not applicable UN proper shipping name: Not applicable Transport hazard class(es): Not applicable Packing group: Not applicable Environmental hazards: Not applicable

Special precautions for

user

None known

# Inland waterway transport

ADN

Not classified as a dangerous good under transport regulations

UN number or ID number: Not applicable UN proper shipping name: Not applicable Transport hazard class(es): Not applicable Packing group: Not applicable Environmental hazards: Not applicable Special precautions for None known

user:

Transport in inland waterway vessel

Not classified as a dangerous good under transport regulations

UN number or ID number: Not applicable

Date / Revised: 09.06.2025 Version: 2.0
Date / Previous version: 25.08.2023 Previous version: 1.0

Product: PLASTOMOLL® DOA

(ID no. 30034813/SDS\_GEN\_PL/EN)

Date of print 06.10.2025

UN proper shipping name: Not applicable Transport hazard class(es): Not applicable Packing group: Not applicable Environmental hazards: Not applicable

#### Sea transport

#### **IMDG**

Not classified as a dangerous good under transport regulations

UN number or ID number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

#### Air transport

## IATA/ICAO

Not classified as a dangerous good under transport regulations

UN number or ID number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

#### 14.1. UN number or ID number

See corresponding entries for "UN number or ID number" for the respective regulations in the tables above.

# 14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

#### 14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

#### 14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

Date / Revised: 09.06.2025 Version: 2.0
Date / Previous version: 25.08.2023 Previous version: 1.0

Product: PLASTOMOLL® DOA

(ID no. 30034813/SDS\_GEN\_PL/EN)

Date of print 06.10.2025

#### 14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

# 14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

## 14.7. Maritime transport in bulk according to IMO instruments

Regulation: IBC-Code

Product name: Di(2-ethylhexyl)adipate

Pollution category: Y Ship Type: 2

# **SECTION 15: Regulatory Information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU - Control of Major Accident Hazards involving dangerous substances (EU): Listed in above regulation: no

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

Act of 25 February 2011 on chemical substances and mixtures thereof (Dz.U.[Journal of Laws] of 2022, item 1816 as amended). (Poland)

Regulation of the 26 September 1997 by the Minister of Labour and Social Policy on general occupational health and safety rules (consolidated text Dz.U.[Journal of Laws] of 2003, no. 169, item 1650 as amended). (Poland)

Regulation of the Minister of Labour and Social Policy of 12 June 2018 on maximum concentrations and intensities of health-harming agents in the working environment (Dz.U.[Journal of Laws] of 2018 item 1286 as amended). (Poland)

Act of 19 June 1997 prohibiting the use of asbestos-containing products (consolidated text Dz.U.[Journal of Laws] of 2020, item 1680 as amended). (Poland)

Montreal Protocol from September, 16th, 1987 on substances that deplete the ozone layer (Dz.U.[Journal of Laws] of 1992, no. 98, item 490 as amended) and law from May, 15th, 2015 regarding substances that deplete the ozone layer and some fluorinated greenhouse gases (consolidated text Dz.U.[Journal of Laws] of 2020, item 2065 as amended). (Poland).

#### 15.2. Chemical Safety Assessment

Product is not classified as hazardous.

Date / Revised: 09.06.2025 Version: 2.0
Date / Previous version: 25.08.2023 Previous version: 1.0

Product: PLASTOMOLL® DOA

(ID no. 30034813/SDS\_GEN\_PL/EN)

Date of print 06.10.2025

# **SECTION 16: Other Information**

Assessment of the hazard classes according to UN GHS criteria (most recent version)

#### Abbreviations

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road. ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland waterways. ATE = Acute Toxicity Estimates. CAO = Cargo Aircraft Only. CAS = Chemical Abstract Service. CLP = Classification, Labelling and Packaging of substances and mixtures. DIN = German national organization for standardization. DNEL = Derived No Effect Level. EC50 = Effective concentration median for 50% of the population. EC = European Community. EN = European Standards. IARC = International Agency for Research on Cancer. IATA = International Air Transport Association. IBC-Code = Intermediate Bulk Container code. IMDG = International Maritime Dangerous Goods Code. ISO = International Organization for Standardization. STEL = Short-Term Exposure Limit. LC50 = Lethal concentration median for 50% of the population. LD50 = Lethal dose median for 50% of the population. TLV = Threshold Limit Value. MARPOL = The International Convention for the Prevention of Pollution from Ships. NEN = Dutch Norm. NOEC = No Observed Effect Concentration. OEL = Occupational Exposure Limit. OECD = Organization for Economic Cooperation and Development. PBT = Persistent, Bioaccumulative and Toxic. PNEC = Predicted No Effect Level. PPM = Parts per million. RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail. TWA = Time Weight Average. UN-number = UN number at transport. vPvB = very Persistent and very Bioaccumulative.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.