

Declaration of Performance

(Construction Products Regulation No. 305/2011)

No. ES19-0004-03-CPR-14

| | | EN |
|-------------------------------------|---|---|
| 1. | Unique identification code of the product type: | In-situ formed sprayed rigid polyurethane foam system (PU): |
| | | - Elastospray 1623/1/30I : IsoPMDI 92140 |
| | | Designation Code: PU EN 14315-1-CCC4-CT4(20)-GT7(20)-TFT9(20)-FRB29(20)-W0,2-MU65-A3 |
| | | - Elastospray 1623/1/30V : IsoPMDI 92140 |
| | article and | Designation Code: PU EN 14315-1-CCC4-CT4(20)-GT8(20)-TFT10(20)-FRB29(20)-W0,2-MU65-A3 |
| | | |
| 2. | Intended use/es: | ThIB - Thermal Insulation for Buildings |
| 3. Manufacturer: BASF Española S.L. | | BASF Española S.L. |
| | | Calle Verdi, 36-38 |
| | | E-08191 Rubí |
| | | SPAIN |
| 4. | Authorised representative: | Not relevant. |
| 5. | System/s of AVCP: | System AVCP 3 for all essential characteristics. |
| 6a. | Harmonised standard: | EN 14315-1:2013 |
| | Notified body/ies: | The notified testing laboratory ASOCIACION PARA EL FOMENTO DE LA INVESTIGATIÓN Y LA TECNOLOGIA DE LA SEGURIDAD CONTRA INCENDIOS (AFITI-LICOF) (1168) performed the test reports on Reaction to fire declared under system AVCP 3 (No. 2725T/4). |
| | | The notified testing laboratory CEIS/CENTRO DE ENSAYOS, INNOVACION Y SERVICIOS (1722) performed the test reports on the other declared charasteristics under system AVCP 3 (No. CAT-0002/14). |
| | | |
| | | |
| | | |
| 6b. | European Assessment Document: | Not relevant. |
| | European Technical Asessment: | |
| | Technical Assessment Body: | |
| | Notified body/ies: | |

7. Declared performance/s:

| Essential characteristics | Performance | Harmonized technical specification |
|---|--|------------------------------------|
| Reaction to fire | E | EN 13501-1 |
| Water permeability | Short term water absorption by partial immersion: 0,20 kg/m2 | EN 1609 Method B |
| Thermal resistance | See performance chart | EN 14315-1:2013 |
| Water vapour permeability | Water vapour resistance factor: 65 | EN 12086 Method A |
| Compressive strength | No performance declared (NPD) | EN 826 |
| Durability of reaction to fire against ageing/degradation | Reaction to fire does not decrease with time | EN 14315-1:2013 |
| Durability of thermal resistance against ageing/degradation | See performance chart | EN 14315-1:2013 |
| Durability of compressive strength against ageing/degradation | No performance declared (NPD) | EN 14315-1:2013 |
| Continuous glowing combustion | No harmonized test method available | EN 14315-1:2013 |
| | | |
| | | |

Performance chart

| Thickness | Declared aged thermal conductivity | Thermal resistance level | |
|-----------|------------------------------------|-----------------------------|--|
| | λο | R _D | |
| | ν _ο W/m⋅K | m ² ·K/W | |
| 30 mm | 0,028 | 1,05 | |
| 35 mm | 0,028 | 1,25 | |
| 40 mm | 0,028 | 1,45 | |
| 45 mm | 0,028 | 1,60 | |
| 50 mm | 0,028 | 1,80 | |
| 55 mm | 0,028 | 2,00 | |
| 60 mm | 0,028 | 2,15 | |
| 65 mm | 0,028 | 2,35 | |
| 70 mm | 0,028 | 2,50 | |
| 75 mm | 0,028 | 2,70 | |
| 80 mm | 0,027 | 3,00 | |
| 85 mm | 0,027 | 3,20 | |
| 90 mm | 0,027 | 3,40 | |
| 95 mm | 0,027 | 3,60 | |
| 100 mm | 0,027 | 3,80 | |
| 105 mm | 0,027 | 3,95 | |
| 110 mm | 0,027 | 4,15 | |
| 115 mm | 0,027 | 4,35 | |
| 120 mm | 0,026 | 4,70 | |
| 125 mm | 0,026 | 4,90 | |
| 130 mm | 0,026 | 5,10 | |
| 135 mm | 0,026 | 5,30 | |
| 140 mm | 0,026 | 5,50 | |
| 145 mm | 0,026 | 5,70 | |
| 150 mm | 0,026 | 5,90 | |
| 155 mm | 0,026 | 6,10 | |
| 160 mm | 0,026 | 6,30 | |
| 165 mm | 0,026 | 6,50 | |
| 170 mm | 0,026 | 6,70 | |
| 175 mm | 0,026 | 6,90 | |
| 180 mm | 0,026 | 7,10 | |
| 185 mm | 0,026 | 7,30 | |
| 190 mm | 0,026 | 7,50 | |
| 195 mm | 0,026 | 7,70 | |
| 200 mm | 0,026 | 7,90 | |

3. Appropriate Technical Documentation and/or Specific Technical Documentation:

Not relevant.

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

| Name and function | Place and date of issue | Signature |
|---|---------------------------------|-----------|
| Carles VILADOMAT FRANCÀS Business Manager Construction | Barcelona (Spain) 21/09/2018 | |
| Sergi HUGUET TORRELL Site Manager Plant Rubí | Barcelona (Spain) 21/09/2018 | |