

Safety data sheet

Page: 1/13

BASF Safety data sheet

Date / Revised: 22.03.2023 Version: 4.0

Product: Lutavit® A 500 Plus

(30040362/SDS_GEN_TH/EN)

Date of print: 22.10.2025

1. Substance/preparation and manufacturer/supplier identification

Product name:

Lutavit® A 500 Plus

Use: feed additive(s)

Manufacturer/supplier:

BASF (Thai) Limited

23rd Floor, Emporium Tower, 622, Sukhumvit 24 Rd., Klongton, Klongtoey, Bangkok 10110, THAILAND

Telephone: +66 2624-1999 Telefax number: +66 2664-9254

E-mail address: Thailand-SDS-info@basf.com

Emergency information:

International emergency number: Telephone: +49 180 2273-112

2. Hazard identification

Classification according to UN GHS 2009

Classification of the substance and mixture:

Skin corrosion/irritation: Cat.3

Reproductive toxicity: Cat.1B (unborn child)

Hazardous to the aquatic environment - acute: Cat.3 Hazardous to the aquatic environment - chronic: Cat.3

Label elements and precautionary statement:

Pictogram:



Product: Lutavit® A 500 Plus

(30040362/SDS_GEN_TH/EN)

Date of print: 22.10.2025

Signal Word: Danger

Hazard Statement:

H316 Causes mild skin irritation. H360 May damage the unborn child.

H402 Harmful to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P280 Wear protective gloves, protective clothing and eye protection or face

protection.

P273 Avoid release to the environment.
P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and

understood.

Precautionary Statements (Response):

P308 + P313 IF exposed or concerned: Get medical attention. P332 + P313 If skin irritation occurs: Get medical attention.

Precautionary Statements (Storage): P405 Store locked up.

Precautionary Statements (Disposal):

P501 Dispose of contents and container to hazardous or special waste

collection point.

Other hazards which do not result in classification:

The product is under certain conditions capable of dust explosion.

3. Composition/information on ingredients

Chemical nature

Substance nature: mixture

Preparation based on:

retinyl acetate

in a matrix of: carbohydrates

, Gelatins

Hazardous ingredients

retinyl acetate

Content (W/W): >= 20 % - < 25 % Acute Tox.: Cat. 5 (oral) CAS Number: 127-47-9 Skin Corr./Irrit.: Cat. 3

Repr.: Cat. 1B (unborn child)
Aquatic Chronic: Cat. 4

ethoxyquin

Product: Lutavit® A 500 Plus

(30040362/SDS_GEN_TH/EN)

Date of print: 22.10.2025

Content (W/W): >= 3 % - < 5 %

Acute Tox.: Cat. 4 (oral)

CAS Number: 91-53-2

Acute Tox.: Cat. 5 (Inhalation - mist)

Aquatic Acute: Cat. 2 Aquatic Chronic: Cat. 2

sodium acetate

Content (W/W): >= 1 % - < 3 %

CAS Number: 127-09-3

Acute Tox.: Cat. 5 (oral)

4. First-Aid Measures

General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

On skin contact:

Immediately wash thoroughly with soap and water, seek medical attention.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Note to physician:

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Suitable extinguishing media:

water spray, foam, dry powder, carbon dioxide

Unsuitable extinguishing media for safety reasons:

water jet

Additional information:

Avoid whirling up the material/product because of the danger of dust explosion.

Specific hazards:

harmful vapours, carbon oxides

The substances/groups of substances mentioned can be released in case of fire. Dust explosion hazard.

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Product: Lutavit® A 500 Plus

(30040362/SDS_GEN_TH/EN)

Date of print: 22.10.2025

Further information:

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. Cool endangered containers with water-spray.

6. Accidental Release Measures

Personal precautions:

Use personal protective clothing. Information regarding personal protective measures, see section 8. Avoid dust formation. Ensure adequate ventilation. Do not breathe dust. Avoid contact with the skin, eyes and clothing.

Environmental precautions:

Do not discharge into drains/surface waters/groundwater.

Methods for cleaning up or taking up:

For small amounts: Contain with dust binding material and dispose of.

For large amounts: Sweep/shovel up. Collect waste in suitable containers, which can be labeled and sealed.

Avoid raising dust. Dispose of absorbed material in accordance with regulations. Cleaning operations should be carried out only while wearing breathing apparatus.

Additional information: Dust can form an explosive mixture with air.

7. Handling and Storage

Handling

Avoid dust formation. Provide exhaust ventilation if dust is formed. Avoid contact with the skin, eyes and clothing.

Protection against fire and explosion:

Avoid dust formation. The product is capable of dust explosion. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy. Use explosion-proof apparatus and fittings.

Storage

Suitable materials for containers: High density polyethylene (HDPE), Low density polyethylene (LDPE)

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place. Protect from air.

8. Exposure controls and personal protection

Components with occupational exposure limits

Starch, 9005-25-8;

Product: Lutavit® A 500 Plus

(30040362/SDS_GEN_TH/EN)

Date of print: 22.10.2025

TWA value 10 mg/m3 (ACGIHTLV)

Starch, hydrogen octenylbutanedioate, aluminum salt, 9087-61-0; TWA value 1 mg/m3 (ACGIHTLV), Respirable fraction

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for lower concentrations or short-term effect: Particle filter with high efficiency for solid and liquid particles (e.g. EN 143 or 149, Type P3 or FFP3).

Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc. Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing. Manufacturer's directions for use should be observed because of great diversity of types.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures:

Under no circumstances should the product come into contact with the skin of pregnant women or be inhaled by them. Females in early pregnancy must never be exposed to the substance. Handle in accordance with good industrial hygiene and safety practice. Wearing of closed work clothing is required additionally to the stated personal protection equipment. No eating, drinking, smoking or tobacco use at the place of work. Hands and/or face should be washed before breaks and at the end of the shift. Store work clothing separately.

9. Physical and Chemical Properties

Form: powder
Colour: tan to brown
Odour: earthy

Odour threshold: Not determined due to potential health hazard by inhalation.

pH value:

(20 °C)

not applicable, of very low solubility

Melting temperature:

approx. 60 °C

Boiling point:

The product is a non-volatile solid.

Product: Lutavit® A 500 Plus

(30040362/SDS_GEN_TH/EN)

Date of print: 22.10.2025

Flash point:

not applicable, the product is a solid

Evaporation rate:

The product is a non-volatile solid.

Flammability (solid/gas): not highly flammable

(other)

Lower explosion limit:

For solids not relevant for classification and labelling.

Upper explosion limit:

Self heating ability:

For solids not relevant for classification and labelling.

Thermal decomposition: >= 100 °C

>= 100 °C (DSC (DIN 51007)) Not tested on account of the low

melting-point.

Minimum ignition energy:

(VDI 2263, sheet 1, 2.5)

The product is capable of dust

explosion.

Explosion hazard: Product is not explosive, however a

dust explosion could result from an

air / dust mixture.

Fire promoting properties: Based on its structural properties

the product is not classified as

oxidizing.

Vapour pressure:

negligible

Density:

No information is available for the absolute density. Instead the bulk density was determined as a more

relevant value.

Bulk density: 570 kg/m3

Relative vapour density (air):

not applicable

Solubility in water: sparingly soluble

Solubility (qualitative) solvent(s): organic solvents

easily soluble

Partitioning coefficient n-octanol/water (log Pow):

not applicable for mixtures

Viscosity, kinematic:

not applicable, the product is a solid

10. Stability and Reactivity

Product: Lutavit® A 500 Plus

(30040362/SDS_GEN_TH/EN)

Date of print: 22.10.2025

Conditions to avoid:

Avoid dust formation. See SDS section 7 - Handling and storage.

Thermal decomposition: $>= 100 \, ^{\circ}\text{C} \, (DSC \, (DIN \, 51007))$

Substances to avoid:

No substances known that should be avoided.

Corrosion to metals: No corrosive effect on metal.

Hazardous reactions:

Dust explosion hazard.

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

Chemical stability:

The product is stable if stored and handled as prescribed/indicated.

Reactivity:

No hazardous reactions if stored and handled as prescribed/indicated.

11. Toxicological Information

Routes of exposure

Assessment of acute toxicity

Virtually nontoxic after a single ingestion.

Information on: retinyl acetate

Acute oral toxicity

Experimental/calculated data:

LD50 rat (oral): > 2,000 mg/kg (BASF-Test)

No mortality was observed. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Information on: ethoxyquin

Acute oral toxicity

Experimental/calculated data:

LD50 rat (oral): 1,726 mg/kg (similar to OECD guideline 401)

.....

Symptoms

Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11. (Further) symptoms and / or effects are not known so far

Irritation

Assessment of irritating effects:

Skin contact causes slight irritation. Not irritating to the eyes.

Product: Lutavit® A 500 Plus

(30040362/SDS_GEN_TH/EN)

Date of print: 22.10.2025

Information on: retinyl acetate Experimental/calculated data:

Skin corrosion/irritation rabbit: Slightly irritating. (OECD Guideline 404)

Respiratory/Skin sensitization

Assessment of sensitization:

Based on the ingredients, there is no suspicion of a skin-sensitizing potential.

Information on: retinyl acetate Experimental/calculated data:

Guinea pig maximization test guinea pig: Non-sensitizing. (OECD Guideline 406)

Information on: ethoxyquin Experimental/calculated data:

Buehler test guinea pig: Non-sensitizing. (similar to OECD guideline 406)

Germ cell mutagenicity

Assessment of mutagenicity:

Based on available data, the classification criteria are not met.

Information on: retinyl acetate Assessment of mutagenicity:

In the majority of tests performed (bacteria/microorganisms/cell cultures) a mutagenic effect was not found. A mutagenic effect was also not observed in in-vivo assays. The product has not been fully tested. The statements have been derived in parts from products of a similar structure or composition.

Information on: ethoxyquin Assessment of mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity

Assessment of carcinogenicity: Not classified, due to lack of data.

Reproductive toxicity

Assessment of reproduction toxicity:

Substances which cause concern for humans owing to possible developmental toxic effects.

Information on: retinyl acetate
Assessment of reproduction toxicity:

No reliable data are available concerning reproduction toxicity.

Information on: ethoxyquin

Assessment of reproduction toxicity:

Based on available data, the classification criteria are not met.

Product: Lutavit® A 500 Plus

(30040362/SDS_GEN_TH/EN)

Date of print: 22.10.2025

Developmental toxicity

Assessment of teratogenicity:

The substance caused malformations/developmental toxicity in laboratory animals.

Information on: retinyl acetate Assessment of teratogenicity: May cause harm to the unborn child.

Specific target organ toxicity (single exposure)

Remarks: Based on available data, the classification criteria are not met.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

Repeated exposure to large quantities may affect certain organs.

Information on: retinyl acetate

Assessment of repeated dose toxicity:

Repeated exposure to large quantities may affect certain organs.

Aspiration hazard

not applicable

Other relevant toxicity information

The product has not been tested. The statement has been derived from the properties of the individual components.

12. Ecological Information

Ecotoxicity

Assessment of aquatic toxicity:

Harmful to aquatic life with long lasting effects.

Information on: retinyl acetate

Toxicity to fish:

LC50 (96 h) 1.37 mg/l, Oncorhynchus mykiss (OECD Guideline 203)

The statement of the toxic effect relates to the analytically determined concentration. The LC50 is higher than the solubility limit. Tested above maximum solubility. No toxic effects occur within the range of solubility.

Information on: ethoxyquin

Toxicity to fish:

LC50 (96 h) 18 mg/l, Oncorhynchus mykiss (OPP 72-1 (EPA-Guideline), Flow through.)

Product: Lutavit® A 500 Plus

(30040362/SDS_GEN_TH/EN)

Date of print: 22.10.2025

Information on: retinyl acetate

Aquatic invertebrates:

EC50 (48 h) 46 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

No toxic effects occur within the range of solubility. Tested above maximum solubility. The statement of the toxic effect relates to the analytically determined concentration.

Information on: ethoxyquin Aquatic invertebrates:

EC50 (48 h) 2 mg/l, Daphnia magna (OPP 72-2 (EPA-guideline), Flow through.)

Information on: retinyl acetate

Aquatic plants:

EC50 (72 h) 0.103 mg/l (biomass), Scenedesmus subspicatus (OECD Guideline 201, static) The details of the toxic effect relate to the nominal concentration. No toxic effects occur within the range of solubility. Tested above maximum solubility.

Information on: ethoxyquin

Aquatic plants:

EC50 (72 h) > 16 mg/l (growth rate), Pseudokirchneriella subcapitata (Guideline 92/69/EEC, C.3, static)

No observed effect concentration (72 h) 2.3 mg/l (growth rate), Pseudokirchneriella subcapitata (Guideline 92/69/EEC, C.3, static)

Information on: retinyl acetate

Microorganisms/Effect on activated sludge:

EC20 (180 min) > 1,000 mg/l, activated sludge, domestic (OECD Guideline 209, aquatic)

The details of the toxic effect relate to the nominal concentration. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Information on: ethoxyquin

Microorganisms/Effect on activated sludge:

EC20 (30 min) approx. 60 mg/l, activated sludge, domestic (DIN EN ISO 8192, aerobic)

Assessment of terrestrial toxicity:

No data available.

Mobility

Assessment transport between environmental compartments:

No data available.

Adsorption to solid soil phase is expected.

Information on: retinyl acetate

Assessment transport between environmental compartments:

No data available.

Adsorption to solid soil phase is expected.

Product: Lutavit® A 500 Plus

(30040362/SDS_GEN_TH/EN)

Date of print: 22.10.2025

Persistence and degradability

Assessment biodegradation and elimination (H2O): Not readily biodegradable (by OECD criteria).

Information on: retinyl acetate

Assessment biodegradation and elimination (H2O):

Not readily biodegradable (by OECD criteria). Moderately/partially biodegradable.

Information on: ethoxyquin

Bioaccumulation potential

Assessment bioaccumulation potential:

The product contains components with potential for bioaccumulation

Information on: retinyl acetate

Assessment bioaccumulation potential:

Significant accumulation in organisms is not to be expected.

Information on: ethoxyquin

Assessment bioaccumulation potential:

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to

be expected.

Additional information

Add. remarks environm. fate & pathway:

The product has not been tested. The statements on environmental fate and pathway have been derived from the properties of the individual components.

Other ecotoxicological advice:

The product has not been tested. The statements on ecotoxicology have been derived from the properties of the individual components.

13. Disposal Considerations

Observe national and local legal requirements.

14. Transport Information

Domestic transport:

Not classified as a dangerous good under transport regulations

UN number or ID number
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

Product: Lutavit® A 500 Plus

(30040362/SDS_GEN_TH/EN)

Date of print: 22.10.2025

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

UN number or ID number: Not applicable Not applicable UN proper shipping name: Transport hazard class(es): Not applicable Packing group: Not applicable Environmental hazards: Not applicable Special precautions for None known

user

Air transport IATA/ICAO

Not classified as a dangerous good under transport regulations

UN number or ID number Not applicable Not applicable Proper shipping name: Transport hazard class(es): Not applicable Packing group: Not applicable Environmental hazards: Not applicable

Special precautions for

user

None known

15. Regulatory Information

Other regulations

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

16. Other Information

Any other intended applications should be discussed with the manufacturer. Corresponding occupational protection measurements must be followed.

Vertical lines in the left hand margin indicate an amendment from the previous version.

Version: 4.0

BASF Safety data sheet Date / Revised: 22.03.2023

Product: Lutavit® A 500 Plus

(30040362/SDS_GEN_TH/EN)

Date of print: 22.10.2025

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.