

Safety data sheet

Page: 1/12

BASF Safety data sheet
Date / Revised: 25.07.2023
Product: **Basagran**

Version: 6.0

(30035190/SDS_CPA_VN/EN)

Date of print: 22.10.2025

1. Substance/preparation and manufacturer/supplier identification

Product name:
Basagran

Use: crop protection product, herbicide

Manufacturer/supplier:
BASF Vietnam Co. Ltd.
Level 23, Deutsches Haus, 33 Le Duan,
Sai Gon Ward, Ho Chi Minh City, Vietnam
Telephone: +84 28 3824 3833
Telefax number: +84 28 3824 3832
E-mail address: minh-triet.thieu@basf.com

Emergency information:
18001703 (Vietnam)
Telefax number: +84 28 3824 3832
International emergency number:
Telephone: +49 180 2273-112

2. Hazard identification

Classification of the substance and mixture:
Acute toxicity: Cat.4 (oral)
Serious eye damage/eye irritation: Cat.2B
Skin sensitization: Cat.1
Reproductive toxicity: Cat.2 (unborn child)
Hazardous to the aquatic environment - acute: Cat.1
Hazardous to the aquatic environment - chronic: Cat.2

Label elements and precautionary statement:

Pictogram:

BASF Safety data sheet
 Date / Revised: 25.07.2023
 Product: **Basagran**

Version: 6.0

(30035190/SDS_CPA_VN/EN)

Date of print: 22.10.2025



Signal Word:

Warning

Hazard Statement:

H320	Causes eye irritation.
H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H361	Suspected of damaging the unborn child.
H411	Toxic to aquatic life with long lasting effects.
H400	Very toxic to aquatic life.

Precautionary Statement:

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.

Precautionary Statements (Prevention):

P280	Wear protective gloves, protective clothing and eye protection or face protection.
P261	Avoid breathing mist or vapour or spray.
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P272	Contaminated work clothing should not be allowed out of the workplace.
P270	Do not eat, drink or smoke when using this product.
P264	Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P333 + P313	If skin irritation or rash occurs: Get medical attention.
P301 + P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
P330	Rinse mouth.
P308 + P313	IF exposed or concerned: Get medical attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.
P337 + P313	If eye irritation persists: Get medical attention.

Precautionary Statements (Storage):

P405	Store locked up.
------	------------------

Precautionary Statements (Disposal):

P501	Dispose of contents and container to hazardous or special waste collection point.
------	---

Other hazards which do not result in classification:

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

BASF Safety data sheet
Date / Revised: 25.07.2023
Product: **Basagran**

Version: 6.0

(30035190/SDS_CPA_VN/EN)

Date of print: 22.10.2025

3. Composition/information on ingredients

Chemical nature

Substance nature: mixture

crop protection product, herbicide, Soluble concentrate (SL)

Hazardous ingredients

| 1H-2,1,3-Benzothiadiazin-4(3H)-one, 3-(1-methylethyl)-, 2,2-dioxide, sodium salt

| Content (W/W): 44 %

| CAS Number: 50723-80-3

Acute Tox.: Cat. 4 (oral)

Eye Dam./Irrit.: Cat. 2A

Skin Sens.: Cat. 1

Repr.: Cat. 2 (unborn child)

Aquatic Acute: Cat. 1

Aquatic Chronic: Cat. 2

4. First-Aid Measures

General advice:

| Remove contaminated clothing.

If inhaled:

| Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

| Wash thoroughly with soap and water

On contact with eyes:

| Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

| Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Note to physician:

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

| Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Suitable extinguishing media:

water spray, foam, dry powder, carbon dioxide

BASF Safety data sheet
Date / Revised: 25.07.2023
Product: **Basagran**

Version: 6.0

(30035190/SDS_CPA_VN/EN)

Date of print: 22.10.2025

Specific hazards:

carbon monoxide, carbon dioxide, nitrogen oxides, sulfur oxides

The substances/groups of substances mentioned can be released in case of fire.

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire.

6. Accidental Release Measures

Personal precautions:

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

Environmental precautions:

Do not discharge into drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

Methods for cleaning up or taking up:

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

7. Handling and Storage

Handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

Storage

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Storage stability:

Storage duration: 60 Months

Protect from temperatures below: 0 °C

The product can crystallize below the limit temperature.

BASF Safety data sheet
Date / Revised: 25.07.2023
Product: **Basagran**

Version: 6.0

(30035190/SDS_CPA_VN/EN)

Date of print: 22.10.2025

Protect from temperatures above: 40 °C
Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

8. Exposure controls and personal protection

Components with occupational exposure limits

| No substance specific occupational exposure limits known.

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for higher concentrations or long-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic and alkaline compounds (e.g. EN 14387 Type ABEK).

Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures:

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form:	liquid
Colour:	yellow to red to brown
Odour:	fruity, faint odour
Odour threshold:	Not determined due to potential health hazard by inhalation.

pH value:	approx. 6 - 7 (CIPAC standard water D, 1 %(m), 20 °C)
-----------	---

Melting point:	approx. 0 °C (1,013.3 hPa) Information applies to the solvent.
----------------	--

Boiling point:	approx. 100 °C (1,013.3 hPa) Information applies to the solvent.
----------------	--

BASF Safety data sheet
Date / Revised: 25.07.2023
Product: **Basagran**

Version: 6.0

(30035190/SDS_CPA_VN/EN)

Date of print: 22.10.2025

Flash point:	No flash point - Measurement made up to the boiling point.	(ISO 2719)
Evaporation rate:	not applicable	
Flammability (solid/gas):	not applicable	
Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Ignition temperature:	555 °C	(Directive 92/69/EEC, A.15)
Thermal decomposition:	160 °C , 190 kJ/kg (onset temperature)	(DSC (OECD 113))
SADT:	Not a substance liable to self-decomposition according to UN transport regulations, class 4.1. > 75 °C	
Explosion hazard:	Based on the chemical structure there is no indication of explosive properties.	
Fire promoting properties:	Based on its structural properties the product is not classified as oxidizing.	
Vapour pressure:	approx. 23.4 hPa Information applies to the solvent.	
Density:	approx. 1.19 g/cm3 (20 °C)	(OECD Guideline 109)
Relative vapour density (air):	not applicable	
Solubility in water:	fully soluble	
Partitioning coefficient n-octanol/water (log Pow):	The statements are based on the properties of the individual components.	
Information on: 1H-2,1,3-Benzothiadiazin-4(3H)-one, 3-(1-methylethyl)-, 2,2-dioxide, sodium salt		
Partitioning coefficient n-octanol/water (log Pow):	0.77	
	(pH value: 5)	

BASF Safety data sheet
Date / Revised: 25.07.2023
Product: **Basagran**

Version: 6.0

(30035190/SDS_CPA_VN/EN)

Date of print: 22.10.2025

Viscosity, dynamic: approx. 9 mPa.s (OECD 114)
(20 °C, 100 1/s)
5.3 mPa.s
(40 °C, 100 1/s)

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Conditions to avoid:

See SDS section 7 - Handling and storage.

Thermal decomposition: 160 °C, 190 kJ/kg (DSC (OECD 113))
(onset temperature)

Thermal decomposition: Not a substance liable to self-decomposition according to
UN transport regulations, class 4.1.

Substances to avoid:

strong bases, strong acids, strong oxidizing agents

Hazardous reactions:

No hazardous reactions if stored and handled as prescribed/indicated.

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

Chemical stability:

The product is stable if stored and handled as prescribed/indicated.

Reactivity:

No hazardous reactions if stored and handled as prescribed/indicated.

11. Toxicological Information

Routes of exposure**Acute oral toxicity**

Experimental/calculated data:

LD50rat (oral): > 1,000 - < 2,000 mg/kg (OECD Guideline 401)

Acute inhalation toxicity

LC50 rat (by inhalation): > 4.8 mg/l 4 h (OECD Guideline 403)

No mortality was observed. An aerosol was tested.

Acute dermal toxicity

LD50 rat (dermal): > 4,000 mg/kg (OECD Guideline 402)

No mortality was observed.

Assessment of acute toxicity

Of moderate toxicity after single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation.

Symptoms

Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.
(Further) symptoms and / or effects are not known so far

Irritation

Assessment of irritating effects:

| Eye contact causes irritation. Not irritating to the skin.

Experimental/calculated data:

Skin corrosion/irritation rabbit: non-irritant

Serious eye damage/irritation rabbit: Irritant.

Respiratory/Skin sensitization

Assessment of sensitization:

Sensitization after skin contact possible. The product has not been tested. The statement has been derived from the properties of the individual components.

| Information on: 3-Isopropyl-1H-2,1,3-benzothiadiazin-4(3H)-one 2,2-dioxide, sodium salt

Experimental/calculated data:

| Guinea pig maximization test guinea pig: skin sensitizing (OECD Guideline 406)

Germ cell mutagenicity

Assessment of mutagenicity:

Mutagenicity tests revealed no genotoxic potential. The product has not been tested. The statement has been derived from the properties of the individual components.

Carcinogenicity

Assessment of carcinogenicity:

The results of various animal studies gave no indication of a carcinogenic effect. The product has not been tested. The statement has been derived from the properties of the individual components.

Reproductive toxicity

Assessment of reproduction toxicity:

The results of animal studies gave no indication of a fertility impairing effect. The product has not been tested. The statement has been derived from the properties of the individual components.

Developmental toxicity

Assessment of teratogenicity:

| The product has not been tested. The statement has been derived from the properties of the individual components.

| Information on: 3-Isopropyl-1H-2,1,3-benzothiadiazin-4(3H)-one 2,2-dioxide, sodium salt

Assessment of teratogenicity:

Indications of possible developmental toxicity/teratogenicity were seen in animal studies. The substance did not cause malformations in animal studies. When given in high doses fetotoxicity was observed.

Specific target organ toxicity (single exposure)

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)**Assessment of repeated dose toxicity:**

No substance-specific organotoxicity was observed after repeated administration to animals. The product has not been tested. The statement has been derived from the properties of the individual components.

Aspiration hazard

No aspiration hazard expected.

Other relevant toxicity information

Misuse can be harmful to health.

12. Ecological Information**Ecotoxicity****Assessment of aquatic toxicity:**

Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 3-Isopropyl-1H-2,1,3-benzothiadiazin-4(3H)-one 2,2-dioxide, sodium salt
Toxicity to fish:

LC50 (96 h) > 100 mg/l, Oncorhynchus mykiss (EPA 72-1, static)

Information on: 3-Isopropyl-1H-2,1,3-benzothiadiazin-4(3H)-one 2,2-dioxide, sodium salt
Aquatic invertebrates:

EC50 (48 h) > 100 mg/l, Daphnia magna (OECD Guideline 202, part 1)

Information on: 3-Isopropyl-1H-2,1,3-benzothiadiazin-4(3H)-one 2,2-dioxide, sodium salt
Aquatic plants:

EC50 (72 h) 34.5 mg/l (growth rate), Pseudokirchneriella subcapitata

EC10 (72 h) 9 mg/l, Pseudokirchneriella subcapitata

| EC50 (14 d) 0.595 mg/l, aquatic plant

| EC10 (14 d) 0.172 mg/l, aquatic plant

| No observed effect concentration 0.278 mg/l, aquatic plant

| EC50 (14 d) 3.48 mg/l, aquatic plant

EC10 (14 d) 0.5 mg/l, aquatic plant

| Information on: 3-Isopropyl-1H-2,1,3-benzothiadiazin-4(3H)-one 2,2-dioxide, sodium salt
Chronic toxicity to fish:

No observed effect concentration (35 d) > 9.16 mg/l, Pimephales promelas

| Information on: 3-Isopropyl-1H-2,1,3-benzothiadiazin-4(3H)-one 2,2-dioxide, sodium salt
Chronic toxicity to aquatic invertebrates:

No observed effect concentration (21 d), > 91.6 mg/l, Daphnia magna

Mobility

Assessment transport between environmental compartments:

The product has not been tested. The statement has been derived from the properties of the individual components.

| Information on: 3-Isopropyl-1H-2,1,3-benzothiadiazin-4(3H)-one 2,2-dioxide, sodium salt
Assessment transport between environmental compartments:

Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

Persistence and degradability

Assessment biodegradation and elimination (H₂O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 3-Isopropyl-1H-2,1,3-benzothiadiazin-4(3H)-one 2,2-dioxide, sodium salt

Bioaccumulation potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

| Information on: 3-Isopropyl-1H-2,1,3-benzothiadiazin-4(3H)-one 2,2-dioxide, sodium salt
Bioaccumulation potential:

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

BASF Safety data sheet
Date / Revised: 25.07.2023
Product: **Basagran**

Version: 6.0

(30035190/SDS_CPA_VN/EN)

Date of print: 22.10.2025

Additional information

Other ecotoxicological advice:
Do not discharge product into the environment without control.

13. Disposal Considerations

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:
Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Domestic transport:

UN number or ID number:	UN 3082
UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (3-ISOPROPYL-1H-2,1,3-BENZOTHIADIAZIN-4(3H)-ONE 2,2-DIOXIDE, SODIUM SALT)
Transport hazard class(es):	9, EHSM
Packing group:	III
Environmental hazards:	yes
Special precautions for user:	None known

Sea transport

IMDG

UN number or ID number:	UN 3082
UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (3-ISOPROPYL-1H-2,1,3-BENZOTHIADIAZIN-4(3H)-ONE 2,2-DIOXIDE, SODIUM SALT)
Transport hazard class(es):	9, EHSM
Packing group:	III
Environmental hazards:	yes
	Marine pollutant: YES
Special precautions for user:	EmS: F-A; S-F

Air transport

IATA/ICAO

UN number or ID number:	UN 3082
UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (3-ISOPROPYL-1H-2,1,3-BENZOTHIADIAZIN-4(3H)-ONE 2,2-DIOXIDE, SODIUM SALT)
Transport hazard class(es):	9, EHSM
Packing group:	III

BASF Safety data sheet
Date / Revised: 25.07.2023
Product: **Basagran**

Version: 6.0

(30035190/SDS_CPA_VN/EN)

Date of print: 22.10.2025

Environmental hazards:	yes
Special precautions for user:	None known

Further information

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 L or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

15. Regulatory Information

Other regulations

The SDS is composed base on the Global Harmonization Globally Harmonized System of Classification and Labeling of Chemicals and applicable local chemical regulations as following :

- The Chemical Law.
- The decree No. 113/2017/ND-CP, Circulars and their replacement (if yes).
- The decree 42/2020/ND-CP guiding on dangerous goods (DG) list, transport and licensing of DG by road and inland waterway.
- Other applicable local regulations.

In case there is a replacement of the above decrees and their circulars, we will update all relevant data accordingly.

To avoid risks to man and the environment, comply with the instructions for use.

16. Other Information

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.